

表2-1 湖水温(°C)

月日	水深(m)	地点					平均値	平年値	月日	水深	地点					平均値	平年値	
		I	II	III	IV	V					I	II	III	IV	V			
2005 4/14	0.5	11.5	10.4	10.2	9.4	10.2	10.3	10.1	5/17	0.5	16.8	15.5	15.3	14.9	15.1	15.5	15.0	
	1	11.4	10.1	10.3	9.2	10.0	10.2	-		1	16.3	15.3	14.8	14.3	14.7	15.1	-	-
	2	11.1	10.0	10.1	9.2	9.5	10.0	-		2	16.1	15.2	14.7	14.1	14.6	14.9	-	-
	3	11.1	9.9	9.9	9.0	9.4	9.9	-		3	16.1	15.0	14.5	14.1	14.5	14.8	-	-
	4	11.0	9.9	9.4	9.0	9.4	9.7	-		4	16.0	15.0	14.4	14.0	14.4	14.8	-	-
	5	10.9	9.9	9.2	9.0	9.4	9.7	9.3		5	16.0	14.7	14.4	14.0	14.3	14.7	13.7	-
	6	10.8	9.8	9.0	8.9	9.4	9.6	-		6	15.9	14.5	14.3	13.9	14.1	14.5	-	-
	7	-	9.8	9.0	8.9	9.4	9.3	-		7	-	14.5	14.3	13.9	14.0	14.2	-	-
	8	-	9.8	9.0	8.9	9.3	9.3	-		8	-	14.4	14.3	13.8	13.9	14.1	-	-
	9	-	9.7	8.9	8.9	9.3	9.2	-		9	-	14.4	14.3	13.5	13.9	14.0	-	-
	10	-	9.7	8.9	8.9	9.3	9.2	8.7		10	-	14.3	14.3	13.2	-	13.9	12.4	-
	11	-	9.7	8.9	8.9	9.3	9.2	-		11	-	14.3	14.3	13.1	-	13.9	-	-
	12	-	9.4	8.9	8.9	9.3	9.1	-		12	-	14.3	14.3	13.0	-	13.9	-	-
	13	-	9.0	8.9	8.9	9.3	9.0	-		13	-	14.3	14.3	13.0	-	13.9	-	-
	14	-	8.9	8.8	8.9	9.3	9.0	-		14	-	14.2	14.2	12.6	-	13.7	-	-
	15	-	8.9	8.8	8.9	-	8.9	8.3		15	-	14.2	14.2	11.7	-	13.4	11.2	-
	16	-	8.9	8.8	8.8	-	8.8	-		16	-	14.2	14.1	11.4	-	13.2	-	-
	17	-	8.8	8.8	8.8	-	8.8	-		17	-	14.2	14.0	11.1	-	13.1	-	-
	18	-	8.7	8.8	8.8	-	8.8	-		18	-	14.2	13.3	10.8	-	12.8	-	-
	19	-	8.7	8.8	8.8	-	8.8	-		19	-	13.7	12.5	10.5	-	12.2	-	-
	20	-	8.6	8.7	8.7	-	8.7	8.1		20	-	12.5	11.9	10.2	-	11.5	10.2	-
	21	-	8.6	8.7	8.7	-	8.7	-		21	-	11.8	11.4	9.8	-	11.0	-	-
	22	-	8.5	8.6	8.7	-	8.6	-		22	-	10.3	11.0	9.4	-	10.2	-	-
	23	-	8.4	8.6	8.6	-	8.5	-		23	-	9.9	10.8	9.3	-	10.0	-	-
	24	-	-	8.5	8.6	-	8.6	-		24	-	9.5	10.6	9.2	-	9.8	-	-
	25	-	-	8.5	8.4	-	8.5	8.0		25	-	-	10.4	9.1	-	9.8	9.1	-
	26	-	-	8.5	8.3	-	8.4	-		26	-	-	10.3	9.0	-	9.7	-	-
	27	-	-	8.5	8.3	-	8.4	-		27	-	-	10.1	8.9	-	9.5	-	-
	28	-	-	8.5	8.2	-	8.4	-		28	-	-	9.9	8.8	-	9.4	-	-
	29	-	-	8.5	8.1	-	8.3	-		29	-	-	9.7	8.8	-	9.3	-	-
	30	-	-	8.4	8.1	-	8.3	7.8		30	-	-	9.6	8.8	-	9.2	8.6	-
	31	-	-	8.4	8.0	-	8.2	-		31	-	-	9.5	8.8	-	9.2	-	-
	32	-	-	8.4	8.0	-	8.2	-		32	-	-	9.4	8.7	-	9.1	-	-
	33	-	-	8.4	8.0	-	8.2	-		33	-	-	9.4	8.7	-	9.1	-	-
	34	-	-	8.4	7.9	-	8.2	-		34	-	-	9.3	8.6	-	9.0	-	-
	35	-	-	8.3	7.9	-	8.1	7.7		35	-	-	9.0	8.5	-	8.8	8.3	-
	36	-	-	8.2	7.9	-	8.1	-		36	-	-	8.7	8.5	-	8.6	-	-
	37	-	-	8.2	7.9	-	8.1	-		37	-	-	8.6	8.4	-	8.5	-	-
	38	-	-	8.1	7.9	-	8.0	-		38	-	-	8.5	8.4	-	8.5	-	-
	39	-	-	8.1	7.9	-	8.0	-		39	-	-	8.5	8.4	-	8.5	-	-
	40	-	-	8.1	7.9	-	8.0	7.6		40	-	-	8.4	8.4	-	8.4	8.0	-
	41	-	-	8.1	7.9	-	8.0	-		41	-	-	8.4	8.3	-	8.4	-	-
	42	-	-	8.1	7.9	-	8.0	-		42	-	-	8.4	8.3	-	8.4	-	-
	43	-	-	8.1	7.9	-	8.0	-		43	-	-	8.4	8.3	-	8.4	-	-
	44	-	-	8.1	7.8	-	8.0	-		44	-	-	8.4	8.2	-	8.3	-	-
	45	-	-	8.1	7.8	-	8.0	7.5		45	-	-	8.4	8.2	-	8.3	7.8	-
	46	-	-	-	7.8	-	7.8	-		46	-	-	-	8.2	-	8.2	-	-
	47	-	-	-	7.8	-	7.8	-		47	-	-	-	8.2	-	8.2	-	-
	48	-	-	-	7.8	-	7.8	-		48	-	-	-	8.1	-	8.1	-	-
	49	-	-	-	7.8	-	7.8	-		49	-	-	-	8.1	-	8.1	-	-
	50	-	-	-	7.8	-	7.8	7.4		50	-	-	-	8.1	-	8.1	7.6	-
	51	-	-	-	7.8	-	7.8	-		51	-	-	-	8.1	-	8.1	-	-
	52	-	-	-	7.8	-	7.8	-		52	-	-	-	8.1	-	8.1	-	-
	53	-	-	-	7.8	-	7.8	-		53	-	-	-	8.1	-	8.1	-	-
	54	-	-	-	7.8	-	7.8	-		54	-	-	-	8.1	-	8.1	-	-
	55	-	-	-	7.8	-	7.8	7.4		55	-	-	-	8.1	-	8.1	7.5	-
	56	-	-	-	7.8	-	7.8	-		56	-	-	-	8.1	-	8.1	-	-
	57	-	-	-	7.8	-	7.8	-		57	-	-	-	8.1	-	8.1	-	-
	58	-	-	-	7.8	-	7.8	-		58	-	-	-	8.0	-	8.0	-	-
	59	-	-	-	7.8	-	7.8	-		59	-	-	-	8.0	-	8.0	-	-
	60	-	-	-	7.8	-	7.8	7.3		60	-	-	-	8.0	-	8.0	7.4	-
	61	-	-	-	7.8	-	7.8	-		61	-	-	-	8.0	-	8.0	-	-
	62	-	-	-	7.8	-	7.8	-		62	-	-	-	8.0	-	8.0	-	-
	63	-	-	-	7.8	-	7.8	-		63	-	-	-	8.0	-	8.0	-	-
	64	-	-	-	7.8	-	7.8	-		64	-	-	-	8.0	-	8.0	-	-
	65	-	-	-	7.8	-	7.8	7.2		65	-	-	-	8.0	-	8.0	7.3	-
	66	-	-	-	7.8	-	7.8	-		66	-	-	-	8.0	-	8.0	-	-
	67	-	-	-	7.8	-	7.8	-		67	-	-	-	8.0	-	8.0	-	-
	68	-	-	-	7.8	-	7.8	-		68	-	-	-	8.0	-	8.0	-	-
	69	-	-	-	7.7	-	7.7	-		69	-	-	-	8.0	-	8.0	-	-
	70	-	-	-	7.7	-	7.7	7.1		70	-	-	-	8.0	-	8.0	7.2	-
	71	-	-	-	7.7	-	7.7	-		71	-	-	-	8.0	-	8.0	-	-
	72	-	-	-	7.7	-	7.7	-		72	-	-	-	8.0	-	8.0	-	-
	73	-	-	-	7.7	-	7.7	-		73	-	-	-	8.0	-	8.0	-	-
	74	-	-	-	7.7	-	7.7	-		74	-	-	-	8.0	-	8.0	-	-
75	-	-	-	7.7	-	7.7	7.0	75	-	-	-	8.0	-	8.0	7.1	-		
底層	10.8	8.4	8.1	7.7	9.3			底層	15.9	9.5	8.4	8.0	13.9					
水深	6m	23m	45m	77m	14m			水深	6m	24m	45m	77m	9m					

※平年値は1971年から2000年(昭和46年から平成12年)の同時期調査の平均値

表2-2 湖水温(°C)

月日	水深(m)	地点					平均値	平年値	月日	水深	地点					平均値	平年値
		I	II	III	IV	V					I	II	III	IV	V		
6/13	0.5	21.1	20.4	20.9	20.9	20.6	20.8	20.8	7/13	0.5	25.2	25.0	24.9	25.0	25.1	25.0	24.9
	1	21.1	20.4	20.8	20.8	20.6	20.7	-		1	25.1	25.0	24.9	24.7	25.2	25.0	-
	2	20.9	20.4	20.8	20.9	20.3	20.7	-		2	25.0	25.0	24.8	24.6	25.1	24.9	-
	3	20.6	20.4	20.8	20.8	20.2	20.6	-		3	25.0	24.9	24.8	24.6	25.1	24.9	-
	4	20.5	20.3	20.7	20.8	20.1	20.5	-		4	25.0	24.9	24.8	24.6	25.1	24.9	-
	5	20.4	20.2	20.5	20.6	20.1	20.4	19.3		5	25.0	24.8	24.8	24.6	25.0	24.8	23.9
	6	18.7	20.1	20.3	19.8	20.1	19.8	-		6	-	24.8	24.7	24.6	25.0	24.8	-
	7	-	20.0	19.6	19.2	20.1	19.7	-		7	-	24.8	24.7	24.5	24.9	24.7	-
	8	-	19.7	17.3	17.5	20.1	18.7	-		8	-	24.8	23.9	24.5	24.6	24.5	-
	9	-	18.7	17.2	16.6	20.1	18.2	-		9	-	24.0	21.0	24.3	23.9	23.3	-
	10	-	17.9	17.0	16.1	20.0	17.8	16.6		10	-	22.0	19.3	23.2	21.6	21.5	20.1
	11	-	17.4	16.9	15.6	19.8	17.4	-		11	-	20.3	18.3	21.7	-	20.1	-
	12	-	16.9	16.6	15.2	17.7	16.6	-		12	-	18.9	16.9	19.9	-	18.6	-
	13	-	16.0	16.1	14.9	-	15.7	-		13	-	17.2	16.4	17.8	-	17.1	-
	14	-	15.5	15.6	14.5	-	15.2	-		14	-	16.1	16.1	16.6	-	16.3	-
	15	-	14.9	15.2	14.2	-	14.8	13.2		15	-	15.4	15.8	15.9	-	15.7	15.2
	16	-	14.7	14.8	13.9	-	14.5	-		16	-	14.9	15.2	15.5	-	15.2	-
	17	-	14.4	14.3	13.7	-	14.1	-		17	-	14.3	14.8	14.9	-	14.7	-
	18	-	14.3	14.1	13.4	-	13.9	-		18	-	14.3	14.1	14.4	-	14.3	-
	19	-	14.1	13.8	13.0	-	13.6	-		19	-	13.9	13.6	13.9	-	13.8	-
	20	-	13.9	13.6	12.8	-	13.4	11.2		20	-	13.9	13.4	13.2	-	13.5	12.1
	21	-	13.8	13.5	12.6	-	13.3	-		21	-	13.9	13.0	12.8	-	13.2	-
	22	-	-	13.5	12.3	-	12.9	-		22	-	13.8	12.6	12.6	-	13.0	-
	23	-	-	13.3	11.9	-	12.6	-		23	-	-	12.3	12.3	-	12.3	-
	24	-	-	12.7	11.3	-	12.0	-		24	-	-	11.8	12.1	-	12.0	-
	25	-	-	12.2	10.0	-	11.1	9.7		25	-	-	11.8	11.7	-	11.8	10.5
	26	-	-	11.8	10.0	-	10.9	-		26	-	-	11.5	11.3	-	11.4	-
	27	-	-	11.3	9.6	-	10.5	-		27	-	-	11.4	11.0	-	11.2	-
	28	-	-	10.5	9.5	-	10.0	-		28	-	-	10.9	10.5	-	10.7	-
	29	-	-	10.3	9.3	-	9.8	-		29	-	-	10.3	10.2	-	10.3	-
	30	-	-	9.9	9.1	-	9.5	8.9		30	-	-	10.1	9.9	-	10.0	9.5
	31	-	-	9.7	9.0	-	9.4	-		31	-	-	9.7	9.6	-	9.7	-
	32	-	-	9.7	8.9	-	9.3	-		32	-	-	9.6	9.3	-	9.5	-
	33	-	-	9.5	8.8	-	9.2	-		33	-	-	9.4	9.2	-	9.3	-
	34	-	-	9.4	8.7	-	9.1	-		34	-	-	9.1	9.1	-	9.1	-
	35	-	-	9.4	8.6	-	9.0	8.4		35	-	-	8.9	9.0	-	9.0	8.8
	36	-	-	9.2	8.5	-	8.9	-		36	-	-	8.8	8.9	-	8.9	-
	37	-	-	9.1	8.5	-	8.8	-		37	-	-	8.7	8.7	-	8.7	-
	38	-	-	9.0	8.4	-	8.7	-		38	-	-	8.6	8.7	-	8.7	-
	39	-	-	8.9	8.4	-	8.7	-		39	-	-	8.5	8.6	-	8.6	-
	40	-	-	8.8	8.3	-	8.6	8.0		40	-	-	8.5	8.6	-	8.6	8.4
	41	-	-	8.6	8.3	-	8.5	-		41	-	-	8.5	8.5	-	8.5	-
	42	-	-	8.5	8.2	-	8.4	-		42	-	-	8.5	8.4	-	8.5	-
	43	-	-	8.4	8.2	-	8.3	-		43	-	-	8.5	8.4	-	8.5	-
	44	-	-	8.3	8.2	-	8.3	-		44	-	-	8.4	8.4	-	8.4	-
	45	-	-	8.3	8.2	-	8.3	7.8		45	-	-	8.5	8.3	-	8.4	8.1
	46	-	-	-	8.2	-	8.2	-		46	-	-	8.4	8.3	-	8.4	-
	47	-	-	-	8.1	-	8.1	-		47	-	-	8.4	8.3	-	8.4	-
	48	-	-	-	8.1	-	8.1	-		48	-	-	-	8.3	-	8.3	-
	49	-	-	-	8.1	-	8.1	-		49	-	-	-	8.2	-	8.2	-
	50	-	-	-	8.1	-	8.1	7.6		50	-	-	-	8.2	-	8.2	7.9
	51	-	-	-	8.1	-	8.1	-		51	-	-	-	8.2	-	8.2	-
	52	-	-	-	8.1	-	8.1	-		52	-	-	-	8.2	-	8.2	-
	53	-	-	-	8.1	-	8.1	-		53	-	-	-	8.2	-	8.2	-
	54	-	-	-	8.1	-	8.1	-		54	-	-	-	8.2	-	8.2	-
	55	-	-	-	8.0	-	8.0	7.5		55	-	-	-	8.2	-	8.2	7.7
	56	-	-	-	8.0	-	8.0	-		56	-	-	-	8.2	-	8.2	-
	57	-	-	-	8.0	-	8.0	-		57	-	-	-	8.1	-	8.1	-
	58	-	-	-	8.0	-	8.0	-		58	-	-	-	8.1	-	8.1	-
	59	-	-	-	8.0	-	8.0	-		59	-	-	-	8.1	-	8.1	-
	60	-	-	-	8.0	-	8.0	7.4		60	-	-	-	8.1	-	8.1	7.6
	61	-	-	-	8.0	-	8.0	-		61	-	-	-	8.1	-	8.1	-
	62	-	-	-	8.0	-	8.0	-		62	-	-	-	8.0	-	8.0	-
	63	-	-	-	8.0	-	8.0	-		63	-	-	-	8.0	-	8.0	-
	64	-	-	-	8.0	-	8.0	-		64	-	-	-	8.0	-	8.0	-
	65	-	-	-	8.0	-	8.0	7.4		65	-	-	-	8.0	-	8.0	7.5
	66	-	-	-	8.0	-	8.0	-		66	-	-	-	8.0	-	8.0	-
	67	-	-	-	8.0	-	8.0	-		67	-	-	-	8.0	-	8.0	-
	68	-	-	-	8.0	-	8.0	-		68	-	-	-	8.0	-	8.0	-
	69	-	-	-	8.0	-	8.0	-		69	-	-	-	8.0	-	8.0	-
	70	-	-	-	7.9	-	7.9	7.3		70	-	-	-	7.9	-	7.9	7.4
	71	-	-	-	7.9	-	7.9	-		71	-	-	-	7.9	-	7.9	-
	72	-	-	-	7.9	-	7.9	-		72	-	-	-	7.9	-	7.9	-
	73	-	-	-	7.9	-	7.9	-		73	-	-	-	7.9	-	7.9	-
	74	-	-	-	7.9	-	7.9	-		74	-	-	-	7.9	-	7.9	-
75	-	-	-	7.9	-	7.9	7.2	75	-	-	-	7.9	-	7.9	7.2		
底層	18.7	13.8	8.3	7.9	17.7			底層	25.0	13.8	8.4	7.9	21.6				
水深	6m	21m	45m	77m	12m			水深	5m	22m	47m	77m	10m				

※平年値は1971年から2000年(昭和46年から平成12年)の同時期調査の平均値

表2-3 湖水温(°C)

月日	水深(m)	地点					平均値	平年値	月日	水深	地点					平均値	平年値
		I	II	III	IV	V					I	II	III	IV	V		
8/17	0.5	28.7	28.4	27.9	28.3	28.6	28.4	27.6	9/12	0.5	26.4	25.7	25.8	27.4	26.9	26.4	24.7
	1	28.6	28.4	27.8	28.0	28.4	28.2	-		1	26.2	25.7	25.8	26.4	26.8	26.2	-
	2	28.5	28.4	27.8	27.9	28.4	28.2	-		2	26.1	25.7	25.8	26.1	26.5	26.0	-
	3	28.5	28.4	27.8	27.9	28.0	28.1	-		3	25.6	25.6	25.7	26.0	26.2	25.8	-
	4	28.5	28.4	27.7	27.8	27.8	28.0	-		4	25.1	25.6	25.6	26.0	26.2	25.7	-
	5	28.4	28.3	27.7	27.8	27.7	28.0	26.9		5	25.0	25.5	25.6	26.0	26.1	25.6	24.5
	6	-	28.2	27.6	27.7	27.7	27.8	-		6	-	25.5	25.5	26.0	-	25.7	-
	7	-	28.0	27.6	27.6	27.6	27.7	-		7	-	25.4	25.5	25.9	-	25.6	-
	8	-	27.8	27.6	27.4	27.6	27.6	-		8	-	25.0	25.5	25.8	-	25.4	-
	9	-	27.7	27.6	27.2	27.6	27.5	-		9	-	24.6	25.1	25.6	-	25.1	-
	10	-	24.2	26.2	26.0	27.3	25.9	23.3		10	-	24.4	24.8	25.4	-	24.9	23.9
	11	-	21.7	23.5	23.9	21.2	22.6	-		11	-	24.0	24.5	25.0	-	24.5	-
	12	-	20.3	21.6	21.8	17.9	20.4	-		12	-	22.9	23.7	24.7	-	23.8	-
	13	-	18.5	20.5	19.7	15.8	18.6	-		13	-	22.6	22.6	24.3	-	23.2	-
	14	-	17.6	19.1	17.8	-	18.2	-		14	-	21.7	22.1	23.7	-	22.5	-
	15	-	16.5	16.1	16.6	-	16.4	16.4		15	-	21.0	20.6	22.2	-	21.3	18.3
	16	-	16.2	15.3	16.0	-	15.8	-		16	-	20.4	18.9	20.1	-	19.8	-
	17	-	15.7	14.5	15.4	-	15.2	-		17	-	19.6	18.0	17.6	-	18.4	-
	18	-	14.8	13.8	14.9	-	14.5	-		18	-	18.4	17.5	16.0	-	17.3	-
	19	-	14.2	13.5	14.1	-	13.9	-		19	-	17.2	16.1	15.1	-	16.1	-
	20	-	13.5	13.2	13.3	-	13.3	12.6		20	-	14.3	14.6	14.3	-	14.4	13.4
	21	-	13.2	12.6	12.7	-	12.8	-		21	-	12.0	14.0	13.7	-	13.2	-
	22	-	13.1	12.2	12.2	-	12.5	-		22	-	11.6	13.6	13.3	-	12.8	-
	23	-	-	12.0	11.8	-	11.9	-		23	-	10.7	13.0	12.9	-	12.2	-
	24	-	-	11.3	11.4	-	11.4	-		24	-	-	12.8	12.6	-	12.7	-
25	-	-	10.9	11.2	-	11.1	10.7	25	-	-	12.0	12.0	-	12.0	11.0		
26	-	-	10.3	11.1	-	10.7	-	26	-	-	11.4	11.3	-	11.4	-		
27	-	-	9.6	10.8	-	10.2	-	27	-	-	11.0	10.7	-	10.9	-		
28	-	-	9.3	10.5	-	9.9	-	28	-	-	10.7	10.1	-	10.4	-		
29	-	-	9.2	10.1	-	9.7	-	29	-	-	10.0	9.8	-	9.9	-		
30	-	-	9.2	9.7	-	9.5	9.5	30	-	-	9.7	9.7	-	9.7	9.6		
31	-	-	9.1	9.5	-	9.3	-	31	-	-	9.5	9.6	-	9.6	-		
32	-	-	9.1	9.4	-	9.3	-	32	-	-	9.4	9.5	-	9.5	-		
33	-	-	9.0	9.2	-	9.1	-	33	-	-	9.2	9.5	-	9.4	-		
34	-	-	8.9	9.0	-	9.0	-	34	-	-	9.0	9.4	-	9.2	-		
35	-	-	8.9	8.9	-	8.9	8.8	35	-	-	8.8	9.3	-	9.1	8.8		
36	-	-	8.9	8.9	-	8.9	-	36	-	-	8.7	9.3	-	9.0	-		
37	-	-	8.8	8.8	-	8.8	-	37	-	-	8.6	9.2	-	8.9	-		
38	-	-	8.7	8.7	-	8.7	-	38	-	-	8.6	9.1	-	8.9	-		
39	-	-	8.7	8.7	-	8.7	-	39	-	-	8.6	9.0	-	8.8	-		
40	-	-	8.6	8.6	-	8.6	8.3	40	-	-	8.6	9.0	-	8.8	8.4		
41	-	-	8.5	8.5	-	8.5	-	41	-	-	8.6	9.0	-	8.8	-		
42	-	-	8.5	8.5	-	8.5	-	42	-	-	8.6	8.9	-	8.8	-		
43	-	-	8.4	8.5	-	8.5	-	43	-	-	8.6	8.9	-	8.8	-		
44	-	-	8.4	8.4	-	8.4	-	44	-	-	8.6	8.8	-	8.7	-		
45	-	-	8.4	8.4	-	8.4	8.1	45	-	-	8.6	8.7	-	8.7	8.1		
46	-	-	-	8.4	-	8.4	-	46	-	-	-	8.6	-	8.6	-		
47	-	-	-	8.4	-	8.4	-	47	-	-	-	8.6	-	8.6	-		
48	-	-	-	8.4	-	8.4	-	48	-	-	-	8.5	-	8.5	-		
49	-	-	-	8.3	-	8.3	-	49	-	-	-	8.5	-	8.5	-		
50	-	-	-	8.3	-	8.3	7.9	50	-	-	-	8.5	-	8.5	7.8		
51	-	-	-	8.3	-	8.3	-	51	-	-	-	8.4	-	8.4	-		
52	-	-	-	8.3	-	8.3	-	52	-	-	-	8.4	-	8.4	-		
53	-	-	-	8.3	-	8.3	-	53	-	-	-	8.4	-	8.4	-		
54	-	-	-	8.2	-	8.2	-	54	-	-	-	8.4	-	8.4	-		
55	-	-	-	8.2	-	8.2	7.7	55	-	-	-	8.3	-	8.3	7.6		
56	-	-	-	8.2	-	8.2	-	56	-	-	-	8.3	-	8.3	-		
57	-	-	-	8.2	-	8.2	-	57	-	-	-	8.3	-	8.3	-		
58	-	-	-	8.2	-	8.2	-	58	-	-	-	8.2	-	8.2	-		
59	-	-	-	8.1	-	8.1	-	59	-	-	-	8.2	-	8.2	-		
60	-	-	-	8.1	-	8.1	7.6	60	-	-	-	8.2	-	8.2	7.5		
61	-	-	-	8.1	-	8.1	-	61	-	-	-	8.2	-	8.2	-		
62	-	-	-	8.1	-	8.1	-	62	-	-	-	8.1	-	8.1	-		
63	-	-	-	8.1	-	8.1	-	63	-	-	-	8.1	-	8.1	-		
64	-	-	-	8.1	-	8.1	-	64	-	-	-	8.1	-	8.1	-		
65	-	-	-	8.1	-	8.1	7.4	65	-	-	-	8.1	-	8.1	7.4		
66	-	-	-	8.1	-	8.1	-	66	-	-	-	8.0	-	8.0	-		
67	-	-	-	8.1	-	8.1	-	67	-	-	-	8.1	-	8.1	-		
68	-	-	-	8.1	-	8.1	-	68	-	-	-	8.0	-	8.0	-		
69	-	-	-	8.1	-	8.1	-	69	-	-	-	8.0	-	8.0	-		
70	-	-	-	8.1	-	8.1	7.4	70	-	-	-	8.0	-	8.0	7.3		
71	-	-	-	8.0	-	8.0	-	71	-	-	-	8.0	-	8.0	-		
72	-	-	-	8.0	-	8.0	-	72	-	-	-	8.0	-	8.0	-		
73	-	-	-	8.0	-	8.0	-	73	-	-	-	8.0	-	8.0	-		
74	-	-	-	8.0	-	8.0	-	74	-	-	-	8.0	-	8.0	-		
75	-	-	-	8.0	-	8.0	7.2	75	-	-	-	8.0	-	8.0	7.2		
底層	28.4	13.1	8.4	8.0	15.8			底層	25.0	10.7	8.6	8.0	26.1				
水深	5m	22m	45m	76m	13m			水深	5m	23m	45m	76m	5m				

※平年値は1971年から2000年(昭和46年から平成12年)の同時期調査の平均値

