

付表6-1 基点別、深度別水草採集重量(g)

基点	1						2					
	1	2	3	4	5	7	1	2	3	4	5	7
深度(m)												
植被率(%)	0	0	0	0	5	0	0	0	85	25	5	0.1
分布					不均一				均一	不均一	不均一	不均一
シヤジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤											
	風乾											
ササバモ	湿潤											
	風乾											
エビモ	湿潤											
	風乾											
センニンモ	湿潤				54.169					116.546	6.282	
	風乾				4.417					9.503	0.525	
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤											
	風乾											
オオササエビモ	湿潤											
	風乾											
イバラモ	湿潤											1.472
	風乾											0.034
コウガイモ	湿潤											
	風乾											
ネジレモ	湿潤											
	風乾											
クロモ	湿潤				0.934				221.402	2.698		1.197
	風乾				0.035				12.389	0.101		0.053
コカナダモ	湿潤										2.021	
	風乾										0.053	
オオカナダモ	湿潤				15.160							
	風乾				0.734							
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤											
	風乾											
ホザキノフサモ	湿潤											
	風乾											
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-2 基点別、深度別水草採集重量(g)

基点		3						4					
深度(m)		1	2	3	4	5	7	1	2	3	4	5	7
植被率(%)		0	0	5	95	80	25	0	0	5	60	70	2
分布				不均一	均一	均一	均一			不均一	均一	均一	不均一
シヤジクモ	湿潤												
	風乾												
ヒロハノセンニンモ	湿潤				15.088	3.991							
	風乾				1.062	0.296							
ササバモ	湿潤												
	風乾												
エビモ	湿潤												
	風乾												
センニンモ	湿潤			0.803	106.900	39.845				81.415	68.723	25.287	
	風乾			0.082	10.067	4.100				9.188	7.761	2.192	
ヒロハノエビモ	湿潤				28.729								
	風乾				2.233								
サンネンモ	湿潤												
	風乾												
オオササエビモ	湿潤			17.586	59.699						27.544		0.782
	風乾			0.964	3.725						2.847		0.062
イバラモ	湿潤					3.277	0.950						
	風乾					0.089	0.015						
コウガイモ	湿潤												
	風乾												
ネジレモ	湿潤												
	風乾												
クロモ	湿潤			9.896	74.070	30.694	38.378			56.437	54.329	113.817	6.544
	風乾			0.542	3.181	1.536	1.956			2.457	3.762	4.695	0.293
コカナダモ	湿潤												
	風乾												
オオカナダモ	湿潤												
	風乾												
ハゴロモモ	湿潤												
	風乾												
マツモ	湿潤												
	風乾												
ホザキノフサモ	湿潤				57.691						1.602		
	風乾				2.661						0.089		
不明	湿潤										2.331		
	風乾										0.287		
ヒシ	湿潤												
	風乾												

付表6-3 基点別、深度別水草採集重量(g)

基点		5						6					
深度(m)		1	2	3	4	5	7	1	2	3	4	5	7
植被率(%)		5	50	70	40	40	0	10	20	80	100	100	0
分布		不均一	均一	均一	均一	均一	均一	均一	均一	均一	均一	均一	均一
シャジクモ	湿潤												
	風乾												
ヒロハノセンニンモ	湿潤	0.319	9.617	8.518		0.396				0.228	58.895	6.045	
	風乾	0.029	0.805	0.849		0.039				0.025	1.315	0.505	
ササバモ	湿潤							10.654	25.696				
	風乾							1.255	2.216				
エビモ	湿潤												
	風乾												
センニンモ	湿潤	0.143	0.675	154.257	108.700	61.904				22.532	88.131	104.750	
	風乾	0.012	0.081	15.736	9.812	5.060				2.309	10.626	10.541	
ヒロハノエビモ	湿潤								61.368				
	風乾								5.367				
サンネンモ	湿潤												
	風乾												
オオササエビモ	湿潤									14.776	1.455	7.087	
	風乾									1.206	0.196	0.620	
イバラモ	湿潤							11.497	3.206	0.955			
	風乾							0.445	0.119	0.017			
コウガイモ	湿潤									1.429			
	風乾									0.053			
ネジレモ	湿潤			1.678				29.558	5.349		3.200		
	風乾			0.058				1.628	0.195		0.133		
クロモ	湿潤	0.964	40.573	15.478	24.947	22.621				19.074	9.733	5.559	
	風乾	0.060	2.007	0.817	1.228	1.355				0.906	0.598	0.315	
コカナダモ	湿潤	130.391	121.916	5.728	59.285	85.760			0.415	261.000	67.625	258.704	
	風乾	8.037	6.583	0.325	2.697	3.657			0.017	9.215	4.023	13.909	
オオカナダモ	湿潤	1.184											
	風乾	0.108											
ハゴロモモ	湿潤												
	風乾												
マツモ	湿潤												
	風乾												
ホザキノフサモ	湿潤										0.486	1.559	
	風乾										0.046	0.146	
不明	湿潤												
	風乾												
ヒシ	湿潤												
	風乾												

付表6-4 基点別、深度別水草採集重量(g)

基点	7						8					
	1	2	3	4	5	7	1	2	3	4	5	7
深度(m)	1	2	3	4	5	7	1	2	3	4	5	7
植被率(%)	0	0.5	50	40	90	10	5	20	1	10	8	5
分布		不均一	均一	不均一	均一	不均一	不均一	不均一	不均一	不均一	不均一	不均一
シャジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤		90.395		1.960							24.293
	風乾		8.482		0.212							1.760
ササバモ	湿潤											
	風乾											
エビモ	湿潤											
	風乾											
センニンモ	湿潤	3.382	30.319	55.643	33.025	44.732	0.273	121.660	2.018	78.128	24.865	2.518
	風乾	0.257	3.037	5.564	4.498	4.117	0.021	10.940	0.162	6.609	2.492	0.443
ヒロハノエビモ	湿潤											
	風乾											
サンニンモ	湿潤											
	風乾											
オオササエビモ	湿潤			41.765								119.717
	風乾			3.010								11.205
イバラモ	湿潤									0.198	0.196	
	風乾									0.004	0.002	
コウガイモ	湿潤											
	風乾											
ネジレモ	湿潤											
	風乾											
クロモ	湿潤		0.839	2.316		6.278		0.353	1.816	6.562	13.632	10.094
	風乾		0.027	0.176		0.326		0.014	0.067	0.319	0.715	0.427
コカナダモ	湿潤	2.239	1.427			1.299	24.832	0.266		3.216		
	風乾	0.073	0.033			0.027	1.243	0.009		0.142		
オオカナダモ	湿潤									2.351		
	風乾									0.084		
ハゴロモモ	湿潤										5.324	
	風乾										0.180	
マツモ	湿潤										3.703	
	風乾										0.100	
ホザキノフサモ	湿潤											8.285
	風乾											0.338
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-5 基点別、深度別水草採集重量(g)

基点	9						10					
	1	2	3	4	5	7	1	2	3	4	5	7
深度(m)	1	2	3	4	5	7	1	2	3	4	5	7
植被率(%)	0	10	3	1	0	0	0	20	1	3	1	0
分布		不均一	不均一	不均一				不均一	不均一	不均一	不均一	
シヤジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤											
	風乾											
ササバモ	湿潤	162.204										
	風乾	12.631										
エビモ	湿潤											
	風乾											
センニンモ	湿潤		6.111				76.777			10.333		
	風乾		0.380				5.372			0.748		
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤											
	風乾											
オオササエビモ	湿潤											
	風乾											
イバラモ	湿潤											
	風乾											
コウガイモ	湿潤							14.504				
	風乾							0.520				
ネジレモ	湿潤											
	風乾											
クロモ	湿潤			0.845			29.301		12.829			
	風乾			0.028			1.250		0.530			
コカナダモ	湿潤											
	風乾											
オオカナダモ	湿潤								39.781			
	風乾								1.555			
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤		1.302									
	風乾		0.021									
ホザキノフサモ	湿潤	49.702					5.199					
	風乾	2.314					0.308					
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-6 基点別、深度別水草採集重量(g)

基点	11						12					
	1	2	3	4	5	7	1	2	3	4	5	7
深度(m)	1	2	3	4	5	7	1	2	3	4	5	7
植被率(%)	0	80	75	5	5	1	1	70	60	70	20	1
分布		不均一	不均一	不均一	不均一	不均一	不均一	不均一	不均一	不均一	均一	不均一
シヤジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤											
	風乾											
ササバモ	湿潤											
	風乾											
エビモ	湿潤											
	風乾											
センニンモ	湿潤	237.410	256.835	10.943	33.450	0.289	2.781	63.942	709.148	233.131	1.869	5.284
	風乾	22.394	28.680	0.844	3.282	0.023	0.382	7.026	82.563	36.382	0.175	0.399
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤											
	風乾											
オオササエビモ	湿潤				11.834		23.759	349.333				
	風乾				0.878		1.536	37.322				
イバラモ	湿潤										0.926	0.543
	風乾										0.027	0.019
コウガイモ	湿潤									72.132		
	風乾									2.652		
ネジレモ	湿潤							13.238				
	風乾							0.611				
クロモ	湿潤	119.058	123.639	1.277	0.691	0.319	1.344	154.446	51.332	9.932	24.928	
	風乾	6.193	5.480	0.061	0.029	0.020	0.062	10.553	2.931	0.516	1.315	
コカナダモ	湿潤									0.248		
	風乾									0.017		
オオカナダモ	湿潤									10.573		
	風乾									0.584		
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤				1.582							
	風乾				0.098							
ホザキノフサモ	湿潤		1.103		1.400							
	風乾		0.059		0.089							
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-7 基点別、深度別水草採集重量(g)

基点		13						14					
深度(m)		1	2	3	4	5	7	1	2	3	4	5	7
植被率(%)		80	100	100	100	90	0	60	欠測	80	1	2	0
分布		均一	均一	均一	均一	均一		不均一		均一	不均一	不均一	
シヤジクモ	湿潤												
	風乾												
ヒロハノセンニンモ	湿潤												
	風乾												
ササバモ	湿潤	26.919	4.807										
	風乾	2.825	0.484										
エビモ	湿潤												
	風乾												
センニンモ	湿潤	24.818	955.136	162.878	510.693	49.275				423.627	12.899	27.472	
	風乾	2.306	125.094	16.597	77.787	4.590				42.624	0.168	2.312	
ヒロハノエビモ	湿潤												
	風乾												
サンネンモ	湿潤												
	風乾												
オオササエビモ	湿潤	78.151									3.048	1.183	
	風乾	7.795									0.061	0.118	
イバラモ	湿潤							2.568	8.673				
	風乾							0.115	0.277				
コウガイモ	湿潤		30.796										
	風乾		1.525										
ネジレモ	湿潤							308.205	33.480				
	風乾							22.639	1.218				
クロモ	湿潤	92.261		0.371		4.503				16.549		67.189	
	風乾	6.228		0.021		0.170				0.689		3.403	
コカナダモ	湿潤	32.401	19.432	3177.764	1497.878	730.935				7.250		24.501	
	風乾	2.467	1.145	250.124	165.230	50.798				0.243		1.481	
オオカナダモ	湿潤									68.302			
	風乾									3.158			
ハゴロモモ	湿潤												
	風乾												
マツモ	湿潤			20.819	32.178	76.591							
	風乾			1.008	1.863	3.379							
ホザキノフサモ	湿潤				4.886								
	風乾				0.394								
不明	湿潤												
	風乾												
ヒシ	湿潤												
	風乾												

付表6-8 基点別、深度別水草採集重量(g)

基点	15						16					
	1	2	3	4	5	-	1	2	3	4	-	-
深度(m)												
植被率(%)	80	90	0	0	0	-	0	10	10	1	-	-
分布	均一	均一					不均一	不均一	不均一			
シヤジクモ	湿潤	8.384										
	風乾	0.359										
ヒロハノセンニンモ	湿潤											
	風乾											
ササバモ	湿潤											
	風乾											
エビモ	湿潤											
	風乾											
センニンモ	湿潤	3.809					294.056		4.617			
	風乾	0.313					23.567		0.331			
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤											
	風乾											
オオササエビモ	湿潤											
	風乾											
イバラモ	湿潤	2.826										
	風乾	0.094										
コウガイモ	湿潤	235.799	286.000					38.034				
	風乾	0.094	13.071					1.453				
ネジレモ	湿潤						7.649					
	風乾						0.250					
クロモ	湿潤	84.673	89.728						3.265			
	風乾	5.094	4.472						0.126			
コカナダモ	湿潤											
	風乾											
オオカナダモ	湿潤											
	風乾											
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤											
	風乾											
ホザキノフサモ	湿潤						3.335					
	風乾						0.316					
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-9 基点別、深度別水草採集重量(g)

基点		17						18					
深度(m)		1	2	3	4	-	-	1	2	3	4	5	-
植被率(%)		80	100	100	2	-	-	100	100	20	2	2	-
分布		不均一	均一	均一	不均一			均一	均一	均一	不均一	不均一	
シヤジクモ	湿潤												
	風乾												
ヒロハノセンニンモ	湿潤												
	風乾												
ササバモ	湿潤												
	風乾												
エビモ	湿潤												
	風乾												
センニンモ	湿潤	668.075	592.756		10.077						1.099	1.164	
	風乾	73.010	56.077		0.792						0.077	0.072	
ヒロハノエビモ	湿潤												
	風乾												
サンネンモ	湿潤												
	風乾												
オオササエビモ	湿潤												
	風乾												
イバラモ	湿潤												
	風乾												
コウガイモ	湿潤	356.621	85.311					866.052	456.218				
	風乾	16.713	3.058					46.615	23.817				
ネジレモ	湿潤												
	風乾												
クロモ	湿潤	2.981	79.031	273.586				98.800	505.483				
	風乾	0.132	4.098	13.503				3.411	47.774				
コカナダモ	湿潤		43.407										
	風乾		2.164										
オオカナダモ	湿潤		105.200		43.931								
	風乾		6.752		1.828								
ハゴロモモ	湿潤												
	風乾												
マツモ	湿潤	11.510	94.745					3.980	1.077	13.408	2.312	8.614	
	風乾	0.646	4.632					0.230	0.072	0.689	0.121	0.365	
ホザキノフサモ	湿潤								5.813	21.079			
	風乾								0.509	1.230			
不明	湿潤												
	風乾												
ヒシ	湿潤												
	風乾												

付表6-10 基点別、深度別水草採集重量(g)

基点	19						20					
	1	2	3	4	-	-	1	2	3	4	-	-
深度(m)												
植被率(%)	50	80	100	2	-	-	0	80	30	5	-	-
分布	不均一	均一	均一	不均一			均一	不均一	不均一			
シヤジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤											
	風乾											
ササバモ	湿潤											
	風乾											
エビモ	湿潤											
	風乾											
センニンモ	湿潤	963.720	638.704	993.548	1.733		311.099	53.072	373.068			
	風乾	103.149	53.188	101.819	0.073		27.611	3.561	40.724			
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤											
	風乾											
オオササエビモ	湿潤											
	風乾											
イバラモ	湿潤											
	風乾											
コウガイモ	湿潤											
	風乾											
ネジレモ	湿潤											
	風乾											
クロモ	湿潤		109.355	9.397	7.925					37.820		
	風乾		6.673	0.013	0.286					1.906		
コカナダモ	湿潤		69.117							115.962		
	風乾		3.819							8.172		
オオカナダモ	湿潤	20.457	42.942	22.161						12.578		
	風乾	0.730	2.761	1.344						0.475		
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤		203.345	57.254						84.424		
	風乾		14.555	3.023						4.669		
ホザキノフサモ	湿潤											
	風乾											
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-11 基点別、深度別水草採集重量(g)

基点	21						22					
	1	2	3	4	5	-	1	2	3	4	5	-
深度(m)												
植被率(%)	30	85	70	0	0	-	50	100	10	5	0.1	-
分布	不均一	均一	不均一				不均一	均一	不均一	不均一	不均一	
シヤジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤											
	風乾											
ササバモ	湿潤	11.456										
	風乾	0.670										
エビモ	湿潤											
	風乾											
センニンモ	湿潤	209.939	1163.364	346.270			159.208	320.067	61.818	11.710	3.724	
	風乾	24.943	106.706	38.877			22.057	28.620	6.178	1.041	0.241	
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤											
	風乾											
オオササエビモ	湿潤											
	風乾											
イバラモ	湿潤											
	風乾											
コウガイモ	湿潤											
	風乾											
ネジレモ	湿潤		48.158									
	風乾		1.834									
クロモ	湿潤	15.828					2.004		3.347	0.885	1.101	
	風乾	0.942					0.125		0.146	0.070	0.035	
コカナダモ	湿潤	4.540		65.690			0.904				3.313	
	風乾	0.448		4.887			0.058				0.138	
オオカナダモ	湿潤											
	風乾											
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤		213.816	61.578					14.116	104.952	0.660	
	風乾		9.221	2.999					0.628	6.148	0.025	
ホザキノフサモ	湿潤											
	風乾											
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-12 基点別、深度別水草採集重量(g)

基点	23						24					
	1	2	3	4	5	-	1	2	3	4	5	7
深度(m)												
植被率(%)	70	100	100	80	0.1	-	65	95	95	85	70	5
分布	不均一	均一	均一	均一	不均一		不均一	均一	均一	均一	不均一	不均一
シャジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤											
	風乾											
ササバモ	湿潤		3.271				24.418	116.379				
	風乾		0.170				3.617	13.345				
エビモ	湿潤											
	風乾									0.191		
センニンモ	湿潤	75.263	300.955	466.012	201.633	1.393	62.965	234.418	190.530	458.838		0.615
	風乾	8.885	28.537	53.692	21.747	0.144	6.788	33.026	24.225	72.160		0.045
ヒロハノエビモ	湿潤						3.258					
	風乾						0.283					
サンニンモ	湿潤											
	風乾											
オオササエビモ	湿潤	47.059					116.635					
	風乾	5.248					12.571					
イバラモ	湿潤											
	風乾											
コウガイモ	湿潤							34.262	51.292	9.072		
	風乾							1.402	2.057	0.434		
ネジレモ	湿潤	142.407					15.285					
	風乾	9.672					0.794					
クロモ	湿潤	120.934	34.185			7.993	37.012	9.182	96.137			2.454
	風乾	8.786	2.424			0.412	3.910	0.592	8.220			0.120
コカナダモ	湿潤	26.256	80.775	1790.980	9.697	5.827				674.673	476.628	
	風乾	2.592	5.981	209.399	0.679	0.314				72.777	32.756	
オオカナダモ	湿潤											
	風乾											
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤	0.791										
	風乾	0.073										
ホザキノフサモ	湿潤							4.872	2.213			
	風乾							0.243	0.275			
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-13 基点別、深度別水草採集重量(g)

基点	25						26						
	1	2	3	4	5	7	1	2	3	4	5	7	
深度(m)	1	2	3	4	5	7	1	2	3	4	5	7	
植被率(%)	5	50	100	95	60	30	1	30	40	65	70	15	
分布	不均一	不均一	均一	均一	不均一	不均一	不均一	不均一	不均一	不均一	不均一	不均一	
シヤジクモ	湿潤												
	風乾												
ヒロハノセンニンモ	湿潤												
	風乾												
ササバモ	湿潤												
	風乾												
エビモ	湿潤												
	風乾												
センニンモ	湿潤	13.094	304.658	69.537	32.964		7.665	1.009	46.428	134.360	214.547	18.819	48.068
	風乾	1.232	44.014	7.235	3.013		0.608	0.108	4.981	13.822	13.444	1.535	3.459
ヒロハノエビモ	湿潤												
	風乾												
サンネンモ	湿潤												
	風乾												
オオササエビモ	湿潤		10.294						9.300				
	風乾		0.855						0.644				
イバラモ	湿潤												
	風乾												
コウガイモ	湿潤		4.036										
	風乾		0.145										
ネジレモ	湿潤												
	風乾												
クロモ	湿潤	64.797		143.325	9.219					308.603	45.395	47.352	2.123
	風乾	5.367		8.296	0.424					18.190	2.534	2.567	0.066
コカナダモ	湿潤	19.938		1935.277	2916.190	1565.826	193.490		202.839	0.924	239.822	247.545	51.300
	風乾	1.307		205.127	260.591	109.182	13.128		17.039	0.038	18.538	15.662	2.480
オオカナダモ	湿潤												
	風乾												
ハゴロモモ	湿潤												
	風乾												
マツモ	湿潤					3.010							
	風乾					0.144							
ホザキノフサモ	湿潤								36.105				
	風乾								2.049				
不明	湿潤								36.852				
	風乾								3.579				
ヒシ	湿潤												
	風乾												

付表6-14 基点別、深度別水草採集重量(g)

基点	27						28					
	1	2	3	4	5	7	1	2	3	4	5	7
深度(m)	1	70	95	95	95	1	60	60	90	100	50	0
植被率(%)	1	70	95	95	95	1	60	60	90	100	50	0
分布	不均一	均一	均一	均一	均一	不均一	均一	均一	均一	均一	均一	
シヤジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤											
	風乾											
ササバモ	湿潤											
	風乾											
エビモ	湿潤						3.231					
	風乾						0.190					
センニンモ	湿潤	379.490	257.172		3.004	12.326	65.265	126.933	0.123	23.339	8.179	
	風乾	52.014	26.956		0.219	1.219	7.010	14.456	0.035	1.664	0.696	
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤											
	風乾											
オオササエビモ	湿潤		9.441							29.529		
	風乾		0.970							1.994		
イバラモ	湿潤											
	風乾											
コウガイモ	湿潤											
	風乾											
ネジレモ	湿潤											
	風乾											
クロモ	湿潤	21.108	32.171		5.667	4.241	10.155	61.098		0.493		
	風乾	1.836	2.025		0.300	0.324	0.527	3.505		0.020		
コカナダモ	湿潤		116.159	3105.263	1361.887	318.551	8.123	58.413	313.304	576.742	2177.452	221.475
	風乾		7.486	169.951	112.269	18.855	0.380	3.917	26.089	48.971	142.216	14.378
オオカナダモ	湿潤										1.061	
	風乾										0.074	
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤											
	風乾											
ホザキノフサモ	湿潤		34.860	4.838						6.736	11.414	
	風乾		2.913	0.224						0.391	0.525	
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-15 基点別、深度別水草採集重量(g)

基点	29						30						
	1	2	3	4	5	7	1	2	3	4	5	7	
深度(m)													
植被率(%)	50	100	100	100	100	20	1	30	70	100	100	1	
分布	不均一	均一	均一	均一	均一	均一	不均一	均一	均一	均一	均一	不均一	
シャジクモ	湿潤												
	風乾												
ヒロハノセンニンモ	湿潤			23.042					21.297				
	風乾			1.864					1.908				
ササバモ	湿潤												
	風乾												
エビモ	湿潤						4.256						
	風乾						0.244						
センニンモ	湿潤	166.157	213.035	201.424	147.013	174.187	5.007		24.707	115.136	513.213	5.974	53.911
	風乾	20.300	28.170	28.154	18.880	19.347	0.469		1.910	12.748	71.460	0.457	4.747
ヒロハノエビモ	湿潤												
	風乾												
サンニンモ	湿潤												
	風乾												
オオササエビモ	湿潤	83.539	156.043	48.634					116.597	52.463	4.666		
	風乾	6.385	16.349	3.919					9.353	4.747	0.250		
イバラモ	湿潤					3.480	3.435	9.317					
	風乾					0.109	0.131	0.437					
コウガイモ	湿潤												
	風乾												
ネジレモ	湿潤	39.121	3.123	3.732					12.795				
	風乾	1.975	0.135	0.144					0.698				
クロモ	湿潤	15.535	56.807	47.004	28.848	20.292	3.960	8.245		24.037	2.405		1.681
	風乾	0.936	3.638	2.813	1.504	0.987	0.232	0.344		1.301	0.064		0.094
コカナダモ	湿潤		28.456	71.365	363.837	469.046	60.372		24.034	28.943	118.350	3262.062	10.046
	風乾		2.521	5.172	30.425	31.422	3.819		1.338	2.567	8.951	169.466	0.485
オオカナダモ	湿潤												
	風乾												
ハゴロモモ	湿潤												
	風乾												
マツモ	湿潤												
	風乾												
ホザキノフサモ	湿潤			46.774	14.838	8.125	0.537	4.134					
	風乾			5.224	1.322	0.679	0.036	0.294					
不明	湿潤	4.664	0.450						1.618				
	風乾	0.447	0.028						0.178				
ヒシ	湿潤												
	風乾												

付表6-16 基点別、深度別水草採集重量(g)

基点	31						32					
	1	2	3	4	5	7	1	2	3	4	5	7
深度(m)												
植被率(%)	70	100	100	100	100	10	10	1	90	100	70	0
分布	不均一	均一	均一	均一	均一	不均一	不均一	不均一	均一	均一	均一	
シヤジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤									1.049		
	風乾									0.082		
ササバモ	湿潤											
	風乾											
エビモ	湿潤											
	風乾											
センニンモ	湿潤	89.234		271.724	152.089	215.746	34.227	9.839	0.196	195.133	193.214	169.918
	風乾	8.587		23.993	15.598	21.577	3.866	0.585	0.027	23.711	18.608	18.267
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤											
	風乾											
オオササエビモ	湿潤						161.683		113.286			
	風乾						13.725		10.280			
イバラモ	湿潤					0.595						
	風乾					0.027						
コウガイモ	湿潤											
	風乾											
ネジレモ	湿潤						1.616	23.558	69.855			
	風乾						0.062	1.120	2.689			
クロモ	湿潤	137.464		0.397		0.579	4.078	1.658	1.368	90.278	202.699	29.389
	風乾	9.092		0.017		0.021	0.347	0.053	0.072	4.667	12.642	1.373
コカナダモ	湿潤			3736.565	1096.354	1165.871	8.513	16.329		21.967	10.157	7.910
	風乾			242.595	62.825	67.449	0.566	0.443		1.222	0.475	0.437
オオカナダモ	湿潤					1.290						
	風乾					0.033						
ハジロモモ	湿潤											
	風乾											
マツモ	湿潤											
	風乾											
ホザキノフサモ	湿潤		1799.614	0.831	12.072				79.551	7.753	1.950	
	風乾		130.253	0.030	0.865				4.107	0.184	0.103	
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-17 基点別、深度別水草採集重量(g)

基点	33						34					
	1	2	3	4	5	7	1	2	3	4	5	7
深度(m)	1	2	3	4	5	7	1	2	3	4	5	7
植被率(%)	5	60	80	95	100	0	5	100	65	40	40	30
分布	不均一	不均一	不均一	均一	均一		不均一	均一	不均一	不均一	不均一	均一
シャジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤							22.096			0.394	
	風乾							2.037			0.020	
ササバモ	湿潤											
	風乾											
エビモ	湿潤											
	風乾											
センニンモ	湿潤		61.120	7.854	14.486	18.392		175.248	101.032	0.268	3.157	0.587
	風乾		6.152	0.598	1.968	1.201		3.097	9.593	0.022	0.259	0.054
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤											
	風乾											
オオササエビモ	湿潤			1.949				31.916	38.842			
	風乾			0.161				2.506	3.031			
イバラモ	湿潤											
	風乾											
コウガイモ	湿潤											
	風乾											
ネジレモ	湿潤							7.812				
	風乾							0.369				
クロモ	湿潤	125.938	0.133	4.468	137.766	14.094		42.061	211.410	77.294	47.873	80.789
	風乾	8.797	0.011	0.152	6.496	0.512		2.869	11.960	3.974	1.934	2.487
コカナダモ	湿潤		182.304	1253.573	157.793	790.144		7.090	0.891	213.307	314.607	2.610
	風乾		12.915	68.786	8.237	43.094		0.385	0.034	11.823	14.344	0.072
オオカナダモ	湿潤											
	風乾											
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤											
	風乾											
ホザキノフサモ	湿潤		80.957	68.875	28.241	3.979		0.774			0.192	
	風乾		7.346	4.683	2.393	0.153		0.027			0.012	
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-18 基点別、深度別水草採集重量(g)

基点		35						36					
深度(m)		1	2	3	4	5	7	1	2	3	4	5	7
植被率(%)		100	40	100	100	45	1	10	30	100	90	90	0.5
分布		均一	不均一	均一	均一	不均一	不均一	均一	均一	均一	均一	均一	不均一
シヤジクモ	湿潤												
	風乾												
ヒロハノセンニンモ	湿潤				0.740								
	風乾				0.069								
ササバモ	湿潤												
	風乾												
エビモ	湿潤												
	風乾												
センニンモ	湿潤			19.855	28.211	14.842				173.109	283.000	209.000	3.000
	風乾			2.967	3.594	1.660				21.929	35.476	29.939	0.355
ヒロハノエビモ	湿潤												
	風乾												
サンネンモ	湿潤												
	風乾												
オオササエビモ	湿潤			17.457	28.232				33.796				
	風乾			1.528	2.782				2.812				
イバラモ	湿潤												
	風乾												
コウガイモ	湿潤												
	風乾												
ネジレモ	湿潤			20.680				52.455	94.652				
	風乾			1.274				3.136	5.301				
クロモ	湿潤			15.225	16.617		4.351	1.317	0.525	26.393		6.816	0.529
	風乾			1.153	1.025		0.195	0.141	0.041	1.733		0.357	0.033
コカナダモ	湿潤	0.083	0.740	10.519	38.049	610.000					1.333		
	風乾	0.008	0.041	0.614	2.536	42.655					0.089		
オオカナダモ	湿潤	3.914	214.500										
	風乾	0.219	11.763										
ハゴロモモ	湿潤												
	風乾												
マツモ	湿潤												
	風乾												
ホザキノフサモ	湿潤			2.310								0.275	
	風乾			0.152								0.021	
不明	湿潤			8.716									
	風乾			0.682									
ヒシ	湿潤	443.000											
	風乾	65.507											

付表6-19 基点別、深度別水草採集重量(g)

基点	37						38					
	1	2	3	4	5	7	1	2	3	4	5	7
深度(m)	0	2	70	90	100	5	20	60	60	100	100	70
植被率(%)		不均一	均一	均一	均一	不均一	均一	均一	不均一	均一	均一	不均一
分布		不均一	均一	均一	均一	不均一	均一	均一	不均一	均一	均一	不均一
シヤジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤											
	風乾											
ササバモ	湿潤	0.251										
	風乾	0.040										
エビモ	湿潤		1.747									
	風乾		0.113									
センニンモ	湿潤	20.424	345.000	308.000	109.615	2.617	71.583	15.496		54.930	9.694	48.240
	風乾	2.106	37.199	40.767	19.932	0.268	4.113	0.936		4.450	0.847	4.253
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤											
	風乾											
オオササエビモ	湿潤											
	風乾											
イバラモ	湿潤											
	風乾											
コウガイモ	湿潤											
	風乾											
ネジレモ	湿潤											
	風乾											
クロモ	湿潤		1.245				0.808	1.099			0.517	8.175
	風乾		0.090				0.021	0.011			0.027	0.310
コカナダモ	湿潤	160.260	3.267	478.000	411.000	159.041	115.661	365.924	1952.600	1811.429	2394.883	500.146
	風乾	13.224	0.262	29.593	42.110	9.988	4.537	16.725	71.560	89.352	149.476	33.150
オオカナダモ	湿潤						22.268					
	風乾						1.091					
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤							37.592				
	風乾							1.000				
ホザキノフサモ	湿潤		4.015									
	風乾		0.313									
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-20 基点別、深度別水草採集重量(g)

基点	39						40					
	1	2	3	4	5	7	1	2	3	4	5	7
深度(m)												
植被率(%)	0	0	80	100	60	3	50	80	95	80	80	100
分布			均一	均一	不均一	不均一	不均一	不均一	均一	均一	不均一	不均一
シャジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤						2.130					
	風乾						0.083					
ササバモ	湿潤											
	風乾											
エビモ	湿潤											
	風乾											
センニンモ	湿潤		99.610	155.079	49.131	14.603	29.493	4.064				32.743
	風乾		11.547	19.281	5.381	1.153	2.407	0.360				2.591
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤						5.303					
	風乾						0.343					
オオササエビモ	湿潤											
	風乾											
イバラモ	湿潤											
	風乾											
コウガイモ	湿潤											
	風乾											
ネジレモ	湿潤											
	風乾											
クロモ	湿潤		5.491	18.932	16.677							
	風乾		0.020	1.027	0.649							
コカナダモ	湿潤		269.891	378.235	557.866	55.920	130.877	627.878	385.259	185.812	1139.011	873.251
	風乾		18.945	26.785	34.839	2.315	9.733	57.806	23.539	10.150	69.196	51.797
オオカナダモ	湿潤								12.444			
	風乾								0.717			
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤											
	風乾											
ホザキノフサモ	湿潤											
	風乾											
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-21 基点別、深度別水草採集重量(g)

基点	41						42						
	1	2	3	4	5	7	1	2	3	4	5	7	
深度(m)	1	2	3	4	5	7	1	2	3	4	5	7	
植被率(%)	10	100	95	100	50	20	0	100	100	100	20	10	
分布	不均一	均一	均一	均一	均一	不均一		均一	均一	均一	不均一	不均一	
シャジクモ	湿潤												
	風乾												
ヒロハノセンニンモ	湿潤	9.466											
	風乾	0.733											
ササバモ	湿潤												
	風乾												
エビモ	湿潤												
	風乾												
センニンモ	湿潤		11.613	4.951	46.130	1.374	6.027		14.752			37.116	249.454
	風乾		0.911	0.404	4.606	0.124	0.313		1.909			3.656	31.278
ヒロハノエビモ	湿潤												
	風乾												
サンネンモ	湿潤									10.081			
	風乾									0.758			
オオササエビモ	湿潤			7.697					10.153	12.186			1.328
	風乾			0.550					0.612	0.615			0.191
イバラモ	湿潤												
	風乾												
コウガイモ	湿潤												
	風乾												
ネジレモ	湿潤												
	風乾												
クロモ	湿潤							10.275	7.053				
	風乾							0.341	0.181				
コカナダモ	湿潤	306.788	488.177	249.741	269.640	145.170	104.343	641.528	102.308	772.992	200.816	7.609	
	風乾	20.728	37.953	17.003	17.853	9.324	10.249	52.268	6.672	52.433	14.814	0.410	
オオカナダモ	湿潤												
	風乾												
ハゴロモモ	湿潤												
	風乾												
マツモ	湿潤												
	風乾												
ホザキノフサモ	湿潤							7.456	37.776	1.109	1.323		
	風乾							0.416	4.171	0.062	0.042		
不明	湿潤												
	風乾												
ヒシ	湿潤												
	風乾												

付表6-22 基点別、深度別水草採集重量(g)

基点	43						44					
	1	2	3	4	5	7	1	2	3	4	5	7
深度(m)												
植被率(%)	2	100	100	50	50	5	0	0	95	90	90	20
分布	不均一	均一	均一	不均一	不均一	不均一			均一	均一	均一	不均一
シヤジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤	1.012	6.245	5.169	0.373							
	風乾	0.248	0.354	0.452	0.049							
ササバモ	湿潤											
	風乾											
エビモ	湿潤											
	風乾											
センニンモ	湿潤	44.280	208.000	334.000	5.111	1.156	1.042		138.150	23.920	19.480	24.513
	風乾	5.823	22.356	42.838	0.674	0.197	0.120		14.505	2.062	2.537	2.407
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤		0.447				0.436					
	風乾		0.036				0.039					
オオササエビモ	湿潤											
	風乾											
イバラモ	湿潤											
	風乾											
コウガイモ	湿潤											
	風乾											
ネジレモ	湿潤											
	風乾											
クロモ	湿潤											
	風乾											
コカナダモ	湿潤	3.774	217.294	26.024	385.000	362.000	114.000		31.186	172.512	186.751	34.541
	風乾	0.292	14.080	1.722	25.653	26.543	8.588		1.700	8.226	10.986	2.556
オオカナダモ	湿潤								34.103		4.551	3.600
	風乾								1.687		0.407	0.281
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤											
	風乾											
ホザキノフサモ	湿潤					0.802						
	風乾					0.047						
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-23 基点別、深度別水草採集重量(g)

基点	45						46					
	1	2	3	4	5	-	1	2	3	4	5	7
深度(m)	5	80	100	100	50	-	70	0	0	30	70	50
植被率(%)	不均一	均一	均一	均一	均一		均一			均一	均一	不均一
シヤジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤											
	風乾											
ササバモ	湿潤											
	風乾											
エビモ	湿潤										0.592	
	風乾										0.115	
センニンモ	湿潤	35.650	40.913	72.940	519.000	36.179		10.427				0.509
	風乾	4.007	4.347	7.344	56.837	4.018		1.210				0.030
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤											
	風乾											
オオササエビモ	湿潤											
	風乾											
イバラモ	湿潤											
	風乾											
コウガイモ	湿潤											
	風乾											
ネジレモ	湿潤											
	風乾											
クロモ	湿潤											
	風乾											
コカナダモ	湿潤		497.000	214.000	44.977	442.000		429.000		207.385	876.000	194.638
	風乾		28.703	11.449	2.030	19.546		21.259		10.443	33.190	12.083
オオカナダモ	湿潤			2.737	34.522							
	風乾			0.142	1.886							
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤											
	風乾											
ホザキノフサモ	湿潤											
	風乾											
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-24 基点別、深度別水草採集重量(g)

基点	47						48						
	1	2	3	4	5	7	1	2	3	4	5	7	
深度(m)													
植被率(%)	2	80	70	10	10	5	0	30	95	5	20	1	
分布	不均一	均一	均一	不均一	不均一	不均一		不均一	均一	不均一	不均一	不均一	
シヤジクモ	湿潤												
	風乾												
ヒロハノセンニンモ	湿潤												
	風乾												
ササバモ	湿潤							1.380					
	風乾							0.200					
エビモ	湿潤												
	風乾												
センニンモ	湿潤	119.000		0.485		28.877			0.120			1.030	
	風乾	14.969		0.059		2.563			0.012			0.133	
ヒロハノエビモ	湿潤												
	風乾												
サンネンモ	湿潤												
	風乾												
オオササエビモ	湿潤												
	風乾												
イバラモ	湿潤												
	風乾												
コウガイモ	湿潤								1.609				
	風乾								0.058				
ネジレモ	湿潤												
	風乾												
クロモ	湿潤	2.006								1.722		0.840	
	風乾	0.123								0.071		0.059	
コカナダモ	湿潤	58.005	122.000	349.000	27.966	280.000	115.000		12.672	1205.000	711.000	337.000	0.947
	風乾	3.795	8.882	18.134	1.840	14.593	7.066		0.796	40.661	46.653	14.797	0.055
オオカナダモ	湿潤									15.413			
	風乾									1.036			
ハゴロモモ	湿潤												
	風乾												
マツモ	湿潤												
	風乾												
ホザキノフサモ	湿潤								151.112				
	風乾								10.442				
不明	湿潤												
	風乾												
ヒシ	湿潤												
	風乾												

付表6-25 基点別、深度別水草採集重量(g)

基点	49						50						
	1	2	3	4	5	7	1	2	3	4	5	7	
深度(m)													
植被率(%)	60	100	100	欠測	欠測	0.5	100	40	100	100	20	30	
分布	均一	均一	均一	-	-	不均一	均一	均一	均一	均一	不均一	不均一	
シャジクモ	湿潤												
	風乾												
ヒロハノセンニンモ	湿潤		34.348	12.379	1.114								
	風乾		3.208	1.420	0.103								
ササバモ	湿潤			101.470	65.575			172.077	16.197				
	風乾			21.993	4.537			18.308	1.651				
エビモ	湿潤												
	風乾												
センニンモ	湿潤	61.351	136.567	72.432	51.564	0.971	329.419	253.746	173.400	15.084		9.353	
	風乾	5.567	14.892	9.239	9.750	0.163	37.003	37.554	20.698	1.081		0.906	
ヒロハノエビモ	湿潤								52.318				
	風乾								4.533				
サンニンモ	湿潤												
	風乾												
オオササエビモ	湿潤	33.198					2.846		12.397				
	風乾	4.035					0.204		1.458				
イバラモ	湿潤					0.618				4.865			
	風乾					0.022				0.101			
コウガイモ	湿潤				0.499			36.506					
	風乾				0.013			1.698					
ネジレモ	湿潤			2.478									
	風乾			0.096									
クロモ	湿潤	2.341	15.883	14.612	25.768	18.755	2.001	206.918	1.058	173.173	1500.063	84.532	250.363
	風乾	0.133	1.022	1.280	2.301	1.247	0.082	15.706	0.052	11.266	107.108	4.601	16.096
コカナダモ	湿潤	4.048	34.194	21.186	41.520	1.031	0.330	2.687		10.717	110.835		57.231
	風乾	0.258	2.044	2.428	2.904	0.067	0.012	0.105		0.572	1.227		4.320
オオカナダモ	湿潤												14.739
	風乾												1.042
ハゴロモモ	湿潤												
	風乾												
マツモ	湿潤												
	風乾												
ホザキノフサモ	湿潤												
	風乾												
不明	湿潤												
	風乾												
ヒシ	湿潤												
	風乾												

付表6-26 基点別、深度別水草採集重量(g)

基点	51						52					
	1	2	3	4	5	7	1	2	3	4	5	7
深度(m)												
植被率(%)	80	80	90	100	100	2	0.1	80	100	100	100	10
分布	均一	均一	均一	均一	均一	不均一	不均一	均一	均一	均一	均一	不均一
シヤジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤		81.198							112.877	155.695	
	風乾		10.006							13.673	19.711	
ササバモ	湿潤											
	風乾											
エビモ	湿潤											
	風乾											
センニンモ	湿潤		36.894	405.000	136.412	7.356		2.561	89.333	103.143	259.680	
	風乾		6.194	40.827	14.003	0.647		0.308	10.259	14.834	38.041	
ヒロハノエビモ	湿潤	658.000										
	風乾	62.117										
サンネンモ	湿潤											
	風乾											
オオササエビモ	湿潤											
	風乾											
イバラモ	湿潤										0.313	11.849
	風乾										0.008	0.364
コウガイモ	湿潤							150.865	27.281	39.885		
	風乾							7.710	1.156	1.903		
ネジレモ	湿潤						1.996					
	風乾						0.084					
クロモ	湿潤	6.922	17.478	75.698	4.400	21.869	4.914	99.617	391.035	126.532	349.898	63.093
	風乾	0.378	1.454	1.663	0.294	0.952	0.242	6.948	28.967	12.110	22.312	3.755
コカナダモ	湿潤	6.680	3.729	1.242	620.000	7.148	0.605					
	風乾	0.531	0.170	0.029	19.815	0.344	0.030					
オオカナダモ	湿潤				3.693				17.786			
	風乾				2.288				1.371			
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤				1.124			97.036	2.424			
	風乾				0.053			7.473	0.110			
ホザキノフサモ	湿潤		28.828				2.723		134.595	1.435	13.349	
	風乾		4.307				0.189		13.162	0.103	0.810	
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-27 基点別、深度別水草採集重量(g)

基点	53						54					
	1	2	3	4	5	7	1	2	3	4	5	7
深度(m)												
植被率(%)	0	0	35	20	5	2	0	0	30	70	30	5
分布			不均一	不均一	不均一	不均一			不均一	均一	不均一	不均一
シヤジクモ	湿潤											
	風乾											
ヒロハノセンニンモ	湿潤											
	風乾											
ササバモ	湿潤											
	風乾											
エビモ	湿潤											
	風乾											
センニンモ	湿潤		10.422	30.104	7.044	4.142			97.738		0.585	1.352
	風乾		1.317	4.385	0.976	0.600			10.235		0.060	0.082
ヒロハノエビモ	湿潤											
	風乾											
サンネンモ	湿潤											
	風乾											
オオササエビモ	湿潤								124.742			
	風乾								9.193			
イバラモ	湿潤		0.173	0.965	0.796	0.263			61.294	3.292	11.000	4.772
	風乾		0.010	0.036	0.025	0.008			2.873	0.134	0.390	0.151
コウガイモ	湿潤								53.329			
	風乾								2.279			
ネジレモ	湿潤											
	風乾											
クロモ	湿潤		15.225	55.012	3.749	8.445			1.493	40.858	19.291	
	風乾		0.881	4.711	0.355	0.543			0.044	2.399	0.873	
コカナダモ	湿潤			2.215	0.525	0.167						
	風乾			0.215	0.037	0.012						
オオカナダモ	湿潤											
	風乾											
ハゴロモモ	湿潤											
	風乾											
マツモ	湿潤											
	風乾											
ホザキノフサモ	湿潤					0.022						
	風乾					0.004						
不明	湿潤											
	風乾											
ヒシ	湿潤											
	風乾											

付表6-28 基点別、深度別水草採集重量(g)

基点		55					
深度(m)		1	2	3	4	5	7
植被率(%)		0	0	5	2	2	2
分布				不均一	不均一	不均一	不均一
シャジクモ	湿潤						
	風乾						
ヒロハノセンニンモ	湿潤			1.093			
	風乾			0.112			
ササバモ	湿潤						
	風乾						
エビモ	湿潤						
	風乾						
センニンモ	湿潤			7.634			
	風乾			0.978			
ヒロハノエビモ	湿潤						
	風乾						
サンネンモ	湿潤						
	風乾						
オオササエビモ	湿潤						
	風乾						
イバラモ	湿潤						
	風乾						
コウガイモ	湿潤						
	風乾						
ネジレモ	湿潤						
	風乾						
クロモ	湿潤					2.650	
	風乾					0.130	
コカナダモ	湿潤			95.371		0.812	0.808
	風乾			3.911		0.025	0.055
オオカナダモ	湿潤			0.909			
	風乾			0.063			
ハゴロモモ	湿潤						
	風乾						
マツモ	湿潤			0.900			
	風乾			0.053			
ホザキノフサモ	湿潤			0.160	56.203		
	風乾			0.018	4.150		
不明	湿潤						
	風乾						
ヒシ	湿潤						
	風乾						