






ニカメイガ半旬別誘殺状況(予察灯)

(頭)

月 半旬		大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	4.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	4.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	4.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	4.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	4.5	0	0	0	0	0	0	0	0	0.7	0.9	0	0	0	0	0	0	0	0	0
	6	4.6	0	0.1	0.1	0	0.6	0.9	0	0	1.1	2.0	0	0	0	0	0	0	0.9	1.3	0
5	1	5.1	0	0	0.1	0	3.1	4.0	0	2.7	4.7	0	0.8	1.1	0	0	5.3	6.7	0	0	0
	2	5.2	0	0	0.3	0	3.0	7.0	0	3.7	8.4	0	0.2	1.3	0	0	4.9	11.6	0	0	0
	3	5.3	0	0.7	1.0	0	9.6	16.6	0	13.2	21.6	0	2.8	4.1	0	0	20.9	32.4	0	0	0
	4	5.4	0	0.6	1.6	0	26.3	42.9	0	12.5	34.1	0	9.7	13.8	0	0	18.4	50.9	0	0	0
	5	5.5	0	0.5	2.1	0	39.4	82.3	0	12.7	46.8	0	5.3	19.1	0	0	18.7	69.6	0	0	0
	6	5.6	0	0.6	2.7	0	31.4	113.7	0	6.6	53.4	0	8.7	27.8	0	0	10.9	80.4	0	0	0
6	1	6.1	0	0.1	2.8	0	12.7	126.4	0	3.2	56.6	0	7.3	35.1	0	0	4.3	84.8	0	0	0
	2	6.2	0	0.1	2.9	0	21.6	148.0	0	1.1	57.7	0	5.0	40.1	0	0	3.8	88.6	0	0	0
	3	6.3	0	0.1	3.0	0	5.5	153.5	0	0.7	58.4	0	1.1	41.2	0	0	1.5	90.1	0	0	0
	4	6.4	0	0.0	3.0	0	1.6	155.1	0	0.3	58.7	0	0.5	41.7	0	0	0.5	90.6	0	0	0
	5	6.5	0	0.0	3.0	0	0.4	155.5	0	1.3	60.0	0	0.4	42.1	0	0	0.2	90.8	0	0	0
	6	6.6	0	0.1	3.1	0	0.7	156.2	0	0	1	60.7	0	0.4	42.5	0	0	0.3	91.1	0	0
7	1	7.1	0	0.1	3.2	0	0.9	157.1	0	0.8	61.5	0	0.1	42.6	0	0	0.2	91.3	0	0	0
	2	7.2	0	0.1	0.1	0	1.0	1.0	0	0.5	0.5	0	0.2	0.2	0	0	0.0	0.0	0	0	0
	3	7.3	0	0	0.3	0	6.1	7.1	0	2.1	2.6	0	0.7	0.9	0	0	0.3	0.3	0	0	0
	4	7.4	0	0.8	1.1	0	37.5	44.6	0	8.6	11.2	0	3.7	4.6	0	0	3.3	3.6	0	0	0
	5	7.5	0	1.8	2.9	0	80.2	124.8	0	10.5	21.7	0	5.2	9.8	0	0	9.1	12.7	0	0	0
	6	7.6	0	1.2	4.1	0	92.8	217.6	0	14.0	35.7	0	7.4	17.2	0	0	19.0	31.7	0	0	0
8	1	8.1	0	1.2	5.3	0	53.2	270.8	0	9.1	44.8	0	10.0	27.2	0	0	18.6	50.3	0	0	0
	2	8.2	0	0.3	5.7	0	24.4	295.2	0	5.8	50.6	0	6.8	34.0	0	0	14.5	64.8	0	0	0
	3	8.3	0	0.7	6.3	0	11.5	306.7	0	2.8	53.4	0	1.4	35.4	0	0	7.9	72.7	0	0	0
	4	8.4	0	0.2	6.6	0	5.6	312.3	0	2.4	55.8	0	0.6	36.0	0	0	1.7	74.4	0	0	0
	5	8.5	0	0.2	6.8	0	8.9	321.2	0	2.3	58.1	0	0.8	36.8	0	0	1.6	76.0	0	0	0
	6	8.6	0	1	7.4	0	16.7	337.9	0	7.2	65.3	0	3.1	39.9	0	0	1.8	77.8	0	0	0
9	1	9.1	0	0.2	7.7	0	14.5	352.4	0	6.9	72.2	0	0.8	40.7	0	0	1.0	78.8	0	0	0
	2	9.2	0	0.6	8.2	0	5.6	358.0	0	2.6	74.8	0	0	40.8	0	0	0.8	79.6	0	0	0
	3	9.3	0	0.4	8.7	0	2.0	360.0	0	0.4	75.2	0	0	40.9	0	0	0.1	79.7	0	0	0
	4	9.4	0	0	8.8	0	0.2	360.2	0	0	75.2	0	0	40.9	0	0	0.0	79.7	0	0	0
	5	9.5	0	0.0	8.8	0	0	360.2	0	0.0	75.2	0	0	41.0	0	0	0	79.7	0	0	0
	6	9.6	0	0.0	8.8	0	0.1	360.3	0	0	75.3	0	0	41.0	0	0	0	79.8	0	0	0
10	1	10.1							0	0	75.3										
	2	10.2							0	0	75.3										
	3	10.3							0	0	75.3										
	4	10.4							0	0	75.3										
	5	10.5							0	0	75.3										
	6	10.6							0	0	75.3										

越冬世代

第1世代








○表中の累積誘殺頭数は、越冬世代と第1世代を区別するため、4月第1半旬～7月第1半旬を越冬世代、7月第2半旬～調査終了時を第1世代として積算している。

○平年値は過去10年間(H27～R6)の平均値である。
ただし、R6の4月1日、23～30日、

ツマグロコバイ半月別誘殺状況(予察灯)

(頭)






月	半月	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0.2	0.2	0	0	0	0	0	0	0	0
	5	0	0.1	0.1	0.1	0	0	0	0	0	0	0	0.2	0	0	0	0	0	0	0	0
	6	0	0	0.1	0.1	0	0	0	0	0	0	0	0.2	0	0	0	0	0	0	0	0
5	1	0	0	0.1	0.1	0	0	0	0	0	0	0	0.2	0	0.1	0.1	0	0	0	0	0
	2	0	0	0.1	0.1	0	0	0	0	0	0	0.0	0.2	0	0	0.1	0	0	0	0	0
	3	0	0.1	0.2	0.2	0	0	0	0	0	0	0	0.2	0	0	0.1	0	0	0	0	0
	4	0	0	0.2	0.2	0	0	0	0	0	0	0	0.2	0	0	0.1	0	0	0	0	0
	5	0	0.0	0.2	0.2	0	0	0	0	0	0	0	0.2	0	0	0.1	0	0	0	0	0
	6	0	0	0.2	0.2	0	0	0	0	0	0	0	0.2	0	0	0.1	0	0	0	0	0
6	1	0	0	0.2	0.2	0	0	0	0	0	0	0	0.2	0	0	0.1	0	0	0.1	0.1	0.1
	2	0	0	0.4	0.4	0	0	0	0	0	0	0.1	0.3	0	0	0.1	0	0	0	0.1	0.1
	3	0	0	0.5	0.5	0	0	0	0	0	0	0.3	0.6	0	0	0.2	0.3	0	0	0	0.1
	4	0	0.6	1.1	1.1	0	0	0	0	0	0	1.7	2.3	0	0	0.3	0.6	0	0.1	0.2	0.2
	5	0	10.4	11.5	11.5	0	0.5	0.6	0.6	0	4.6	6.9	6.9	0	2.3	2.9	2.9	0	0.8	1.0	1.0
	6	0	10.6	22.1	22.1	0	0.4	1.0	1.0	0	7.1	14.0	14.0	0	1.8	4.7	4.7	0	0.8	1.8	1.8
7	1	0	11.6	33.6	33.6	0	1.4	2.4	2.4	0	13.9	27.9	27.9	0	2.1	6.8	6.8	0	1.7	3.5	3.5
	2	0	45.4	79.1	79.1	0	1.3	3.7	3.7	0	18.3	46.2	46.2	0	1.0	7.8	7.8	0	1.7	5.2	5.2
	3	0	43.2	122.3	122.3	0	2.0	5.7	5.7	0	21.1	67.3	67.3	0	0.6	8.4	8.4	0	2.7	7.9	7.9
	4	0	73.9	196.2	196.2	0	2.5	8.2	8.2	0	99.6	166.9	166.9	0	6.2	14.6	14.6	0	7.8	15.7	15.7
	5	0	112.4	308.6	308.6	0	1.0	9.2	9.2	0	302.8	469.7	469.7	0	4.2	18.8	18.8	0	16.7	32.4	32.4
	6	0	97.6	406.2	406.2	0	1.6	10.8	10.8	0	286.1	755.8	755.8	0	6.7	25.5	25.5	0	24.7	57.1	57.1
8	1	0	37.6	443.8	443.8	0	0.6	11.4	11.4	0	162.0	917.8	917.8	0	3.5	29.0	29.0	0	14.6	71.7	71.7
	2	0	11.7	455.4	455.4	0	0	11.6	11.6	0	65.6	983.4	983.4	0	3.0	32.0	32.0	0	8.5	80.2	80.2
	3	0	12.4	467.9	467.9	0	0	11.8	11.8	0	36.3	1019.7	1019.7	0	0.5	32.5	32.5	0	3.0	83.2	83.2
	4	0	7.7	475.5	475.5	0	0.1	11.9	11.9	0	25.4	1045.1	1045.1	0	10.6	43.1	43.1	0	0.8	84.0	84.0
	5	0	2.9	478.4	478.4	0	0.4	12.3	12.3	0	8.7	1053.8	1053.8	0	1.9	45.0	45.0	0	2.1	86.1	86.1
	6	0	13.0	491.4	491.4	0	0.2	12.5	12.5	0	4.2	1058.0	1058.0	0	7.1	52.1	52.1	0	0.9	87.0	87.0
9	1	0	11.2	502.6	502.6	0	0	12.5	12.5	0	10.1	1068.1	1068.1	0	8.1	60.2	60.2	0	12.9	99.9	99.9
	2	0	28.9	531.5	531.5	0	0	12.7	12.7	0	146.8	1214.9	1214.9	0	3.4	63.6	63.6	0	2.9	102.8	102.8
	3	0	11.3	542.9	542.9	0	0	12.7	12.7	0	88.4	1303.3	1303.3	0	4.0	67.6	67.6	0	2.4	105.2	105.2
	4	0	3.1	546.0	546.0	0	0	12.7	12.7	0	37.9	1341.2	1341.2	0	2.3	69.9	69.9	0	1.1	106.3	106.3
	5	0	1.8	547.8	547.8	0	0	12.8	12.8	0	0.9	1342.1	1342.1	0	1	70.5	70.5	0	0.4	106.7	106.7
	6	0	3.4	551.2	551.2	0	0	12.8	12.8	0	0.7	1342.8	1342.8	0	0.0	70.5	70.5	0	0.1	106.8	106.8
10	1									0	0.3	1343.1	1343.1								
	2									0	0.5	1343.6	1343.6								
	3									0	0	1343.7	1343.7								
	4									0	0	1343.7	1343.7								
	5									0	0.1	1343.8	1343.8								
	6									0	0	1343.8	1343.8								



○平年値は過去10年間（H27～R6）の平均値である。
ただし、R6の4月1日、23～30日は欠測値（守山市矢島町）。

ヒメビウナ半旬別誘殺状況(予察灯)

		大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
月	半旬	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0.1	0.0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0.4	0.4	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0.6	1.0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0.4	1.4	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0.2	1.6	0	0	0	0	0	0	0	0
	6	0	0.1	0.1	0.1	0	0	0	0	0	0	0	1.6	0	0	0	0	0	0	0	0
5	1	0	0	0.2	0.3	0	0	0	0	0	0	0.2	1.8	0	0	0	0	0	0	0	0
	2	0	0	0	0.3	0	0	0	0	0	0	0.1	1.9	0	0	0	0	0	0	0	0
	3	0	0	0	0.3	0	0	0	0	0	0	0	1.9	0	0	0	0	0	0	0	0
	4	0	0	0	0.3	0	0	0	0	0	0	0	1.9	0	0.0	0.0	0	0	0	0	0
	5	0	0	0	0.3	0	0	0	0	0	0	0	1.9	0	0	0.0	0	0	0	0	0
	6	0	0	0	0.3	0	0.1	0.1	0.1	0	0	0	1.9	0	0	0.2	0	0	0	0	0
6	1	0	0	0	0.3	0	0	0	0.1	0	0.1	2.0	0	0	0.1	0.3	0	0	0	0	0
	2	0	0	0	0.3	0	0.1	0.2	0.2	0	0.0	2.0	0	0	0	0.4	0	0	0	0	0
	3	0	0	0	0.3	0	0.1	0.3	0.3	0	1.8	3.8	0	0.4	0.8	0	0	0	0	0	0
	4	0	0.0	0.3	0	0.4	0.7	0	0.6	0	0.6	4.4	0	0.3	1.1	0	0.0	0.2	0	0.0	0.2
	5	0	0.2	0.5	0	0.1	0.8	0	0.5	0	4.9	0	0.0	1.1	0	0.1	0.3	0	0.1	0.3	0
	6	0	0.2	0.7	0	0.4	1.2	0	1.0	0	5.9	0	1.0	2.1	0	1.6	1.9	0	1.6	1.9	0
7	1	0	0.1	0.9	0	0.9	2.1	0	1.6	7.5	0	0.5	2.6	0	1.2	3.1	0	1.2	3.1	0	0
	2	0	1	1.9	0	7.2	9.3	0	8.2	15.7	0	0.8	3.4	0	0.7	3.8	0	0.7	3.8	0	0
	3	0	1.4	3.3	0	12.7	22.0	0	26.0	41.7	0	6.6	10.0	0	6.7	10.5	0	6.7	10.5	0	0
	4	0	2.8	6.1	0	4.9	26.9	0	22.1	63.8	0	4.2	14.2	0	5.2	15.7	0	5.2	15.7	0	0
	5	0	1.9	8.0	0	4.1	31.0	0	14.6	78.4	0	3.9	18.1	0	3.0	18.7	0	3.0	18.7	0	0
	6	0	1.8	9.7	0	12.4	43.4	0	27.9	106.3	0	1.5	19.6	0	9.9	28.6	0	9.9	28.6	0	0
8	1	0	2.4	12.2	0	43.9	87.3	0	86.5	192.8	0	5.7	25.3	0	5.2	33.8	0	5.2	33.8	0	0
	2	0	1.3	13.5	0	86.4	173.7	0	133.6	326.4	0	27.2	52.5	0	12.3	46.1	0	12.3	46.1	0	0
	3	0	3.8	17.3	0	47.7	221.4	0	119.9	446.3	0	16.0	68.5	0	9.4	55.5	0	9.4	55.5	0	0
	4	0	7.2	24.5	0	25.2	246.6	0	40.0	486.3	0	20.4	88.9	0	5.4	60.9	0	5.4	60.9	0	0
	5	0	0.7	25.2	0	10.9	257.5	0	34.4	520.7	0	7.4	96.3	0	11.1	72.0	0	11.1	72.0	0	0
	6	0	2.6	27.7	0	29.1	286.6	0	32.1	552.8	0	25.2	121.5	0	3.8	75.8	0	3.8	75.8	0	0
9	1	0	1.9	29.6	0	23.1	309.7	0	41.1	593.9	0	9.3	130.8	0	3.8	79.6	0	3.8	79.6	0	0
	2	0	2.0	31.6	0	40.5	350.2	0	18.5	612.4	0	4.6	135.4	0	2.5	82.1	0	2.5	82.1	0	0
	3	0	0.8	32.4	0	16.2	366.4	0	19.6	632.0	0	2.2	137.6	0	5.3	87.4	0	5.3	87.4	0	0
	4	0	0.0	32.4	0	5.5	371.9	0	4.8	636.8	0	1.8	139.4	0	1.8	89.2	0	1.8	89.2	0	0
	5	0	1.0	33.4	0	3.0	374.9	0	3.1	639.9	0	1.3	140.7	0	1.0	90.2	0	1.0	90.2	0	0
	6	0	0.2	33.6	0	0.5	375.4	0	5.5	645.4	0	2.0	142.7	0	1.0	91.2	0	1.0	91.2	0	0
10	1									0	0.8	646.2									
	2									0	1.1	647.3									
	3									0	0.4	647.7									
	4									0	0.2	647.9									
	5									0	1.0	648.9									
	6									0	1.4	650.3									








○平年値は過去10年間（H27～R6）の平均値である。
ただし、R6の4月1日、23～30日は欠測値（守山市矢島町）。

セジロウカ半月別誘殺状況(予察灯)

(頭)

月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0.1	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0	0
6	1	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.2	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0.2	0.3	0	0	0	0.2	0	0	0	0	0
	4	0	0	0	0	0	0.2	0.2	0	0	0.1	0.4	0	0	0	0.2	0	0	0	0	0
	5	0	0	0	0	0	0	0.2	0	0	0.5	0.9	0	0	0	0.6	0	0	0	0	0
	6	0	0.3	0.5	0	0	0.5	0.7	0	0	0.4	1.3	0	0	0.5	1.1	0	1.3	1.3	0	0
7	1	0	0	0	0.5	0	0.5	1.2	0	0	1.2	2.5	0	0	0.6	1.7	0	0.4	1.7	0	0
	2	0	0	0.1	0.7	0	1.3	2.5	0	0	0.4	2.9	0	0	0.5	2.2	0	0.4	2.1	0	0
	3	0	0	0.1	0.8	0	0.2	2.7	0	0	0.7	3.6	0	0	0.4	2.6	0	0.2	2.3	0	0
	4	0	0	0.2	1.0	0	0	2.7	0	0	4.4	8.0	0	1.0	3.6	0	0.1	2.4	0	0	0
	5	0	0	0.1	1.1	0	0.0	2.7	0	0	0.8	8.8	0	1	4.1	0	0.5	2.9	0	0	0
	6	0	0	0.1	1.2	0	0.4	3.1	0	0	1.0	9.8	0	1.2	5.3	0	6.1	9.0	0	0	0
8	1	0	0	0	1.3	0	1.2	4.3	0	0	1.1	10.9	0	0.7	6.0	0	2.2	11.2	0	0	0
	2	0	0.7	2.0	0	0	0.6	4.9	0	0	1.2	12.1	0	0.9	6.9	0	0.9	12.1	0	0	0
	3	0	1.1	3.1	0	0	1.9	6.8	0	0	1.1	13.2	0	0.8	7.7	0	2.6	14.7	0	0	0
	4	0	1.9	5.0	0	0	1.6	8.4	0	0	1.8	15.0	0	6.2	13.9	0	10.9	25.6	0	0	0
	5	0	0.8	5.8	0	0	0.4	8.8	0	0	1.3	16.3	0	0.4	14.3	0	6.1	31.7	0	0	0
	6	0	1.9	7.7	0	0	1.7	10.5	0	0	1.0	17.3	0	1.3	15.6	0	5.3	37.0	0	0	0
9	1	0	1.4	9.1	0	0	2.0	12.5	0	0	0.8	18.1	0	0.7	16.3	0	4.0	41.0	0	0	0
	2	0	1.7	10.8	0	0	1.9	14.4	0	0	0.6	18.7	0	1.3	17.6	0	4.5	45.5	0	0	0
	3	0	0.9	11.7	0	0	2.3	16.7	0	0	2.3	21.0	0	0.9	18.5	0	2.4	47.9	0	0	0
	4	0	0.2	11.9	0	0	2.3	19.0	0	0	0.3	21.3	0	0.6	19.0	0	2.4	50.3	0	0	0
	5	0	0.4	12.3	0	0	2.8	21.8	0	0	2.3	23.6	0	0.8	19.8	0	1.3	51.6	0	0	0
	6	0	0.4	12.8	0	0	0.7	22.5	0	0	1.6	25.2	0	0.2	20.0	0	0.6	52.2	0	0	0
10	1										0	1.4	26.6								
	2										0	0.8	27.4								
	3										0	0.6	28.0								
	4										0	0	28.0								
	5										0	0.3	28.3								
	6										0	0	28.3								








○平年値は過去10年間（H27～R6）の平均値である。
ただし、R6の4月1日、23～30日は欠測値（守山市矢島

トビイロウナカ半旬別誘殺状況(予察灯)

(頭)

月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0.2	0.2	0	0	0.0	0.0	0	0	0	0	0	0	0	0
8 1	0	0	0	0	0	0	0.1	0.3	0	0	0.0	0.0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0.4	0	0	0.0	0.0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0.5	0	0	0.0	0.0	0	0	0	0	0	0	0	0
4	0	0.1	0.1	0	0	0	0	0.5	0	0.2	0.2	0	0.2	0.2	0	0.2	0	0.1	0.2	0
5	0	0.5	0.6	0	0	0.2	0.7	0	0	0.2	0.2	0	0.2	0.4	0	0.2	0	0.0	0.2	0
6	0	0.8	1.4	0	0	3.3	4.0	0	0.7	0.9	0	0.4	0.8	0	0.4	0.8	0	1.0	1.2	0
9 1	0	0.1	1.5	0	0	0.2	4.2	0	0.1	1.0	0	0.7	1.5	0	0.7	1.5	0	1.0	2.2	0
2	0	0.3	1.8	0	0	0.8	5.0	0	0.5	1.5	0	0	1.5	0	0	1.5	0	4.6	6.8	0
3	0	1.2	3.0	0	0	1.0	6.0	0	0.3	1.8	0	0.2	1.7	0	0.2	1.7	0	0.1	6.9	0
4	0	0.5	3.5	0	0	0.5	6.5	0	1.4	3.2	0	0	1.7	0	0	1.7	0	1.1	8.0	0
5	0	0.2	3.7	0	0	0.7	7.2	0	0.2	3.4	0	0	1.7	0	0	1.7	0	0.1	8.1	0
6	0	0.8	4.5	0	0	0.3	7.5	0	0.5	3.9	0	0	1.7	0	0	1.7	0	0.2	8.3	0
10 1									0	0.9	4.8									
2									0	0	4.8									
3									0	0	4.8									
4									0	0	4.8									
5									0	0.1	4.9									
6									0	0	4.9									








○平年値は過去10年間(H27～R6)の平均値である。
ただし、R6の4月1日、23～30日は欠測値(守山市矢島)

フタオビコヤガ半旬別誘殺状況(予察灯)

(頭)

月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	0.3	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0.3	0	0	0.1	0.1	0
3	0	0	0	0	0	0	0	0	0	0	0	0.2	0	0	0.3	0	0	0	0.1	0
4	0	0	0.1	0.1	0	0	0	0	0	0	0	0.2	0	0	0.3	0	0	0	0.1	0
5	0	0	0	0.1	0	0	0	0	0	0.0	0.2	0	0	0	0.3	0	0	0.0	0.1	0
6	0	0	0	0.1	0	0	0	0	0	0	0.2	0.2	0	0	0.3	0	0	0.1	0.2	0
6 1	0	0	0	0.1	0	0	0.3	0.3	0	0.1	0.3	0	0	0	0.3	0	0	0	0.2	0
2	0	0	0	0.1	0	0	0.4	0.7	0	0.4	0.7	0	0	0	0.3	0	0	0	0.2	0
3	0	0.7	0.8	0	0	0.2	0.9	1	0.7	1.4	0	0.2	0.5	0	0.6	0	0.0	0.2	0.9	0
4	0	0.1	0.9	0	0	0.5	1.4	0	0.2	1.6	0	0	0.6	0	0.7	0	0.7	0.9	0	0
5	0	0.4	1.3	0	0	0	1.4	0	0.1	1.7	0	0	0.6	0	0.2	1.1	0	0.2	1.1	0
6	0	0.2	1.5	0	0	0.4	1.8	0	0.1	1.8	0	0	0.7	0	0.4	1.5	0	0.4	1.5	0
7 1	0	0.2	1.8	0	0	0.5	2.3	1	0.7	2.5	0	0	0.7	0	0.7	0	0	0.7	2.2	0
2	0	1.7	3.4	0	0	1.3	3.6	2	1.7	4.2	0	0	0.7	0	0.7	0	0.5	2.7	0	0
3	0	1.1	4.5	0	0	1.7	5.3	3	3.3	7.5	0	0.2	0.9	0	2.1	4.8	0	2.1	4.8	0
4	0	2.9	7.4	0	0	3.4	8.7	3	2.6	10.1	0	0.2	1.1	0	3.7	8.5	0	3.7	8.5	0
5	0	6.0	13.4	0	0	4.5	13.2	2	2.4	12.5	0	0.1	1.2	0	3.6	12.1	0	3.6	12.1	0
6	0	8.7	22.1	0	0	10.4	23.6	5	5.3	17.8	0	0.1	1.3	0	4.5	16.6	0	4.5	16.6	0
8 1	0	20.8	42.9	0	0	13.5	37.1	16	18.4	36.2	0	1.0	2.3	0	13.8	30.4	0	13.8	30.4	0
2	0	23.8	66.7	0	0	14.4	51.5	28	26.7	62.9	0	2.4	4.7	0	24.0	54.4	0	24.0	54.4	0
3	0	29.3	96.0	0	0	7.9	59.4	28	27.1	90.0	0	2.2	6.9	0	10.6	65.0	0	10.6	65.0	0
4	0	20.9	116.9	0	0	3.2	62.6	19	15.6	105.6	0	1.0	7.9	0	8.2	73.2	0	8.2	73.2	0
5	0	12.8	129.7	0	0	3.5	66.1	7	7.2	112.8	0	1.3	9.2	0	8.4	81.6	0	8.4	81.6	0
6	0	7.0	136.7	0	0	3.0	69.1	3	3.9	116.7	0	0.8	10.0	0	2.3	83.9	0	2.3	83.9	0
9 1	0	4.4	141.1	0	0	2.0	71.1	1	2.3	119.0	0	0.4	10.4	0	1.7	85.6	0	1.7	85.6	0
2	0	0.8	141.9	0	0	1.1	72.2	0	0.8	119.8	0	0	10.6	0	1.8	87.4	0	1.8	87.4	0
3	0	0.7	142.5	0	0	0	72.5	0	0.2	120.0	0	0	10.9	0	1.2	88.6	0	1.2	88.6	0
4	0	0	142.7	0	0	0	72.6	0	0.1	120.1	0	0	10.9	0	0.0	88.6	0	0.0	88.6	0
5	0	0.2	142.9	0	0	0	72.6	0	0	120.1	0	0	10.9	0	0	88.7	0	0	88.7	0
6	0	0	142.9	0	0	0	72.7	0	0	120.1	0	0	10.9	0	0.3	89.0	0	0.3	89.0	0
10 1									0	0	120.1									
2									0	0	120.1									
3									0	0	120.1									
4									0	0	120.1									
5									0	0	120.1									
6									0	0	120.1									








○平年値は過去10年間(H27～R6)の平均値である。
ただし、R6の4月1日、23～30日は欠測値(守山市矢島)

イナズマヨコバイ半月別誘殺状況（予察灯）

(頭)





月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0.2	0.1	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0.2	0.3	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0.6	0.9	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0.6	1.5	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0.4	1.9	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	1.9	0	0	0	0	0	0	0	0	0
5	1	0	0	0.3	0.3	0	0	0	0	0	0	0.3	2.2	0	0	0	0	0	0	0.1	0.1
	2	0	0	0	0.3	0	0	0.1	0.1	0	0	2.2	0	0	0	0	0	0	0	0	0.1
	3	0	0	0	0.3	0	0	0	0.1	0	0	2.2	0	0	0	0	0	0	0	0	0.1
	4	0	0	0.2	0.5	0	0	0	0.1	0	0	2.3	0	0	0	0	0	0	0	0	0.1
	5	0	0	0.3	0.8	0	0	0	0.1	0	1.3	3.6	0	0.0	0.1	0	0.2	0.3	0.2	0.3	0.3
	6	0	0	0.5	1.3	0	0	0.2	0.3	0	2.1	5.7	0	1.7	1.8	0	1.2	1.6	1.2	1.6	1.6
6	1	0	0	0.2	1.5	0	0	0	0.3	0	1.3	7.0	0	1.3	3.1	0	1.2	2.8	1.2	2.8	2.8
	2	0	0	0.8	2.3	0	0	0.0	0.3	0	0.6	7.6	0	1.5	4.6	0	0.5	3.3	0.5	3.3	3.3
	3	0	0	0.6	2.9	0	0	0	0.3	0	0.9	8.5	0	4.1	8.7	0	1.9	5.2	1.9	5.2	5.2
	4	0	0	0.1	3.0	0	0	0.0	0.3	0	0.3	8.8	0	0.4	9.1	0	1.7	6.9	1.7	6.9	6.9
	5	0	0	0	3.1	0	0	0.0	0.3	0	0.4	9.2	0	0.4	9.5	0	0.1	7.0	0.1	7.0	7.0
	6	0	0	0	3.1	0	0	0.0	0.3	0	0.2	9.4	0	0.3	9.8	0	0.1	7.1	0.1	7.1	7.1
7	1	0	0	1	3.9	0	0	0.1	0.4	0	0.6	10.0	0	0.3	10.1	0	0.2	7.3	0.2	7.3	7.3
	2	0	0	6.9	10.8	0	1.2	1.6	0	3.7	13.7	0	0.8	10.9	0	0.8	8.1	0.8	8.1	8.1	8.1
	3	0	0	8.9	19.6	0	3.1	4.7	0	22.6	36.3	0	10.7	21.6	0	5.0	13.1	5.0	13.1	13.1	13.1
	4	0	0	34.6	54.2	0	5.5	10.2	0	142.0	178.3	0	77.8	99.4	0	31.2	44.3	31.2	44.3	44.3	44.3
	5	0	0	12.1	66.3	0	2.6	12.8	0	186.8	365.1	0	57.0	156.4	0	31.6	75.9	31.6	75.9	75.9	75.9
	6	0	0	22.0	88.3	0	4.4	17.2	0	244.0	609.1	0	44.3	200.7	0	40.2	116.1	40.2	116.1	116.1	116.1
8	1	0	0	19.1	107.4	0	0.8	18.0	0	586.7	1195.8	0	36.8	237.5	0	16.7	132.8	16.7	132.8	132.8	132.8
	2	0	0	13.0	120.4	0	1.5	19.5	0	277.8	1473.6	0	46.3	283.8	0	17.7	150.5	17.7	150.5	150.5	150.5
	3	0	0	16.2	136.6	0	0.5	20.0	0	491.9	1965.5	0	172.9	456.7	0	24.9	175.4	24.9	175.4	175.4	175.4
	4	0	0	10.8	147.4	0	0.4	20.4	0	379.1	2344.6	0	465.1	921.8	0	28.9	204.3	28.9	204.3	204.3	204.3
	5	0	0	7.1	154.5	0	1.0	21.4	0	116.2	2460.8	0	79.3	1001.1	0	32.5	236.8	32.5	236.8	236.8	236.8
	6	0	0	5.4	160.0	0	1.3	22.7	0	41.8	2502.6	0	36.1	1037.2	0	12.5	249.3	12.5	249.3	249.3	249.3
9	1	0	0	2.8	162.8	0	0.7	23.4	0	38.4	2541.0	0	27.0	1064.2	0	12.0	261.3	12.0	261.3	261.3	261.3
	2	0	0	8.1	170.9	0	1.0	24.4	0	44.9	2585.9	0	66.8	1131.0	0	6.2	267.5	6.2	267.5	267.5	267.5
	3	0	0	9.0	179.9	0	0.4	24.8	0	80.8	2666.7	0	20.4	1151.4	0	5.8	273.3	5.8	273.3	273.3	273.3
	4	0	0	5.2	185.1	0	0.3	25.1	0	37.4	2704.1	0	84.6	1236.0	0	8.8	282.1	8.8	282.1	282.1	282.1
	5	0	0	4.0	189.1	0	0	25.4	0	7.9	2712.0	0	29.0	1265.0	0	4.3	286.4	4.3	286.4	286.4	286.4
	6	0	0	5.6	194.6	0	0	25.5	0	11.6	2723.6	0	46.9	1311.9	0	1.6	288.0	1.6	288.0	288.0	288.0
10	1									0	1.7	2725.3									
	2									0	1.1	2726.4									
	3									0	1.3	2727.7									
	4									0	0.5	2728.2									
	5									0	0.6	2728.8									
	6									0	0.1	2728.9									



○平年値は過去10年間（H27～R6）の平均値である。
ただし、R6の4月1日、23～30日は欠測値（守山市矢島）

コブノメイガ半旬別誘殺状況(予察灯)

月 半旬		大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
初飛来																					
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	3		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	4		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	5		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	6		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
5	1		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	2		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	3		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	4		0	0.1	0.1		0	0	0		0	0	0		0	0	0		0	0	0
	5		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
	6		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
6	1		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
	2		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
	3		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
	4		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
	5		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
	6		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
7	1		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
	2		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
	3		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
	4		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
	5		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
	6		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0	0
8	1		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0.1	0.1
	2		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0.1	0.1
	3		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0.1	0.1
	4		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0.1	0.1
	5		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0.1	0.1
	6		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0.1	0.1
9	1		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0.1	0.1
	2		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0.1	0.1
	3		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0.1	0.1
	4		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0.1	0.1
	5		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0.1	0.1
	6		0	0	0.1		0	0	0		0	0	0		0	0	0		0	0.1	0.1
10	1										0	0	0								
	2										0	0	0								
	3										0	0	0								
	4										0	0	0								
	5										0	0	0								
	6										0	0	0								








○平年値は過去10年間（H27～R6）の平均値である。
ただし、R6の4月1日、23～30日は欠測値（守山市矢島町）

イネミズソウムシ半旬別誘殺状況(予察灯)

(頭)

月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0.5	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0.5	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0.5	0	0	0	0	0	0	0.2	0.6	0.6
	6	0	1.5	1.8	0	0	0	0	0	0	0.5	1.0	0	0	0	0	0	0	0.3	0.9	0.9
5	1	0	5.4	7.2	0	0	0	0	0	0	2.5	3.5	0	1.1	1.4	0	0	0	0.2	1.1	1.1
	2	0	7.6	14.8	0	0	0.1	0.4	0	0	0.5	4.0	0	0.3	1.7	0	0	0	0.3	1.4	1.4
	3	0	10.3	25.1	0	5.0	5.4	0	0	0	14.4	18.4	0	2.3	4.0	0	12.1	13.6	12.1	13.6	13.6
	4	0	2.2	27.3	0	0.6	6.0	0	0	0	4.7	23.1	0	4.5	8.5	0	5.1	18.7	5.1	18.7	18.7
	5	0	1.9	29.2	0	0.2	6.2	0	0	0	7.3	30.4	0	0.3	8.8	0	3.1	21.8	3.1	21.8	21.8
	6	0	0.9	30.1	0	0.0	6.2	0	0	0	4.8	35.2	0	0.8	9.6	0	1.7	23.4	1.7	23.4	23.4
6	1	0	0.7	30.8	0	0	6.2	0	0	0	2.9	38.1	0	0.5	10.1	0	0.6	24.0	0.6	24.0	24.0
	2	0	0.4	31.2	0	0.2	6.4	0	0	0	0.2	38.3	0	0.6	10.7	0	1.0	25.0	1.0	25.0	25.0
	3	0	0.2	31.5	0	0	6.4	0	0	0	1.1	39.4	0	0.1	10.8	0	1.0	26.0	1.0	26.0	26.0
	4	0	0.3	31.8	0	0.1	6.5	0	0	0	0.2	39.6	0	0	11.0	0	0.8	26.8	0.8	26.8	26.8
	5	0	0.3	32.1	0	0	6.5	0	0	0	0.6	40.2	0	0.2	11.2	0	0.7	27.5	0.7	27.5	27.5
	6	0	0.3	32.5	0	0.3	6.8	0	0	0	0.8	41.0	0	0.7	11.9	0	0.9	28.4	0.9	28.4	28.4
7	1	0	1.0	33.5	0	20.8	27.6	0	0	0	2.9	43.9	0	0.6	12.5	0	6.0	34.4	6.0	34.4	34.4
	2	0	28.6	62.0	0	83.6	111.2	0	0	0	53.8	97.7	0	8.0	20.5	0	45.9	80.3	45.9	80.3	80.3
	3	0	33.7	95.7	0	257.7	368.9	0	0	0	222.0	319.7	0	32.9	53.4	0	49.0	129.3	49.0	129.3	129.3
	4	0	61.7	157.4	0	315.0	683.9	0	0	0	729.4	1049.1	0	151.9	205.3	0	56.7	186.0	56.7	186.0	186.0
	5	0	107.0	264.4	0	160.5	844.4	0	0	0	531.2	1580.3	0	134.7	340.0	0	93.6	279.6	93.6	279.6	279.6
	6	0	87.7	352.0	0	143.7	988.1	0	0	0	237.0	1817.3	0	128.3	468.3	0	95.5	375.1	95.5	375.1	375.1
8	1	0	39.8	391.8	0	62.4	1050.5	0	0	0	69.0	1886.3	0	51.9	520.2	0	51.8	426.9	51.8	426.9	426.9
	2	0	30.8	422.6	0	24.5	1075.0	0	0	0	40.0	1926.3	0	26.6	546.8	0	30.0	456.9	30.0	456.9	456.9
	3	0	18.6	441.1	0	11.9	1086.9	0	0	0	24.9	1951.2	0	10.8	557.6	0	24.1	481.0	24.1	481.0	481.0
	4	0	3.9	445.0	0	7.9	1094.8	0	0	0	14.7	1965.9	0	7.7	565.3	0	8.5	489.5	8.5	489.5	489.5
	5	0	2.4	447.5	0	4.5	1099.3	0	0	0	17.8	1983.7	0	6.3	571.6	0	6.9	496.4	6.9	496.4	496.4
	6	0	0.9	448.4	0	5.4	1104.7	0	0	0	4.0	1987.7	0	1.1	572.7	0	3.4	499.8	3.4	499.8	499.8
9	1	0	0.7	449.0	0	1.0	1105.7	0	0	0	2.8	1990.5	0	4.7	577.4	0	2.0	501.8	2.0	501.8	501.8
	2	0	0.1	449.1	0	0.5	1106.2	0	0	0	2.0	1992.5	0	1.7	579.1	0	0.9	502.7	0.9	502.7	502.7
	3	0	0.8	449.9	0	0.2	1106.4	0	0	0	13.3	2005.8	0	0.7	579.8	0	0.5	503.2	0.5	503.2	503.2
	4	0	0.0	449.9	0	1.0	1107.4	0	0	0	0.9	2006.7	0	0.6	580.4	0	0.5	503.7	0.5	503.7	503.7
	5	0	0.3	450.2	0	1	1108.0	0	0	0	0.8	2007.5	0	1.0	581.4	0	0.4	504.1	0.4	504.1	504.1
	6	0	0.4	450.7	0	0	1108.2	0	0	0	1.1	2008.6	0	1	582.3	0	0.6	504.7	0.6	504.7	504.7
10	1									0	0.1	2008.7									
	2									0	7.2	2015.9									
	3									0	0	2015.9									
	4									0	0	2015.9									
	5									0	0.5	2016.4									
	6									0	0	2016.4									








○平年値は過去10年間（H27～R6）の平均値である。
ただし、R6の4月1日、23～30日は欠測値（守山市矢島

コナガ半旬別誘殺状況(予察灯)

(頭)

月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	2	2	0.3	0.3	0	0	1.2	1.2	0	0	2.3	2.3	0	0	0	0	0	0	0	0
	2		2	1.5	1.8	0	0	1.6	2.8	2	2	4.6	6.9	0	0.0	0.2	0.2	0	0.2	0.6	0.6
	3		2	1.6	3.4	0	0	1.9	4.7	2	2	4.3	11.2	0	0.4	0.6	0.6	0	0.1	0.7	0.7
	4		2	1.2	4.6	0	0	2.7	7.4	2	2	4.7	15.9	0	0.5	1.1	1.1	0	0.6	1.2	1.2
	5		2	1.4	6.0	0	0	2.8	10.2	2	2	5.0	20.9	0	1.0	2.1	2.1	0	1.9	3.1	3.1
	6		2	2.0	8.0	0	0	1.1	11.3	2	2	4.9	25.8	0	0.4	2.5	2.5	0	0.6	3.7	3.7
5	1		2	2.3	10.3	0	0	1.2	12.5	2	2	5.4	31.2	0	0.6	3.1	3.1	0	1.2	4.9	4.9
	2		2	2.5	12.8	0	0	1.5	14.0	2	2	8.2	39.4	0	0.4	3.5	3.5	0	0.6	5.4	5.4
	3		2	2.5	15.3	0	0	3.7	17.7	2	2	8.7	48.1	0	0.4	3.9	3.9	0	2.6	8.0	8.0
	4		2	1.9	17.2	0	0	3.6	21.3	2	2	5.1	53.2	0	0.6	4.5	4.5	0	1.8	9.8	9.8
	5		2	1.4	18.6	0	0	2.3	23.6	2	2	5.9	59.1	0	0.8	5.3	5.3	0	1.1	10.9	10.9
	6		2	1.3	19.9	0	0	2.8	26.4	2	2	4.2	63.3	0	0.3	5.6	5.6	0	0.4	11.3	11.3
6	1		2	1.2	21.1	0	0	1.6	28.0	2	2	4.4	67.7	0	0.3	5.9	5.9	0	0.7	12.0	12.0
	2		2	3.0	24.1	0	0	5.6	33.6	2	2	4.6	72.3	0	0.7	6.6	6.6	0	0.8	12.8	12.8
	3		2	2.3	26.4	0	0	6.1	39.7	2	2	5.2	77.5	0	0.3	6.9	6.9	0	1.5	14.3	14.3
	4		2	2.0	28.4	0	0	7.7	47.4	2	2	7.4	84.9	0	1.0	7.9	7.9	0	1.9	16.2	16.2
	5		2	1.9	30.3	0	0	6.3	53.7	2	2	6.3	91.2	0	0.4	8.3	8.3	0	2.1	18.3	18.3
	6		2	0.7	31.0	0	0	4.2	57.9	2	2	9.2	100.4	0	1.3	9.6	9.6	0	2.0	20.3	20.3
7	1		2	1.1	32.1	0	0	1.5	59.4	2	2	5.9	106.3	0	0.8	10.4	10.4	0	1.6	21.9	21.9
	2		2	3.8	35.9	0	0	7.6	67.0	2	2	8.8	115.1	0	0.6	11.0	11.0	0	2.4	24.3	24.3
	3		2	0.4	36.3	0	0	2.7	69.7	2	2	5.6	120.7	0	0.1	11.1	11.1	0	0.8	25.1	25.1
	4		2	1.2	37.5	0	0	3.1	72.8	2	2	6.1	126.8	0	0.2	11.3	11.3	0	1.4	26.5	26.5
	5		2	1.7	39.2	0	0	1.7	74.5	2	2	9.7	136.5	0	0.0	11.3	11.3	0	0.7	27.2	27.2
	6		2	1.2	40.4	0	0	3.2	77.7	2	2	6.8	143.3	0	0.7	12.0	12.0	0	0.6	27.8	27.8
8	1		2	1.1	41.5	0	0	2.0	79.7	2	2	5.8	149.1	0	0.3	12.3	12.3	0	0.8	28.6	28.6
	2		2	0.4	42.0	0	0	2.3	82.0	2	2	3.2	152.3	0	0.2	12.5	12.5	0	1.7	30.3	30.3
	3		2	0.4	42.4	0	0	1.4	83.4	2	2	2.3	154.6	0	0.2	12.7	12.7	0	0.8	31.1	31.1
	4		2	0.1	42.5	0	0	3.1	86.5	2	2	2.7	157.3	0	0.0	12.7	12.7	0	0.0	31.1	31.1
	5		2	0.1	42.7	0	0	1.4	87.9	2	2	2.6	159.9	0	0.3	13.0	13.0	0	0.4	31.5	31.5
	6		2	0.1	42.8	0	0	2.8	90.7	2	2	1.3	161.2	0	0.0	13.0	13.0	0	0.2	31.7	31.7
9	1		2	0.1	42.9	0	0	1.5	92.2	2	2	1.0	162.2	0	0.3	13.3	13.3	0	0.1	31.8	31.8
	2		2	0.2	43.1	0	0	1.7	93.9	2	2	1.0	163.2	0	0.3	13.6	13.6	0	0.1	31.9	31.9
	3		2	0.1	43.2	0	0	3.0	96.9	2	2	1.7	164.9	0	0	13.6	13.6	0	0.8	32.7	32.7
	4		2	0	43.2	0	0	1.3	98.2	2	2	1.0	165.9	0	0	13.6	13.6	0	0.3	33.0	33.0
	5		2	0.2	43.4	0	0	2.7	100.9	2	2	1.3	167.2	0	0	13.6	13.6	0	0.3	33.3	33.3
	6		2	0.0	43.4	0	0	0.4	101.3	2	2	1.0	168.2	0	0	13.6	13.6	0	0.3	33.6	33.6
10	1									2	2	1.2	169.4								
	2									2	2	0.9	170.3								
	3									2	2	0.8	171.1								
	4									2	2	0.5	171.6								
	5									2	2	0.9	172.5								
	6									2	2	1.7	174.2								








○平年値は過去10年間（H27～R6）の平均値である。
守山市矢島町のR6の4月1日、23～30日は欠測値。

シロオビノメイガ半旬別誘殺状況(予察灯)

(頭)

月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2	0.2
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2
5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2
6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	0.3
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	0.3
	3	0	0.1	0.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	0.3
	4	0	0.0	0.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	0.3
	5	0	0.1	0.5	0	0	0	0	0	0	0.1	0.2	0	0	0	0	0	0	0.5	0.8	0.8
	6	0	0	0.6	0	0	0	0	0	0	0.0	0.2	0	0	0	0	0	0	0.0	0.8	0.8
7	1	0	0.0	0.6	0	0	0	0	0	0	0.1	0.3	0	0	0	0	0	0	0.1	0.9	0.9
	2	0	0	0.7	0	0	0.1	0.1	0	0	0.7	1.0	0	0	0	0	0	0	0.1	1.0	1.0
	3	0	0.7	1.4	0	0	0	0.1	0	0	2.2	1.2	0	0	0	0	0	0	0.4	1.4	1.4
	4	0	0.7	2.1	0	0	0	0.1	0	0	0.0	1.2	0	0	0	0	0	0	0.5	1.9	1.9
	5	0	2.3	4.4	0	0	0.1	0.2	0	0	0	1.2	0	0	0	0	0	0	0.7	2.6	2.6
	6	0	3.1	7.5	0	0	0.3	0.5	0	0	0.1	1.3	0	0	0	0	0	0	2.0	4.6	4.6
8	1	0	4.2	11.7	0	0	0.5	1.0	0	0	0.5	1.8	0	0	0.0	0.0	0	0	1.2	5.8	5.8
	2	0	7.8	19.5	0	0	0.4	1.4	0	0	0.8	2.6	0	0.1	0.1	0	0	0	2.8	8.6	8.6
	3	0	6.7	26.2	0	0	0.6	2.0	0	1.1	3.7	0	0.0	0.1	0	0	0	0	2.2	10.8	10.8
	4	0	6.4	32.6	0	1.7	3.7	0	0	0.6	4.3	0	0.1	0.2	0	0	0	0	3.8	14.6	14.6
	5	0	10.9	43.5	0	1.5	5.2	0	0	0.8	5.1	0	0.1	0.3	0	0	0	0	3.0	17.6	17.6
	6	0	17.8	61.3	0	3.7	8.9	0	0	2.4	7.5	0	0.3	0.6	0	0	0	0	4.2	21.8	21.8
9	1	0	12.0	73.3	0	2.6	11.5	0	0	2.1	9.6	0	0.6	1.2	0	0	0	0	9.0	30.8	30.8
	2	0	11.2	84.5	0	2.4	13.9	0	0	3.1	12.7	0	0.9	2.1	0	0	0	0	7.6	38.4	38.4
	3	0	14.2	98.7	0	2.0	15.9	0	0	1.5	14.2	0	0.4	2.5	0	0	0	0	7.5	45.9	45.9
	4	0	6.1	104.9	0	3.3	19.2	0	0	2.7	16.9	0	0.2	2.7	0	0	0	0	4.0	49.9	49.9
	5	0	7.4	112.3	0	3.4	22.6	0	0	3.0	19.9	0	0.5	3.2	0	0	0	0	5.3	55.2	55.2
	6	0	9.7	122.0	0	2.2	24.8	0	0	3.5	23.4	0	0.3	3.5	0	0	0	0	3.5	58.7	58.7
10	1									0	3.0	26.4									
	2									0	2.1	28.5									
	3									0	0.5	29.0									
	4									0	0.2	29.2									
	5									0	0.3	29.5									
	6									0	0	29.5									



○平年値は過去10年間(H27～R6)の平均値である。
守山市矢島町のR6の4月1日、23～30日は欠測値。