






ニカメイガ半旬別誘殺状況(予察灯)

月 半旬		大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前				(頭)
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	
4	1	4.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	越冬世代
	2	4.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	4.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	4.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	4.5	0	0	0	0	0	0	0	0	0	0.7	0.9	0	0	0	0	0	0	0	0	
	6	4.6	0	0	0.1	0.1	0	0	0.6	0.9	1	1.1	2.0	0	0	0	0	0	0	0.9	1.3	
5	1	5.1	0	0	0.1	0	0	3.1	4.0	3	4	2.7	4.7	1	1	0.8	1.1	2	2	5.3	6.7	越冬世代
	2	5.2	0	0	0.3	0	0	3.0	7.0	1	5	3.7	8.4	1	1	0.2	1.3	0	2	4.9	11.6	
	3	5.3	0	0.7	1.0	0	0	9.6	16.6	5	5	13.2	21.6	1	1	2.8	4.1	2	2	20.9	32.4	
	4	5.4	0	0.6	1.6	0	0	26.3	42.9	5	5	12.5	34.1	1	1	9.7	13.8	2	2	18.4	50.9	
	5	5.5	0	0.5	2.1	0	0	39.4	82.3	5	5	12.7	46.8	1	1	5.3	19.1	2	2	18.7	69.6	
	6	5.6	0	0.6	2.7	0	0	31.4	113.7	5	5	6.6	53.4	1	1	8.7	27.8	2	2	10.9	80.4	
6	1	6.1	0	0.1	2.8	0	0	12.7	126.4	5	5	3.2	56.6	1	1	7.3	35.1	2	2	4.3	84.8	越冬世代
	2	6.2	0	0.1	2.9	0	0	21.6	148.0	5	5	1.1	57.7	1	1	5.0	40.1	2	2	3.8	88.6	
	3	6.3	0	0.1	3.0	0	0	5.5	153.5	5	5	0.7	58.4	1	1	1.1	41.2	2	2	1.5	90.1	
	4	6.4	0	0.0	3.0	0	0	1.6	155.1	5	5	0.3	58.7	1	1	0.5	41.7	2	2	0.5	90.6	
	5	6.5	0	0.0	3.0	0	0	0.4	155.5	5	5	1.3	60.0	1	1	0.4	42.1	2	2	0.2	90.8	
	6	6.6	0	0.1	3.1	0	0	0.7	156.2	5	5	1	60.7	1	1	0.4	42.5	2	2	0.3	91.1	
7	1	7.1	0	0.1	3.2	0	0	0.9	157.1	5	5	0.8	61.5	1	1	0.1	42.6	2	2	0.2	91.3	越冬世代
	2	7.2	0	0.1	0.1	0	0	1.0	1.0	0	0	0.5	0.5	0	0	0.2	0.2	0	0	0.0	0.0	
	3	7.3	0	0	0.3	0	0	6.1	7.1	0	0	2.1	2.6	0	0	0.7	0.9	0	0	0.3	0.3	
	4	7.4	0	0.8	1.1	0	0	37.5	44.6	0	0	8.6	11.2	0	0	3.7	4.6	0	0	3.3	3.6	
	5	7.5	0	1.8	2.9	0	0	80.2	124.8	0	0	10.5	21.7	0	0	5.2	9.8	0	0	9.1	12.7	
	6	7.6	0	1.2	4.1	0	0	92.8	217.6	0	0	14.0	35.7	0	0	7.4	17.2	0	0	19.0	31.7	
8	1	8.1	0	1.2	5.3	0	0	53.2	270.8	0	0	9.1	44.8	0	0	10.0	27.2	0	0	18.6	50.3	第1世代
	2	8.2	0	0.3	5.7	0	0	24.4	295.2	0	0	5.8	50.6	0	0	6.8	34.0	0	0	14.5	64.8	
	3	8.3	0	0.7	6.3	0	0	11.5	306.7	0	0	2.8	53.4	0	0	1.4	35.4	0	0	7.9	72.7	
	4	8.4	0	0.2	6.6	0	0	5.6	312.3	0	0	2.4	55.8	0	0	0.6	36.0	0	0	1.7	74.4	
	5	8.5	0	0.2	6.8	0	0	8.9	321.2	0	0	2.3	58.1	0	0	0.8	36.8	0	0	1.6	76.0	
	6	8.6	0	1	7.4	0	0	16.7	337.9	0	0	7.2	65.3	0	0	3.1	39.9	0	0	1.8	77.8	
9	1	9.1	0	0.2	7.7	0	0	14.5	352.4	0	0	6.9	72.2	0	0	0.8	40.7	0	0	1.0	78.8	第1世代
	2	9.2	0	0.6	8.2	0	0	5.6	358.0	0	0	2.6	74.8	0	0	0	40.8	0	0	0.8	79.6	
	3	9.3	0	0.4	8.7	0	0	2.0	360.0	0	0	0.4	75.2	0	0	0	40.9	0	0	0.1	79.7	
	4	9.4	0	0	8.8	0	0	0.2	360.2	0	0	0	75.2	0	0	0	40.9	0	0	0.0	79.7	
	5	9.5	0	0.0	8.8	0	0	0	360.2	0	0	0.0	75.2	0	0	0	41.0	0	0	0	79.7	
	6	9.6	0	0.0	8.8	0	0	0.1	360.3	0	0	0	75.3	0	0	0	41.0	0	0	0	79.8	
10	1	10.1								0	0	0	75.3									第1世代
	2	10.2								0	0	0	75.3									
	3	10.3								0	0	0	75.3									
	4	10.4								0	0	0	75.3									
	5	10.5								0	0	0	75.3									
	6	10.6								0	0	0	75.3									








○表中の累積誘殺頭数は、越冬世代と第1世代を区別するため、4月第1半旬～7月第1半旬を越冬世代、7月第2半旬～調査終了時を第1世代として積算している。

○平年値は過去10年間（H27～R6）の平均値である。
ただし、R6の4月1日、23～30日、

ツマグロコバイ半旬別誘殺状況(予察灯)

(頭)






月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0.2	0.2	0	0	0	0	0	0	0	0
	5	0	0	0.1	0.1	0	0	0	0	0	0	0.2	0	0	0	0	0	0	0	0
	6	0	0	0.1	0.1	0	0	0	0	0	0	0.2	0	0	0	0	0	0	0	0
5	1	0	0	0.1	0	0	0	0	0	0	0	0.2	0	0	0.1	0.1	0	0	0	0
	2	0	0	0.1	0	0	0	0	0	0	0.0	0.2	0	0	0	0.1	0	0	0	0
	3	0	0.1	0.2	0	0	0	0	0	0	0	0.2	0	0	0	0.1	0	0	0	0
	4	0	0	0.2	0	0	0	0	0	0	0	0.2	0	0	0	0.1	0	0	0	0
	5	0	0.0	0.2	0	0	0	0	0	0	0	0.2	0	0	0	0.1	0	0	0	0
	6	0	0	0.2	0	0	0	0	0	0	0	0.2	0	0	0	0.1	0	0	0	0
6	1	0	0	0.2	0	0	0	0	0	0	0	0.2	0	0	0	0.1	0	0.1	0.1	0.1
	2	0	0	0.4	0	0	0	0	0	0	0.1	0.3	0	0	0	0.1	0	0	0.1	0.1
	3	0	0	0.5	0	0	0	0	0	0	0.3	0.6	0	0	0.2	0.3	0	0	0	0.1
	4	0	0.6	1.1	0	0	0	0	0	0	1.7	2.3	0	0	0.3	0.6	0	0.1	0.2	0.2
	5	0	10.4	11.5	0	0	0.5	0.6	0	0	4.6	6.9	0	0	2.3	2.9	0	0.8	1.0	1.0
	6	0	10.6	22.1	0	0	0.4	1.0	0	0	7.1	14.0	0	0	1.8	4.7	0	0.8	1.8	1.8
7	1	0	11.6	33.6	0	0	1.4	2.4	0	0	13.9	27.9	0	0	2.1	6.8	0	1.7	3.5	3.5
	2	0	45.4	79.1	0	0	1.3	3.7	0	0	18.3	46.2	0	0	1.0	7.8	0	1.7	5.2	5.2
	3	0	43.2	122.3	0	0	2.0	5.7	0	0	21.1	67.3	0	0	0.6	8.4	0	2.7	7.9	7.9
	4	0	73.9	196.2	0	0	2.5	8.2	0	0	99.6	166.9	0	0	6.2	14.6	0	7.8	15.7	15.7
	5	0	112.4	308.6	0	0	1.0	9.2	0	0	302.8	469.7	0	0	4.2	18.8	0	16.7	32.4	32.4
	6	0	97.6	406.2	0	0	1.6	10.8	0	0	286.1	755.8	0	0	6.7	25.5	0	24.7	57.1	57.1
8	1	0	37.6	443.8	0	0	0.6	11.4	0	0	162.0	917.8	0	0	3.5	29.0	0	14.6	71.7	71.7
	2	0	11.7	455.4	0	0	0	11.6	0	0	65.6	983.4	0	0	3.0	32.0	0	8.5	80.2	80.2
	3	0	12.4	467.9	0	0	0	11.8	0	0	36.3	1019.7	0	0	0.5	32.5	0	3.0	83.2	83.2
	4	0	7.7	475.5	0	0	0.1	11.9	0	0	25.4	1045.1	0	0	10.6	43.1	0	0.8	84.0	84.0
	5	0	2.9	478.4	0	0	0.4	12.3	0	0	8.7	1053.8	0	0	1.9	45.0	0	2.1	86.1	86.1
	6	0	13.0	491.4	0	0	0.2	12.5	0	0	4.2	1058.0	0	0	7.1	52.1	0	0.9	87.0	87.0
9	1	0	11.2	502.6	0	0	0	12.5	0	0	10.1	1068.1	0	0	8.1	60.2	0	12.9	99.9	99.9
	2	0	28.9	531.5	0	0	0	12.7	0	0	146.8	1214.9	0	0	3.4	63.6	0	2.9	102.8	102.8
	3	0	11.3	542.9	0	0	0	12.7	0	0	88.4	1303.3	0	0	4.0	67.6	0	2.4	105.2	105.2
	4	0	3.1	546.0	0	0	0	12.7	0	0	37.9	1341.2	0	0	2.3	69.9	0	1.1	106.3	106.3
	5	0	1.8	547.8	0	0	0	12.8	0	0	0.9	1342.1	0	0	1	70.5	0	0.4	106.7	106.7
	6	0	3.4	551.2	0	0	0	12.8	0	0	0.7	1342.8	0	0	0.0	70.5	0	0.1	106.8	106.8
10	1								0	0	0.3	1343.1								
	2								0	0	0.5	1343.6								
	3								0	0	0	1343.7								
	4								0	0	0	1343.7								
	5								0	0	0.1	1343.8								
	6								0	0	0	1343.8								



○平年値は過去10年間（H27～R6）の平均値である。
ただし、R6の4月1日、23～30日は欠測値（守山市矢島町）。

ヒメビウナ半旬別誘殺状況(予察灯)

月 半旬		大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0.1	0.0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0.4	0.4	1	1	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0.6	1.0	0	1	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0.4	1.4	1	2	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0.2	1.6	0	2	0	0	0	0	0	0
	6	0	0	0.1	0.1	0	0	0	0	0	0	0	1.6	0	2	0	0	0	0	0	0
5	1	0	0	0.2	0.3	0	0	0	0	0	0	0.2	1.8	0	2	0	0	0	0	0	0
	2	0	0	0	0.3	0	0	0	0	0	0	0.1	1.9	0	2	0	0	0	0	0	0
	3	0	0	0	0.3	0	0	0	0	0	0	0	1.9	0	2	0	0	0	0	0	0
	4	0	0	0	0.3	0	0	0	0	0	0	0	1.9	0	2	0.0	0.0	0	0	0	0
	5	0	0	0	0.3	0	0	0	0	0	0	0	1.9	0	2	0	0.0	0	0	0	0
	6	0	0	0	0.3	0	0.1	0.1	0.1	0	0	0	1.9	0	2	0	0.2	0	0	0	0
6	1	0	0	0	0.3	0	0	0	0.1	0	0.1	2.0	0	2	0.1	0.3	0	0	0	0	0
	2	0	0	0	0.3	0	0.1	0.2	0	0	0.0	2.0	0	2	0	0.4	0	0	0	0	0
	3	0	0	0	0.3	0	0.1	0.3	0	0	1.8	3.8	0	2	0.4	0.8	0	0	0	0	0
	4	0	0.0	0.3	0	0.4	0.7	0	0.6	0	4.4	0	2	0.3	1.1	0	0.0	0.2	0	0.2	0
	5	0	0.2	0.5	0	0.1	0.8	0	0.5	0	4.9	0	2	0.0	1.1	0	0.1	0.3	0	0.3	0
	6	0	0.2	0.7	0	0.4	1.2	0	1.0	0	5.9	0	2	1.0	2.1	0	1.6	1.9	0	1.9	0
7	1	0	0.1	0.9	0	0.9	2.1	0	1.6	0	7.5	0	2	0.5	2.6	0	1.2	3.1	0	3.1	0
	2	0	1	1.9	0	7.2	9.3	0	8.2	0	15.7	0	2	0.8	3.4	0	0.7	3.8	0	3.8	0
	3	0	1.4	3.3	0	12.7	22.0	0	26.0	0	41.7	0	2	6.6	10.0	0	6.7	10.5	0	10.5	0
	4	0	2.8	6.1	0	4.9	26.9	0	22.1	0	63.8	0	2	4.2	14.2	0	5.2	15.7	0	15.7	0
	5	0	1.9	8.0	0	4.1	31.0	0	14.6	0	78.4	0	2	3.9	18.1	0	3.0	18.7	0	18.7	0
	6	0	1.8	9.7	0	12.4	43.4	0	27.9	0	106.3	0	2	1.5	19.6	0	9.9	28.6	0	28.6	0
8	1	0	2.4	12.2	0	43.9	87.3	0	86.5	0	192.8	0	2	5.7	25.3	0	5.2	33.8	0	33.8	0
	2	0	1.3	13.5	0	86.4	173.7	0	133.6	0	326.4	0	2	27.2	52.5	0	12.3	46.1	0	46.1	0
	3	0	3.8	17.3	0	47.7	221.4	0	119.9	0	446.3	0	2	16.0	68.5	0	9.4	55.5	0	55.5	0
	4	0	7.2	24.5	0	25.2	246.6	0	40.0	0	486.3	0	2	20.4	88.9	0	5.4	60.9	0	60.9	0
	5	0	0.7	25.2	0	10.9	257.5	0	34.4	0	520.7	0	2	7.4	96.3	0	11.1	72.0	0	72.0	0
	6	0	2.6	27.7	0	29.1	286.6	0	32.1	0	552.8	0	2	25.2	121.5	0	3.8	75.8	0	75.8	0
9	1	0	1.9	29.6	0	23.1	309.7	0	41.1	0	593.9	0	2	9.3	130.8	0	3.8	79.6	0	79.6	0
	2	0	2.0	31.6	0	40.5	350.2	0	18.5	0	612.4	0	2	4.6	135.4	0	2.5	82.1	0	82.1	0
	3	0	0.8	32.4	0	16.2	366.4	0	19.6	0	632.0	0	2	2.2	137.6	0	5.3	87.4	0	87.4	0
	4	0	0.0	32.4	0	5.5	371.9	0	4.8	0	636.8	0	2	1.8	139.4	0	1.8	89.2	0	89.2	0
	5	0	1.0	33.4	0	3.0	374.9	0	3.1	0	639.9	0	2	1.3	140.7	0	1.0	90.2	0	90.2	0
	6	0	0.2	33.6	0	0.5	375.4	0	5.5	0	645.4	0	2	2.0	142.7	0	1.0	91.2	0	91.2	0
10	1								0	0.8	646.2										
	2								0	1.1	647.3										
	3								0	0.4	647.7										
	4								0	0.2	647.9										
	5								0	1.0	648.9										
	6								0	1.4	650.3										








○平年値は過去10年間（H27～R6）の平均値である。
ただし、R6の4月1日、23～30日は欠測値（守山市矢島町）。

セジロウシカ半旬別誘殺状況(予察灯)

(頭)

月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0.1	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0
6	1	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.2	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0.2	0.3	0	0	0	0	0.2	0	0	0	0
4	0	0	0	0	0	0.2	0.2	0	0.1	0.4	0	0	0	0	0	0.2	0	0	0	0
5	0	0	0	0	0	0	0.2	0	0.5	0.9	0	0	0	0	0	0.6	0	0	0	0
6	0	0.3	0.5	0	0	0.5	0.7	0	0.4	1.3	0	0.5	1.1	0	1.3	1.1	0	1.3	1.3	1.3
7	1	0	0	0.5	0	0.5	1.2	0	1.2	2.5	0	0.6	1.7	0	0.4	1.7	0	0.4	1.7	1.7
2	0	0.1	0.7	0	1.3	2.5	0	0.4	2.9	0	0.5	2.2	0	0.5	2.2	0	0.4	2.1	2.1	2.1
3	0	0.1	0.8	0	0.2	2.7	0	0.7	3.6	0	0.4	2.6	0	0.4	2.6	0	0.2	2.3	2.3	2.3
4	0	0.2	1.0	0	0	2.7	0	0	4.4	8.0	0	1.0	3.6	0	1.0	3.6	0	0.1	2.4	2.4
5	0	0.1	1.1	0	0.0	2.7	0	0.8	8.8	0	1	4.1	0	1	4.1	0	0.5	2.9	2.9	2.9
6	0	0.1	1.2	0	0	0.4	3.1	0	1.0	9.8	0	1.2	5.3	0	1.2	5.3	0	0.5	2.9	2.9
8	1	0	0	1.3	0	1.2	4.3	0	1.1	10.9	0	0.7	6.0	0	0.7	6.0	0	2.2	11.2	11.2
2	0	0.7	2.0	0	0.6	4.9	0	1.2	12.1	0	0.9	6.9	0	0.9	6.9	0	0.9	12.1	12.1	12.1
3	0	1.1	3.1	0	1.9	6.8	0	1.1	13.2	0	0.8	7.7	0	0.8	7.7	0	2.6	14.7	14.7	14.7
4	0	1.9	5.0	0	1.6	8.4	0	1.8	15.0	0	6.2	13.9	0	6.2	13.9	0	10.9	25.6	25.6	25.6
5	0	0.8	5.8	0	0.4	8.8	0	1.3	16.3	0	0.4	14.3	0	0.4	14.3	0	6.1	31.7	31.7	31.7
6	0	1.9	7.7	0	1.7	10.5	0	1.0	17.3	0	1.3	15.6	0	1.3	15.6	0	5.3	37.0	37.0	37.0
9	1	0	1.4	9.1	0	2.0	12.5	0	0.8	18.1	0	0.7	16.3	0	0.7	16.3	0	4.0	41.0	41.0
2	0	1.7	10.8	0	1.9	14.4	0	0.6	18.7	0	1.3	17.6	0	1.3	17.6	0	4.5	45.5	45.5	45.5
3	0	0.9	11.7	0	2.3	16.7	0	2.3	21.0	0	0.9	18.5	0	0.9	18.5	0	2.4	47.9	47.9	47.9
4	0	0.2	11.9	0	2.3	19.0	0	0.3	21.3	0	0.6	19.0	0	0.6	19.0	0	2.4	50.3	50.3	50.3
5	0	0.4	12.3	0	2.8	21.8	0	2.3	23.6	0	0.8	19.8	0	0.8	19.8	0	1.3	51.6	51.6	51.6
6	0	0.4	12.8	0	0.7	22.5	0	1.6	25.2	0	0.2	20.0	0	0.2	20.0	0	0.6	52.2	52.2	52.2
10	1								0	1.4	26.6									
2									0	0.8	27.4									
3									0	0.6	28.0									
4									0	0	28.0									
5									0	0.3	28.3									
6									0	0	28.3									








○平年値は過去10年間 (H27～R6) の平均値である。
ただし、R6の4月1日、23～30日は欠測値 (守山市矢島)

トビイロウナカ半旬別誘殺状況(予察灯)

(頭)

月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	1		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	4		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	5		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	6		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
6	1		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	2		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	3		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	4		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	5		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	6		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
7	1		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	2		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	3		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	4		0	0	0		0	0	0		0	0	0		0	0	0		0	0	0
	5		0	0	0		0	0	0		0	0.0	0.0		0	0	0		0	0	0
	6		0	0	0		0	0.2	0.2		0	0.0	0.0		0	0	0		0	0	0
8	1		0	0	0		0	0.1	0.3		0	0.0	0.0		0	0	0		0	0	0
	2		0	0	0		0	0	0.4		0	0	0.0		0	0	0		0	0	0
	3		0	0	0		0	0	0.5		0	0	0.0		0	0	0		0	0	0
	4		0	0.1	0.1		0	0	0.5		0	0.2	0.2		0	0.2	0.2		0	0.1	0.2
	5		0	0.5	0.6		0	0.2	0.7		0	0	0.2		0	0.2	0.4		0	0.0	0.2
	6		0	0.8	1.4		0	0.3	4.0		0	0.7	0.9		0	0.4	0.8		0	1.0	1.2
9	1		0	0.1	1.5		0	0.2	4.2		0	0.1	1.0		0	0.7	1.5		0	1.0	2.2
	2		0	0.3	1.8		0	0.8	5.0		0	0.5	1.5		0	0	1.5		0	4.6	6.8
	3		0	1.2	3.0		0	1.0	6.0		0	0.3	1.8		0	0.2	1.7		0	0.1	6.9
	4		0	0.5	3.5		0	0.5	6.5		0	1.4	3.2		0	0	1.7		0	1.1	8.0
	5		0	0.2	3.7		0	0.7	7.2		0	0.2	3.4		0	0	1.7		0	0.1	8.1
	6		0	0.8	4.5		0	0.3	7.5		0	0.5	3.9		0	0	1.7		0	0.2	8.3
10	1										0	0.9	4.8								
	2										0	0.0	4.8								
	3										0	0.0	4.8								
	4										0	0	4.8								
	5										0	0.1	4.9								
	6										0	0	4.9								








○平年値は過去10年間（H27～R6）の平均値である。
ただし、R6の4月1日、23～30日は欠測値（守山市矢島

フタオビコヤガ半月別誘殺状況(予察灯)

(頭)

月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 1		0	0	0	0	0	0	0	0	0	0	0	0	0.3	0.3	0	0	0	0	0
2		0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0.3	0	0	0.1	0.1	0.1
3		0	0	0	0	0	0	0	0	0	0	0.2	0	0	0.3	0	0	0	0.1	0.1
4		0	0.1	0.1	0	0	0	0	0	0	0	0.2	0	0	0.3	0	0	0	0.1	0.1
5		0	0	0.1	0	0	0	0	0	0	0.0	0.2	0	0	0.3	0	0	0.0	0.1	0.1
6		0	0	0.1	0	0	0	0	0	0	0	0.2	0	0	0.3	0	0	0.1	0.2	0.2
6 1		0	0	0.1	0	0.3	0.3	0	0	0.1	0.3	0	0	0	0.3	0	0	0	0	0.2
2		0	0	0.1	0	0.4	0.7	0	0	0.4	0.7	0	0	0	0.3	0	0	0	0.2	0.2
3		0	0.7	0.8	0	0.2	0.9	1	0.7	1.4	0	0.2	0.5	0	0.0	0.2	0	0.0	0.2	0.2
4		0	0.1	0.9	0	0.5	1.4	0	0.2	1.6	0	0	0.6	0	0	0.6	0	0.7	0.9	0.9
5		0	0.4	1.3	0	0	1.4	0	0.1	1.7	0	0	0.6	0	0	0.6	0	0.2	1.1	1.1
6		0	0.2	1.5	0	0.4	1.8	0	0.1	1.8	0	0	0.1	0.7	0	0	0.4	1.5	1.5	1.5
7 1		0	0.2	1.8	0	0.5	2.3	1	0.7	2.5	0	0	0.7	0	0	0.7	0	0.7	2.2	2.2
2		0	1.7	3.4	0	1.3	3.6	2	1.7	4.2	0	0	0.7	0	0	0.7	0	0.5	2.7	2.7
3		0	1.1	4.5	0	1.7	5.3	3	3.3	7.5	0	0.2	0.9	0	0	0.9	0	2.1	4.8	4.8
4		0	2.9	7.4	0	3.4	8.7	3	2.6	10.1	0	0.2	1.1	0	0	1.1	0	3.7	8.5	8.5
5		0	6.0	13.4	0	4.5	13.2	2	2.4	12.5	0	0.1	1.2	0	0	1.2	0	3.6	12.1	12.1
6		0	8.7	22.1	0	10.4	23.6	5	5.3	17.8	0	0.1	1.3	0	0	1.3	0	4.5	16.6	16.6
8 1		0	20.8	42.9	0	13.5	37.1	16	18.4	36.2	0	1.0	2.3	0	0	2.3	0	13.8	30.4	30.4
2		0	23.8	66.7	0	14.4	51.5	28	26.7	62.9	0	2.4	4.7	0	0	4.7	0	24.0	54.4	54.4
3		0	29.3	96.0	0	7.9	59.4	28	27.1	90.0	0	2.2	6.9	0	0	6.9	0	10.6	65.0	65.0
4		0	20.9	116.9	0	3.2	62.6	19	15.6	105.6	0	1.0	7.9	0	0	7.9	0	8.2	73.2	73.2
5		0	12.8	129.7	0	3.5	66.1	7	7.2	112.8	0	1.3	9.2	0	0	9.2	0	8.4	81.6	81.6
6		0	7.0	136.7	0	3.0	69.1	3	3.9	116.7	0	0.8	10.0	0	0	10.0	0	2.3	83.9	83.9
9 1		0	4.4	141.1	0	2.0	71.1	1	2.3	119.0	0	0.4	10.4	0	0	10.4	0	1.7	85.6	85.6
2		0	0.8	141.9	0	1.1	72.2	0	0.8	119.8	0	0	10.6	0	0	10.6	0	1.8	87.4	87.4
3		0	0.7	142.5	0	0	72.5	0	0.2	120.0	0	0	10.9	0	0	10.9	0	1.2	88.6	88.6
4		0	0	142.7	0	0	72.6	0	0.1	120.1	0	0	10.9	0	0	10.9	0	0.0	88.6	88.6
5		0	0.2	142.9	0	0	72.6	0	0	120.1	0	0	10.9	0	0	10.9	0	0	88.7	88.7
6		0	0	142.9	0	0	72.7	0	0	120.1	0	0	10.9	0	0	10.9	0	0.3	89.0	89.0
10 1									0	0	120.1									
2									0	0	120.1									
3									0	0	120.1									
4									0	0	120.1									
5									0	0	120.1									
6									0	0	120.1									








○平年値は過去10年間(H27～R6)の平均値である。
ただし、R6の4月1日、23～30日は欠測値(守山市矢島)

イナズマヨコバイ半月別誘殺状況（予察灯）

(頭)

月	半月	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0.2	0.1	9	9	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0.2	0.3	15	24	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0.6	0.9	1	25	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0.6	1.5	1	26	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0.4	1.9	4	30	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	1.9	18	48	0	0	0	0	0	0
5	1		0	0.3	0.3	0	0	0	0	0	0	0.3	2.2	1	49	0	0	0	0	0.1	0.1
	2		0	0	0.3	0	0	0.1	0.1	0	0	0	2.2		49	0	0	0	0	0	0.1
	3		0	0	0.3	0	0	0	0.1	0	0	0	2.2		49	0	0	0	0	0	0.1
	4		0	0.2	0.5	0	0	0	0.1	0	0	0.1	2.3		49	0	0	0	0	0	0.1
	5		0	0.3	0.8	0	0	0	0.1	0	0	1.3	3.6		49	0.0	0.1	0	0.2	0.3	0.3
	6		0	0.5	1.3	0	0	0.2	0.3	0	0	2.1	5.7		49	1.7	1.8	0	1.2	1.6	1.6
6	1		0	0.2	1.5	0	0	0	0.3	0	0	1.3	7.0		49	1.3	3.1	0	1.2	2.8	2.8
	2		0	0.8	2.3	0	0	0.0	0.3	0	0	0.6	7.6		49	1.5	4.6	0	0.5	3.3	3.3
	3		0	0.6	2.9	0	0	0	0.3	0	0	0.9	8.5		49	4.1	8.7	0	1.9	5.2	5.2
	4		0	0.1	3.0	0	0	0.0	0.3	0	0	0.3	8.8		49	0.4	9.1	0	1.7	6.9	6.9
	5		0	0	3.1	0	0	0.0	0.3	0	0	0.4	9.2		49	0.4	9.5	0	0.1	7.0	7.0
	6		0	0	3.1	0	0	0.0	0.3	0	0	0.2	9.4		49	0.3	9.8	0	0.1	7.1	7.1
7	1		0	1	3.9	0	0	0.1	0.4	0	0	0.6	10.0		49	0.3	10.1	0	0.2	7.3	7.3
	2		0	6.9	10.8	0	0	1.2	1.6	0	0	3.7	13.7		49	0.8	10.9	0	0.8	8.1	8.1
	3		0	8.9	19.6	0	0	3.1	4.7	0	0	22.6	36.3		49	10.7	21.6	0	5.0	13.1	13.1
	4		0	34.6	54.2	0	0	5.5	10.2	0	0	142.0	178.3		49	77.8	99.4	0	31.2	44.3	44.3
	5		0	12.1	66.3	0	0	2.6	12.8	0	0	186.8	365.1		49	57.0	156.4	0	31.6	75.9	75.9
	6		0	22.0	88.3	0	0	4.4	17.2	0	0	244.0	609.1		49	44.3	200.7	0	40.2	116.1	116.1
8	1		0	19.1	107.4	0	0	0.8	18.0	0	0	586.7	1195.8		49	36.8	237.5	0	16.7	132.8	132.8
	2		0	13.0	120.4	0	0	1.5	19.5	0	0	277.8	1473.6		49	46.3	283.8	0	17.7	150.5	150.5
	3		0	16.2	136.6	0	0	0.5	20.0	0	0	491.9	1965.5		49	172.9	456.7	0	24.9	175.4	175.4
	4		0	10.8	147.4	0	0	0.4	20.4	0	0	379.1	2344.6		49	465.1	921.8	0	28.9	204.3	204.3
	5		0	7.1	154.5	0	0	1.0	21.4	0	0	116.2	2460.8		49	79.3	1001.1	0	32.5	236.8	236.8
	6		0	5.4	160.0	0	0	1.3	22.7	0	0	41.8	2502.6		49	36.1	1037.2	0	12.5	249.3	249.3
9	1		0	2.8	162.8	0	0	0.7	23.4	0	0	38.4	2541.0		49	27.0	1064.2	0	12.0	261.3	261.3
	2		0	8.1	170.9	0	0	1.0	24.4	0	0	44.9	2585.9		49	66.8	1131.0	0	6.2	267.5	267.5
	3		0	9.0	179.9	0	0	0.4	24.8	0	0	80.8	2666.7		49	20.4	1151.4	0	5.8	273.3	273.3
	4		0	5.2	185.1	0	0	0.3	25.1	0	0	37.4	2704.1		49	84.6	1236.0	0	8.8	282.1	282.1
	5		0	4.0	189.1	0	0	0	25.4	0	0	7.9	2712.0		49	29.0	1265.0	0	4.3	286.4	286.4
	6		0	5.6	194.6	0	0	0	25.5	0	0	11.6	2723.6		49	46.9	1311.9	0	1.6	288.0	288.0
10	1										0	1.7	2725.3								
	2										0	1.1	2726.4								
	3										0	1.3	2727.7								
	4										0	0.5	2728.2								
	5										0	0.6	2728.8								
	6										0	0.1	2728.9								







○平年値は過去10年間（H27～R6）の平均値である。
ただし、R6の4月1日、23～30日は欠測値（守山市矢島町）

コブノメイガ半旬別誘殺状況(予察灯)

(頭)

月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
初飛来																				
4 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6 1	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7 1	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8 1	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0.1
2	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1
3	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1
4	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1
5	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1
6	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1
9 1	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1
2	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1
3	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1
4	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1
5	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1
6	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1
10 1																				
2																				
3																				
4																				
5																				
6																				








○平年値は過去10年間（H27～R6）の平均値である。
ただし、R6の4月1日、23～30日は欠測値（守山市矢島町）

イネミズゾウムシ半月別勝殺状況(予察灯)

(頭)

月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0.0	0.5	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0.5	11	11	0	0	1	1	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0.5	0	11	0	0	0	1	0.2	0.6
	6	0	0	1.5	1.8	0	0	0	0	0	0	0.5	1.0	0	11	0	0	2	3	0.3	0.9
5	1	3	3	5.4	7.2	0	0	0	0	0	2.5	3.5	0	11	1.1	1.4	1	4	0.2	1.1	1.1
	2		3	7.6	14.8	0		0.1	0.4	0	0.5	4.0		11	0.3	1.7	0	4	0.3	1.4	1.4
	3		3	10.3	25.1		0	5.0	5.4		14.4	18.4		11	2.3	4.0		4	12.1	13.6	13.6
	4		3	2.2	27.3		0	0.6	6.0		4.7	23.1		11	4.5	8.5		4	5.1	18.7	18.7
	5		3	1.9	29.2		0	0.2	6.2		7.3	30.4		11	0.3	8.8		4	3.1	21.8	21.8
	6		3	0.9	30.1		0	0.0	6.2		4.8	35.2		11	0.8	9.6		4	1.7	23.4	23.4
6	1		3	0.7	30.8		0	0	6.2		2.9	38.1		11	0.5	10.1		4	0.6	24.0	24.0
	2		3	0.4	31.2		0	0.2	6.4		0.2	38.3		11	0.6	10.7		4	1.0	25.0	25.0
	3		3	0.2	31.5		0	0	6.4		1.1	39.4		11	0.1	10.8		4	1.0	26.0	26.0
	4		3	0.3	31.8		0	0.1	6.5		0.2	39.6		11	0	11.0		4	0.8	26.8	26.8
	5		3	0.3	32.1		0	0	6.5		0.6	40.2		11	0.2	11.2		4	0.7	27.5	27.5
	6		3	0.3	32.5		0	0.3	6.8		0.8	41.0		11	0.7	11.9		4	0.9	28.4	28.4
7	1		3	1.0	33.5		0	20.8	27.6		0	2.9	43.9		11	0.6	12.5		4	6.0	34.4
	2		3	28.6	62.0		0	83.6	111.2		0	53.8	97.7		11	8.0	20.5		4	45.9	80.3
	3		3	33.7	95.7		0	257.7	368.9		0	222.0	319.7		11	32.9	53.4		4	49.0	129.3
	4		3	61.7	157.4		0	315.0	683.9		0	729.4	1049.1		11	151.9	205.3		4	56.7	186.0
	5		3	107.0	264.4		0	160.5	844.4		0	531.2	1580.3		11	134.7	340.0		4	93.6	279.6
	6		3	87.7	352.0		0	143.7	988.1		0	237.0	1817.3		11	128.3	468.3		4	95.5	375.1
8	1		3	39.8	391.8		0	62.4	1050.5		0	69.0	1886.3		11	51.9	520.2		4	51.8	426.9
	2		3	30.8	422.6		0	24.5	1075.0		0	40.0	1926.3		11	26.6	546.8		4	30.0	456.9
	3		3	18.6	441.1		0	11.9	1086.9		0	24.9	1951.2		11	10.8	557.6		4	24.1	481.0
	4		3	3.9	445.0		0	7.9	1094.8		0	14.7	1965.9		11	7.7	565.3		4	8.5	489.5
	5		3	2.4	447.5		0	4.5	1099.3		0	17.8	1983.7		11	6.3	571.6		4	6.9	496.4
	6		3	0.9	448.4		0	5.4	1104.7		0	4.0	1987.7		11	1.1	572.7		4	3.4	499.8
9	1		3	0.7	449.0		0	1.0	1105.7		0	2.8	1990.5		11	4.7	577.4		4	2.0	501.8
	2		3	0.1	449.1		0	0.5	1106.2		0	2.0	1992.5		11	1.7	579.1		4	0.9	502.7
	3		3	0.8	449.9		0	0.2	1106.4		0	13.3	2005.8		11	0.7	579.8		4	0.5	503.2
	4		3	0.0	449.9		0	1.0	1107.4		0	0.9	2006.7		11	0.6	580.4		4	0.5	503.7
	5		3	0.3	450.2		0	1	1108.0		0	0.8	2007.5		11	1.0	581.4		4	0.4	504.1
	6		3	0.4	450.7		0	0	1108.2		0	1.1	2008.6		11	1	582.3		4	0.6	504.7
10	1										0	0.1	2008.7								
	2										0	7.2	2015.9								
	3										0	0	2015.9								
	4										0	0.0	2015.9								
	5										0	0.5	2016.4								
	6										0	0	2016.4								








○平年値は過去10年間(H27～R6)の平均値である。
ただし、R6の4月1日、23～30日は欠測値(守山市矢島)

コナガ半旬別誘殺状況(予察灯)

(頭)

月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	2	2	0.3	0.3	0	0	1.2	1.2	0	0	2.3	2.3	2	2	0	0	0	0	0	0
	2	1	3	1.5	1.8	0	0	1.6	2.8	2	2	4.6	6.9	0	2	0.0	0.2	0	0	0.2	0.6
	3	0	3	1.6	3.4	0	0	1.9	4.7	2	4	4.3	11.2	0	2	0.4	0.6	1	1	0.1	0.7
	4	6	9	1.2	4.6	0	0	2.7	7.4	31	35	4.7	15.9	5	7	0.5	1.1	4	5	0.6	1.2
	5	4	13	1.4	6.0	0	0	2.8	10.2	5	40	5.0	20.9	0	7	1.0	2.1	0	5	1.9	3.1
	6	2	15	2.0	8.0	0	0	1.1	11.3	1	41	4.9	25.8	2	9	0.4	2.5	1	6	0.6	3.7
5	1		15	2.3	10.3	0	0	1.2	12.5	63	104	5.4	31.2	2	11	0.6	3.1	7	13	1.2	4.9
	2		15	2.5	12.8	0	0	1.5	14.0	74	178	8.2	39.4		11	0.4	3.5	4	17	0.6	5.4
	3		15	2.5	15.3	0	0	3.7	17.7		178	8.7	48.1		11	0.4	3.9		17	2.6	8.0
	4		15	1.9	17.2	0	0	3.6	21.3		178	5.1	53.2		11	0.6	4.5		17	1.8	9.8
	5		15	1.4	18.6	0	0	2.3	23.6		178	5.9	59.1		11	0.8	5.3		17	1.1	10.9
	6		15	1.3	19.9	0	0	2.8	26.4		178	4.2	63.3		11	0.3	5.6		17	0.4	11.3
6	1		15	1.2	21.1		0	1.6	28.0		178	4.4	67.7		11	0.3	5.9		17	0.7	12.0
	2		15	3.0	24.1		0	5.6	33.6		178	4.6	72.3		11	0.7	6.6		17	0.8	12.8
	3		15	2.3	26.4		0	6.1	39.7		178	5.2	77.5		11	0.3	6.9		17	1.5	14.3
	4		15	2.0	28.4		0	7.7	47.4		178	7.4	84.9		11	1.0	7.9		17	1.9	16.2
	5		15	1.9	30.3		0	6.3	53.7		178	6.3	91.2		11	0.4	8.3		17	2.1	18.3
	6		15	0.7	31.0		0	4.2	57.9		178	9.2	100.4		11	1.3	9.6		17	2.0	20.3
7	1		15	1.1	32.1		0	1.5	59.4		178	5.9	106.3		11	0.8	10.4		17	1.6	21.9
	2		15	3.8	35.9		0	7.6	67.0		178	8.8	115.1		11	0.6	11.0		17	2.4	24.3
	3		15	0.4	36.3		0	2.7	69.7		178	5.6	120.7		11	0.1	11.1		17	0.8	25.1
	4		15	1.2	37.5		0	3.1	72.8		178	6.1	126.8		11	0.2	11.3		17	1.4	26.5
	5		15	1.7	39.2		0	1.7	74.5		178	9.7	136.5		11	0.0	11.3		17	0.7	27.2
	6		15	1.2	40.4		0	3.2	77.7		178	6.8	143.3		11	0.7	12.0		17	0.6	27.8
8	1		15	1.1	41.5		0	2.0	79.7		178	5.8	149.1		11	0.3	12.3		17	0.8	28.6
	2		15	0.4	42.0		0	2.3	82.0		178	3.2	152.3		11	0.2	12.5		17	1.7	30.3
	3		15	0.4	42.4		0	1.4	83.4		178	2.3	154.6		11	0.2	12.7		17	0.8	31.1
	4		15	0.1	42.5		0	3.1	86.5		178	2.7	157.3		11	0.0	12.7		17	0.0	31.1
	5		15	0.1	42.7		0	1.4	87.9		178	2.6	159.9		11	0.3	13.0		17	0.4	31.5
	6		15	0.1	42.8		0	2.8	90.7		178	1.3	161.2		11	0.0	13.0		17	0.2	31.7
9	1		15	0.1	42.9		0	1.5	92.2		178	1.0	162.2		11	0.3	13.3		17	0.1	31.8
	2		15	0.2	43.1		0	1.7	93.9		178	1.0	163.2		11	0.3	13.6		17	0.1	31.9
	3		15	0.1	43.2		0	3.0	96.9		178	1.7	164.9		11	0	13.6		17	0.8	32.7
	4		15	0	43.2		0	1.3	98.2		178	1.0	165.9		11	0	13.6		17	0.3	33.0
	5		15	0.2	43.4		0	2.7	100.9		178	1.3	167.2		11	0	13.6		17	0.3	33.3
	6		15	0.0	43.4		0	0.4	101.3		178	1.0	168.2		11	0	13.6		17	0.3	33.6
10	1										178	1.2	169.4								
	2										178	0.9	170.3								
	3										178	0.8	171.1								
	4										178	0.5	171.6								
	5										178	0.9	172.5								
	6										178	1.7	174.2								








○平年値は過去10年間（H27～R6）の平均値である。
守山市矢島町のR6の4月1日、23～30日は欠測値。

シロオビノメイガ半旬別誘殺状況(予察灯)

(頭)

月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	0	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0.2
5	1		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0.2
	2		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0.2
	3		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0.2
	4		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0.2
	5		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0.2
	6		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0.2
6	1		0	0	0	0	0	0		0	0	0		0	0	0		1	0	0.3
	2		0	0	0	0	0	0		0	0	0		0	0	0		1	0	0.3
	3		0	0.1	0.4	0	0	0		0	0	0		0	0	0		1	0	0.3
	4		0	0.0	0.4	0	0	0		0	0	0		0	0	0		1	0	0.3
	5		0	0.1	0.5	0	0	0		0	0.1	0.2		0	0	0		1	0.5	0.8
	6		0	0	0.6	0	0	0		0	0.0	0.2		0	0	0		1	0.0	0.8
7	1		0	0.0	0.6	0	0	0		0	0.1	0.3		0	0	0		1	0.1	0.9
	2		0	0	0.7	0	0.1	0.1		0	0.7	1.0		0	0	0		1	0.1	1.0
	3		0	0.7	1.4	0	0	0.1		0	0.2	1.2		0	0	0		1	0.4	1.4
	4		0	0.7	2.1	0	0	0.1		0	0.0	1.2		0	0	0		1	0.5	1.9
	5		0	2.3	4.4	0	0.1	0.2		0	0	1.2		0	0	0		1	0.7	2.6
	6		0	3.1	7.5	0	0.3	0.5		0	0.1	1.3		0	0	0		1	2.0	4.6
8	1		0	4.2	11.7	0	0.5	1.0		0	0.5	1.8		0	0.0	0.0		1	1.2	5.8
	2		0	7.8	19.5	0	0.4	1.4		0	0.8	2.6		0	0.1	0.1		1	2.8	8.6
	3		0	6.7	26.2	0	0.6	2.0		0	1.1	3.7		0	0.0	0.1		1	2.2	10.8
	4		0	6.4	32.6	0	1.7	3.7		0	0.6	4.3		0	0.1	0.2		1	3.8	14.6
	5		0	10.9	43.5	0	1.5	5.2		0	0.8	5.1		0	0.1	0.3		1	3.0	17.6
	6		0	17.8	61.3	0	3.7	8.9		0	2.4	7.5		0	0.3	0.6		1	4.2	21.8
9	1		0	12.0	73.3	0	2.6	11.5		0	2.1	9.6		0	0.6	1.2		1	9.0	30.8
	2		0	11.2	84.5	0	2.4	13.9		0	3.1	12.7		0	0.9	2.1		1	7.6	38.4
	3		0	14.2	98.7	0	2.0	15.9		0	1.5	14.2		0	0.4	2.5		1	7.5	45.9
	4		0	6.1	104.9	0	3.3	19.2		0	2.7	16.9		0	0.2	2.7		1	4.0	49.9
	5		0	7.4	112.3	0	3.4	22.6		0	3.0	19.9		0	0.5	3.2		1	5.3	55.2
	6		0	9.7	122.0	0	2.2	24.8		0	3.5	23.4		0	0.3	3.5		1	3.5	58.7
10	1									0	3.0	26.4								
	2									0	2.1	28.5								
	3									0	0.5	29.0								
	4									0	0.2	29.2								
	5									0	0.3	29.5								
	6									0	0	29.5								



○平年値は過去10年間(H27～R6)の平均値である。
守山市矢島町のR6の4月1日、23～30日は欠測値。