

ニカメイガ半旬別誘殺状況(予察灯)

(頭)






月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前				
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	
4	1	4.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	4.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	4.3	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0	0	0	0	
	4	4.4	0	0	0	0	0	0	0	0	0	0.1	0.2	0	0	0	0	0	0	0.3	0.3	
	5	4.5	0	0	0	0	1	1	0.3	0.3	1	1	0.7	0.9	0	0	0.1	0.1	0	0	0.1	0.4
	6	4.6	0	0	0	0	1	2	0.6	0.9	0	1	1.1	2.0	0	0	0.2	0.3	1	1	0.9	1.3
5	1	5.1	0	0	0	5	7	3.1	4.0	0	1	2.6	4.6	0	0	0.9	1.2	0	1	4.4	5.8	
	2	5.2	1	1	0.2	11	18	2.7	6.7	10	11	3.1	7.7	0	0	0.2	1.4	2	3	3.0	8.8	
	3	5.3	1	2	0.7	0.9	39	57	8.8	15.5	6	17	11.1	18.8	0	0	2.1	3.5	23	26	18.0	26.8
	4	5.4	1	3	0.6	1.5	70	127	22.6	38.1	20	37	15.8	34.6	11	11	10.3	13.8	13	39	18.7	45.4
	5	5.5	2	5	0.9	2.4	41	168	35.1	73.2	11	48	13.4	48.0	6	17	5.4	19.2	0	39	15.1	60.6
	6	5.6	1	6	0.6	3.0	63	231	29.4	102.6	3	51	7.3	55.3	1	18	9.4	28.6	4	43	9.4	70.0
6	1	6.1	1	7	0.1	3.1	16	247	12.6	115.2	0	51	3.1	58.4	1	19	8.4	37.0	0	43	4.7	74.7
	2	6.2	0	7	0.1	3.2	4	251	23.6	138.8	0	51	1.4	59.8	4	23	5.4	42.4	1	44	2.9	77.6
	3	6.3	0	7	0.1	3.3	6	257	9.8	148.6	3	54	0.8	60.6	0	23	1.5	43.9	1	45	1.7	79.3
	4	6.4	2	9	0.0	3.3	2	259	1.8	150.4	3	57	0.9	61.5	2	25	0.8	44.7	1	46	0.5	79.8
	5	6.5	0	9	0.0	3.3	0	259	0.4	150.8	0	57	2.2	63.7	0	25	0.5	45.2	0	46	0.2	80.0
	6	6.6	0	9	0.0	3.3	2	261	0.8	151.6	0	57	2	65.2	0	25	0.4	45.6	0	46	0.3	80.3
7	1	7.1	0	9	0.2	3.5	1	262	0.9	152.5	2	59	0.7	65.9	0	25	0.1	45.7	0	46	0.2	80.5
	2	7.2	0	0	0.1	0.1	3	3	1.2	1.2	3	3	1.4	1.4	0	0	0.2	0.2	1	1	0.0	0.0
	3	7.3	0	0	0.4	0.4	3	3	8.4	9.6	3	3	2.8	4.2	0	0	0.6	0.8	1	1	0.3	0.3
	4	7.4	0	1.0	1.4	1.4	3	42.8	52.4	3	3	6.9	11.1	0	0	3.4	4.2	1	1	4.2	4.5	
	5	7.5	0	2.1	3.6	3.6	3	93.7	146.1	3	3	11.3	22.4	0	0	5.0	9.2	1	1	13.9	18.4	
	6	7.6	0	1.8	5.3	5.3	3	122.3	268.4	3	3	15.9	38.3	0	0	7.6	16.8	1	1	18.0	36.4	
8	1	8.1	0	1.2	6.6	6.6	3	58.5	326.9	3	3	8.2	46.5	0	0	9.3	26.1	1	1	14.6	51.0	
	2	8.2	0	0.4	7.0	7.0	3	24.1	351.0	3	3	5.2	51.7	0	0	4.9	31.0	1	1	8.8	59.8	
	3	8.3	0	0.7	7.7	7.7	3	12.0	363.0	3	3	2.8	54.5	0	0	1.2	32.2	1	1	5.1	64.9	
	4	8.4	0	0.2	7.9	7.9	3	10.5	373.5	3	3	3.3	57.8	0	0	0.6	32.8	1	1	1.7	66.6	
	5	8.5	0	0.4	8.3	8.3	3	29.4	402.9	3	3	4.1	61.9	0	0	1.5	34.3	1	1	3.1	69.7	
	6	8.6	0	1	9.7	9.7	3	29.0	431.9	3	3	11.1	73.0	0	0	3.8	38.1	1	1	3.1	72.8	
9	1	9.1	0	1.1	10.8	10.8	3	17.7	449.6	3	3	7.3	80.3	0	0	1.0	39.1	1	1	1.5	74.3	
	2	9.2	0	0.6	11.3	11.3	3	6.8	456.4	3	3	3.2	83.5	0	0	0	39.2	1	1	0.9	75.2	
	3	9.3	0	0.4	11.8	11.8	3	2.5	458.9	3	3	0.3	83.8	0	0	0	39.4	1	1	0.1	75.3	
	4	9.4	0	0	11.9	11.9	3	0.3	459.2	3	3	0	83.8	0	0	0	39.4	1	1	0.0	75.3	
	5	9.5	0	0.0	11.9	11.9	3	0	459.2	3	3	0.0	83.8	0	0	0	39.5	1	1	0	75.3	
	6	9.6	0	0.0	11.9	11.9	3	0.1	459.3	3	3	0	83.9	0	0	0	39.5	1	1	0	75.4	
10	1	10.1									3	0	83.9									
	2	10.2									3	0	83.9									
	3	10.3									3	0	83.9									
	4	10.4									3	0	83.9									
	5	10.5									3	0	83.9									
	6	10.6									3	0	83.9									

越冬世代

第1世代

越冬世代

第1世代








○表中の累積誘殺頭数は、越冬世代と第1世代を区別するため、4月第1半旬～7月第1半旬を越冬世代、7月第2半旬～調査終了時を第1世代として積算している。

○平年値は過去10年間(H27～R6)の平均値である。

ツマグロヨコバイ半旬別誘殺状況(予察灯)

(頭)

月 半旬	初飛来	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	4.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	4.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	4.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	4.4	0	0	0	0	0	0	0	0	0	0	0.2	0.2	0	0	0	0	0	0	0
	5	4.5	0	0	0.1	0.1	0	0	0	0	0	0	0	0.2	1	1	0	0	0	0	0
	6	4.6	0	0	0	0.1	0	0	0	0	0	0	0	0.2	0	1	0	0	0	0	0
5	1	5.1	0	0	0	0.1	0	0	0	0	0	0	0	0.2	2	3	0.1	0.1	0	0	0
	2	5.2	0	0	0	0.1	0	0	0	0	0	0	0.0	0.2	0	3	0	0.1	1	1	0
	3	5.3	0	0	0.1	0.2	0	0	0	0	0	0	0	0.2	0	3	0	0.1	0	1	0
	4	5.4	0	0	0	0.2	0	0	0	0	0	0	0	0.2	0	3	0	0.1	0	1	0
	5	5.5	0	0	0.0	0.2	0	0	0.1	0.1	0	0	0	0.2	4	7	0	0.1	0	1	0
	6	5.6	0	0	0	0.2	0	0	0	0.1	0	0	0	0.2	0	7	0	0.1	1	2	0
6	1	6.1	0	0	0	0.3	0	0	0	0.1	0	0	0	0.2	1	8	0	0.1	0	2	0.1
	2	6.2	0	0	0	0.5	0	0	0	0.1	0	0	0.1	0.3	0	8	0	0.1	0	2	0
	3	6.3	1	1	0	0.6	0	0	0	0.1	0	0	0.2	0.5	0	8	0.1	0.2	0	2	0.1
	4	6.4	0	1	0.6	1.2	6	6	0.1	0.2	0	0	1.8	2.3	12	20	0.4	0.6	2	4	0.1
	5	6.5	0	1	11.8	13.0	0	6	0.9	1.1	0	0	3.1	5.4	2	22	5.3	5.9	0	4	0.8
	6	6.6	3	4	11.1	24.1	1	7	0.6	1.7	1	1	9.5	14.9	1	23	2.1	8.0	0	4	0.8
7	1	7.1	0	4	13.8	37.9	0	7	2.1	3.8	0	1	11.5	26.4	1	24	3.3	11.3	0	4	1.7
	2	7.2	8	12	44.4	82.3	3	10	1.7	5.5	2	3	17.4	43.8	1	25	1.1	12.4	1	5	1.7
	3	7.3	12	12	49.3	131.6	10	10	7.7	13.2	3	3	21.1	64.9	25	5.4	17.8	5	5	2.7	7.9
	4	7.4	12	12	76.7	208.3	10	10	5.6	18.8	3	3	84.2	149.1	25	9.8	27.6	5	7.8	15.7	15.7
	5	7.5	12	12	117.9	326.2	10	10	4.4	23.2	3	3	300.6	449.7	25	9.8	37.4	5	16.7	32.4	32.4
	6	7.6	12	12	97.9	424.1	10	10	2.6	25.8	3	3	244.0	693.7	25	10.9	48.3	5	24.7	57.1	57.1
8	1	8.1	12	12	40.1	464.2	10	10	0.7	26.5	3	3	91.7	785.4	25	5.2	53.5	5	14.6	71.7	71.7
	2	8.2	12	12	8.3	472.5	10	10	0	26.7	3	3	47.7	833.1	25	4.4	57.9	5	8.5	80.2	80.2
	3	8.3	12	12	10.3	482.9	10	10	0	26.9	3	3	28.6	861.7	25	2.2	60.1	5	3.0	83.2	83.2
	4	8.4	12	12	7.7	490.5	10	10	0.5	27.4	3	3	24.7	886.4	25	10.7	70.8	5	0.8	84.0	84.0
	5	8.5	12	12	3.0	493.5	10	10	0.6	28.0	3	3	8.7	895.1	25	2.2	73.0	5	2.1	86.1	86.1
	6	8.6	12	12	5.9	499.4	10	10	0.2	28.2	3	3	4.2	899.3	25	1.7	74.7	5	0.9	87.0	87.0
9	1	9.1	12	12	11.2	510.6	10	10	0	28.3	3	3	9.8	909.1	25	4.0	78.7	5	12.9	99.9	99.9
	2	9.2	12	12	28.8	539.4	10	10	0	28.5	3	3	147.5	1056.6	25	8.5	87.2	5	2.9	102.8	102.8
	3	9.3	12	12	11.3	550.7	10	10	0	28.5	3	3	12.2	1068.8	25	19.2	106.4	5	2.4	105.2	105.2
	4	9.4	12	12	3.0	553.7	10	10	0	28.5	3	3	37.1	1105.9	25	10.7	117.1	5	1.1	106.3	106.3
	5	9.5	12	12	1.8	555.5	10	10	0	28.6	3	3	0.9	1106.8	25	15	132.1	5	0.4	106.7	106.7
	6	9.6	12	12	3.4	559.0	10	10	0	28.6	3	3	0.6	1107.4	25	0.6	132.7	5	0.1	106.8	106.8
10	1	10.1									3	3	0.2	1107.6							
	2	10.2									3	3	0.4	1108.0							
	3	10.3									3	3	0	1108.1							
	4	10.4									3	3	0	1108.1							
	5	10.5									3	3	0.0	1108.1							
	6	10.6									3	3	0	1108.1							








○平年値は過去10年間（H27～R6）の平均値である。

ヒメビウナ半旬別誘殺状況(予察灯)

(頭)

月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4 1	0	0	0	0	1	1	0	0	0	0	0.1	0.1	0	0	0	0	0	0	0	0
4 2	0	0	0	0	0	1	0	0	0	0	0.4	0.5	0	0	0.1	0.1	0	0	0	0
4 3	0	0	0	0	0	1	0	0	0	0	0.6	1.1	0	0	0	0.1	0	0	0	0
4 4	0	0	0	0	0	1	0	0	0	0	0.3	1.4	0	0	0.1	0.2	0	0	0	0
4 5	0	0	0	0	0	1	0	0	0	0	0.2	1.6	0	0	0	0.2	0	0	0	0
4 6	0	0	0.1	0.1	0	1	0	0	0	0	0	1.6	0	0	0	0.2	0	0	0	0
5 1	0	0	0.2	0.3	1	2	0	0	0	0	0.2	1.8	0	0	0	0.2	0	0	0	0
5 2	1	1	0	0.3	0	2	0	0	0	0	0.1	1.9	0	0	0	0.2	0	0	0	0
5 3	0	1	0	0.3	2	4	0	0	0	0	0	1.9	0	0	0	0.2	0	0	0.1	0.1
5 4	1	2	0	0.3	0	4	0	0	0	0	0	1.9	0	0	0	0.2	0	0	0	0.1
5 5	0	2	0	0.4	0	4	0.1	0.1	0	0	0	1.9	1	1	0	0.2	0	0	0	0.1
5 6	0	2	0	0.4	1	5	0	0.1	0	0	0	1.9	0	1	0.2	0.4	0	0	0	0.1
6 1	0	2	0	0.4	0	5	0	0.1	0	0	0.1	2.0	0	1	0.1	0.5	0	0	0	0.1
6 2	0	2	0	0.4	0	5	0.1	0.2	0	0	0.0	2.0	2	3	0	0.6	0	0	0.1	0.2
6 3	0	2	0	0.4	0	5	0.2	0.4	0	0	1.2	3.2	0	3	0.1	0.7	0	0	0	0.2
6 4	0	2	0.0	0.4	0	5	0.6	1.0	0	0	0.6	3.8	0	3	0.3	1.0	1	1	0	0.2
6 5	0	2	0.4	0.8	0	5	0.3	1.3	0	0	0.5	4.3	0	3	0.4	1.4	0	1	0.1	0.3
6 6	0	2	0.2	1.1	0	5	0.5	1.8	0	0	1.1	5.4	0	3	1.0	2.4	0	1	1.6	1.9
7 1	0	2	0.1	1.2	0	5	1.3	3.1	0	0	1.7	7.1	0	3	0.7	3.1	0	1	1.3	3.2
7 2	0	2	1	2.6	2	7	8.6	11.7	1	1	8.1	15.2	0	3	1.2	4.3	0	1	1.3	4.5
7 3		2	1.7	4.3		7	15.2	26.9		1	25.3	40.5		3	5.0	9.3		1	6.7	11.2
7 4		2	2.6	6.8		7	5.1	32.0		1	20.6	61.1		3	3.7	13.0		1	5.4	16.6
7 5		2	2.0	8.8		7	15.1	47.1		1	13.4	74.5		3	3.8	16.8		1	3.5	20.1
7 6		2	2.6	11.4		7	119.2	166.3		1	28.0	102.5		3	3.5	20.3		1	10.6	30.7
8 1		2	3.1	14.5		7	60.7	227.0		1	83.9	186.4		3	15.7	36.0		1	6.9	37.6
8 2		2	1.4	16.0		7	103.0	330.0		1	112.9	299.3		3	25.8	61.8		1	13.7	51.3
8 3		2	3.1	19.1		7	51.7	381.7		1	110.5	409.8		3	18.0	79.8		1	8.7	60.0
8 4		2	7.1	26.2		7	30.3	412.0		1	33.3	443.1		3	17.5	97.3		1	4.2	64.2
8 5		2	0.9	27.1		7	28.6	440.6		1	33.7	476.8		3	7.7	105.0		1	9.4	73.6
8 6		2	2.6	29.6		7	44.8	485.4		1	32.3	509.1		3	25.7	130.7		1	8.4	82.0
9 1		2	2.0	31.6		7	35.5	520.9		1	42.3	551.4		3	11.1	141.8		1	4.4	86.4
9 2		2	1.9	33.5		7	49.1	570.0		1	18.5	569.9		3	7.3	149.1		1	2.6	89.0
9 3		2	0.8	34.3		7	24.0	594.0		1	17.6	587.5		3	11.8	160.9		1	6.0	95.0
9 4		2	0.0	34.3		7	6.0	600.0		1	4.8	592.3		3	3.0	163.9		1	2.2	97.2
9 5		2	1.0	35.3		7	3.8	603.8		1	2.8	595.1		3	2.7	166.6		1	1.7	98.9
9 6		2	0.2	35.5		7	0.9	604.7		1	5.4	600.5		3	2.0	168.6		1	1.0	99.9
10 1										1	0.8	601.3								
10 2										1	1.2	602.5								
10 3										1	0.5	603.0								
10 4										1	0.2	603.2								
10 5										1	1.0	604.2								
10 6										1	1.4	605.6								








○平年値は過去10年間（H27～R6）の平均値である。

セジロウカ半旬別誘殺状況(予察灯)

(頭)






月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0.1	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0
	6	0	0	0.1	0.1	0	0	0	0	0	0	0	0.1	1	1	0	0.1	0	0	0	0
6	1	0	0	0	0.1	0	0	0	0	0	0	0	0.1	0	1	0	0.1	0	0	0	0
	2	0	0	0.1	0.2	0	0	0	0	0	0	0	0.1	0	1	0	0.2	0	0	0	0
	3	0	0	0	0.2	0	0	0	0	0	0	0.0	0.1	0	1	0	0.2	0	0	0	0
	4	0	0	0	0.2	0	0	0.2	0.2	0	0	0.1	0.2	0	1	0	0.2	0	0	0	0
	5	0	0	0	0.2	0	0	0	0.2	0	0	0.5	0.7	0	1	0	0.6	0	0	0	0
	6	0	0	0.3	0.5	0	0	0.3	0.5	0	0	0.2	0.9	0	1	0.5	1.1	0	0	1.2	1.2
7	1	0	0	0	0.5	0	0	0.5	1.0	0	0	0.4	1.3	0	1	0.6	1.7	0	0	0.2	1.4
	2	0	0	0.1	0.7	0	0	1.2	2.2	0	0	0.3	1.6	0	1	0.5	2.2	0	0	0.4	1.8
	3	0	0	0.1	0.8	0	0	0.2	2.4	0	0	0.4	2.0	0	1	0.4	2.6	0	0	0.2	2.0
	4	0	0	0.1	0.9	0	0	0	2.4	0	0	0.5	2.5	0	1	1.0	3.6	0	0	0.2	2.2
	5	0	0	0.0	0.9	0	0	0.0	2.4	0	0	0.5	6.0	0	1	1	4.1	0	0	0.4	2.6
	6	0	0	0.1	1.0	0	0	0.4	2.8	0	0	0.4	6.4	0	1	1.2	5.3	0	0	0.4	3.0
8	1	0	0	0	1.1	0	0	0.7	3.5	0	0	0.7	7.1	0	1	0.7	6.0	0	0	0.4	3.4
	2	0	0	0.1	1.2	0	0	2.7	6.2	0	0	0.7	7.8	0	1	0.9	6.9	0	0	0.7	4.1
	3	0	0	0.2	1.4	0	0	1.8	8.0	0	0	1.4	9.2	0	1	0.8	7.7	0	0	2.2	6.3
	4	0	0	1.9	3.3	0	0	1.7	9.7	0	0	1.5	10.7	0	1	6.2	13.9	0	0	4.8	11.1
	5	0	0	0.7	4.0	0	0	0.3	10.0	0	0	1.0	11.7	0	1	0.4	14.3	0	0	3.2	14.3
	6	0	0	0.3	4.3	0	0	1.7	11.7	0	0	0.9	12.6	0	1	1.3	15.6	0	0	3.2	17.5
9	1	0	0	1.4	5.8	0	0	2.0	13.7	0	0	0.7	13.3	0	1	0.7	16.3	0	0	1.9	19.4
	2	0	0	1.7	7.4	0	0	1.8	15.5	0	0	0.6	13.9	0	1	1.3	17.6	0	0	3.2	22.6
	3	0	0	0.9	8.3	0	0	2.3	17.8	0	0	1.8	15.7	0	1	0.9	18.5	0	0	2.1	24.7
	4	0	0	0.1	8.4	0	0	2.8	20.6	0	0	0.3	16.0	0	1	0.6	19.0	0	0	1.9	26.6
	5	0	0	0.4	8.9	0	0	2.8	23.4	0	0	2.4	18.4	0	1	0.8	19.8	0	0	1.3	27.9
	6	0	0	0.4	9.3	0	0	0.7	24.1	0	0	1.5	19.9	0	1	0.2	20.0	0	0	0.1	28.0
10	1											1.4	21.3								
	2											0.8	22.1								
	3											0.6	22.7								
	4											0	22.7								
	5											0.3	23.0								
	6											0	23.0								



○平年値は過去10年間（H27～R6）の平均値である。

トビイロウカ半月別誘殺状況(予察灯)

月 半旬		大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1
	6	0	0	0	0	0	0.2	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0.1
8	1	0	0	0	0	0	0.1	0.3	0	0	0	0	0	0	0	0	0	0	0	0	0.1
	2	0	0	0	0	0	0	0.4	0	0	0	0	0	0	0	0	0	0	0	0	0.1
	3	0	0	0	0	0	0	0.5	0	0	0	0	0	0	0	0	0	0	0	0	0.1
	4	0	0.1	0.1	0	0	0	0.5	0	0.2	0.2	0	0.2	0	0.2	0.2	0	0.1	0.2	0	0.2
	5	0	0.5	0.6	0	0	0.2	0.7	0	0	0.2	0	0.2	0	0.2	0.4	0	0.0	0.2	0	0.2
	6	0	0.8	1.4	0	0	3.3	4.0	0	0.7	0.9	0	0.4	0.8	0	0	1.0	1.2	0	1.2	0
9	1	0	0.1	1.5	0	0	0.2	4.2	0	0.1	1.0	0	0.7	1.5	0	0	1.0	2.2	0	2.2	0
	2	0	0.3	1.8	0	0	0.8	5.0	0	0.5	1.5	0	0	1.5	0	0	4.6	6.8	0	6.8	0
	3	0	1.2	3.0	0	1.0	6.0	0	0.3	1.8	0	0.2	1.7	0	0	0.1	6.9	0	6.9	0	0
	4	0	0.5	3.5	0	0.5	6.5	0	1.4	3.2	0	0	1.7	0	0	1.1	8.0	0	8.0	0	0
	5	0	0.2	3.7	0	0.7	7.2	0	0.2	3.4	0	0	1.7	0	0	0.1	8.1	0	8.1	0	0
	6	0	0.8	4.5	0	0.3	7.5	0	0.5	3.9	0	0	1.7	0	0	0.2	8.3	0	8.3	0	0
10	1																				
	2																				
	3																				
	4																				
	5																				
	6																				








○平年値は過去10年間（H27～R6）の平均値である。

フタオビコヤガ半旬別誘殺状況(予察灯)

(頭)

月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0
5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	0.3	0	0	0	0.0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	0	0	0	0.0
	3	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.3	0	0	0	0.0
	4	0	0	0.1	0.1	0	0	0	0	0	0	0.1	0	0	0	0.3	0	0	0	0.0
	5	0	0	0	0.1	0	0	0	0	0	0.0	0.1	0	0	0	0.3	0	0	0	0.0
	6	0	0	0	0.4	0.1	0	0	0	0	0	0.1	0	0	0	0.3	0	0	0	0.0
6	1	0	0	0.1	0	0	0.2	0.2	0	0	0.1	0.2	0	0	0	0.3	0	0	0	0.0
	2	0	0	0.1	0	0	0.4	0.6	0	0	0.4	0.6	0	0	0	0.3	0	0	0	0.0
	3	0	0	0.7	0.8	1	1	0.2	0.8	0	1	0.3	0.9	0	0	0.2	0.5	0	0	0.0
	4	0	0	0.1	0.9	0	1	0.4	1.2	0	0	0.3	1.2	0	0	0.6	1	1	0.6	0.6
	5	0	0	0.7	1.5	0	1	0	1.2	0	0	0.1	1.3	0	0	0	0.6	0	1	0.2
	6	0	0	0.4	2.0	0	1	0.4	1.6	0	0	0.1	1.4	0	0	0.1	0.7	0	1	0.4
7	1	0	0	0.2	2.2	0	1	0.5	2.1	0	1	0.7	2.1	0	0	0	0.7	0	1	0.8
	2	1	1	1.7	3.9	2	3	1.0	3.1	3	2	1.5	3.6	0	0	0	0.7	1	2	0.6
	3	1	1	1.3	5.2	3	3	1.8	4.9	3	3	3.1	6.7	0	0	0.2	0.9	2	2	2.0
	4	1	1	2.9	8.1	3	3	3.2	8.1	3	3	2.5	9.2	0	0	0.2	1.1	2	3	3.7
	5	1	1	5.7	13.8	3	3	4.7	12.8	2	2	2.5	11.7	0	0	0.1	1.2	2	3	3.6
	6	1	1	8.2	22.0	3	3	11.8	24.6	5	5	5.9	17.6	0	0	0.1	1.3	2	4	4.3
8	1	1	1	21.3	43.3	3	3	14.7	39.3	16	16	16.5	34.1	0	0	1.0	2.3	2	2	12.7
	2	1	1	24.1	67.4	3	3	14.8	54.1	28	28	22.0	56.1	0	0	2.1	4.4	2	2	20.3
	3	1	1	29.9	97.3	3	3	7.5	61.6	28	28	24.2	80.3	0	0	1.6	6.0	2	2	11.1
	4	1	1	21.9	119.2	3	3	3.2	64.8	19	19	14.3	94.6	0	0	0.9	6.9	2	2	7.9
	5	1	1	14.2	133.4	3	3	3.9	68.7	7	7	7.1	101.7	0	0	1.7	8.6	2	2	8.9
	6	1	1	7.2	140.7	3	3	3.3	72.0	3	3	4.4	106.1	0	0	0.7	9.3	2	2	2.4
9	1	1	1	4.6	145.2	3	3	2.2	74.2	1	1	2.7	108.8	0	0	0.5	9.8	2	2	1.7
	2	1	1	0.8	146.0	3	3	1.3	75.5	0	0	1.0	109.8	0	0	0	10.2	2	2	1.7
	3	1	1	0.7	146.7	3	3	1	76.5	0	0	0.3	110.1	0	0	0	10.5	2	2	1.3
	4	1	1	0	146.8	3	3	0	76.6	0	0	0.1	110.2	0	0	0	10.7	2	2	0.0
	5	1	1	0.2	147.0	3	3	0	76.6	0	0	0	110.2	0	0	0	10.7	2	2	0
	6	1	1	0	147.0	3	3	0	76.7	0	0	0	110.2	0	0	0	10.7	2	2	0.3
10	1									0	0	110.2								
	2									0	0	110.2								
	3									0	0	110.2								
	4									0	0	110.2								
	5									0	0	110.2								
	6									0	0	110.2								








○平年値は過去10年間(H27~R6)の平均値である。

イナズマヨコバイ半月別誘殺状況（予察灯）

（頭）

月	半月	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0.2	0.2	2	2	1	1	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0.2	0.4	0	2	0	1	1	1	0	0
	3	0	0	0	0	0	0	0	0	0	0	0.6	1.0	0	2	0	1	0	1	0	0
	4	0	0	0	0	0	0	0	0	0	0	0.6	1.6	0	2	0	1	0	1	0	0
	5	1	1	0	0	0	0	0	0	0	0	0.4	2.0	6	8	0	1	2	3	0	0
	6	2	3	0	0	0	0	0	0	0	0	0	2.0	5	13	0	1	0	3	0	0
5	1	0	3	0.3	0	0	0	0	0	1	1	0.3	2.3	19	32	0	1	1	4	0.1	0.1
	2	0	3	0	0.3	0	0	0.1	0.1	0	1	0	2.3	0	32	0	1	1	5	0	0.1
	3	0	3	0	0.3	0	0	0	0.1	0	1	0	2.3	1	33	0	1	2	7	0	0.1
	4	1	4	0.2	0.5	0	0	0	0.1	1	2	0.1	2.4	11	44	0	1	0	7	0	0.1
	5	1	5	0.3	0.8	1	1	0	0.1	0	2	1.3	3.7	55	99	0.0	1.0	1	8	0.2	0.3
	6	0	5	0.5	1.3	1	2	0.2	0.3	2	4	2.1	5.8	42	141	1.7	2.7	0	8	1.0	1.3
6	1	1	6	0.3	1.6	0	2	0	0.3	0	4	1.3	7.1	1	142	1.3	4.0	1	9	1.3	2.7
	2	0	6	1.1	2.7	0	2	0.0	0.3	0	4	0.6	7.7	1	143	1.5	5.5	2	11	0.3	3.0
	3	0	6	0.6	3.3	1	3	0	0.3	0	4	0.9	8.6	0	143	4.1	9.6	6	17	1.0	4.0
	4	0	6	0.2	3.5	4	7	0.0	0.3	1	5	0.3	8.9	2	145	0.4	10.0	0	17	1.6	5.6
	5	0	6	0	3.6	0	7	0.0	0.3	0	5	0.4	9.3	0	145	0.4	10.4	1	18	0.1	5.7
	6	0	6	0	3.6	0	7	0.0	0.3	0	5	0.2	9.5	0	145	0.3	10.7	3	21	0.1	5.8
7	1	0	6	1	4.9	0	7	0.1	0.4	0	5	0.6	10.1	0	145	0.3	11.0	0	21	0.2	6.0
	2	1	7	8.4	13.4	30	37	1.2	1.6	3	8	3.7	13.8	8	153	0.8	11.8	0	21	1.8	7.8
	3	7	10.0	23.4	37	37	3.1	4.7	8	8	22.6	36.4	153	10.7	22.5	21	4.6	12.4	21	4.6	12.4
	4	7	33.7	57.0	37	37	5.5	10.2	8	8	142.0	178.4	153	77.8	100.3	21	32.2	44.6	21	32.2	44.6
	5	7	13.7	70.7	37	37	2.6	12.8	8	8	186.8	365.2	153	57.0	157.3	21	20.2	64.8	21	20.2	64.8
	6	7	22.7	93.4	37	37	4.4	17.2	8	8	244.0	609.2	153	44.3	201.6	21	25.0	89.8	21	25.0	89.8
8	1	7	20.8	114.2	37	37	0.8	18.0	8	8	586.7	1195.9	153	36.8	238.4	21	9.8	99.6	21	9.8	99.6
	2	7	13.3	127.5	37	37	1.5	19.5	8	8	277.8	1473.7	153	46.3	284.7	21	16.8	116.4	21	16.8	116.4
	3	7	16.2	143.7	37	37	0.5	20.0	8	8	491.9	1965.6	153	172.9	457.6	21	24.4	140.8	21	24.4	140.8
	4	7	10.8	154.5	37	37	0.4	20.4	8	8	379.1	2344.7	153	465.1	922.7	21	31.7	172.5	21	31.7	172.5
	5	7	7.6	162.0	37	37	1.0	21.4	8	8	116.2	2460.9	153	79.3	1002.0	21	42.9	215.4	21	42.9	215.4
	6	7	8.8	170.8	37	37	1.3	22.7	8	8	41.8	2502.7	153	36.1	1038.1	21	46.0	261.4	21	46.0	261.4
9	1	7	3.8	174.6	37	37	0.7	23.4	8	8	38.4	2541.1	153	27.0	1065.1	21	20.3	281.7	21	20.3	281.7
	2	7	8.4	183.0	37	37	1.0	24.4	8	8	44.9	2586.0	153	66.8	1131.9	21	15.6	297.3	21	15.6	297.3
	3	7	9.1	192.2	37	37	0.4	24.8	8	8	80.8	2666.8	153	20.4	1152.3	21	12.7	310.0	21	12.7	310.0
	4	7	5.4	197.6	37	37	0.3	25.1	8	8	37.4	2704.2	153	84.6	1236.9	21	13.6	323.6	21	13.6	323.6
	5	7	4.2	201.8	37	37	0	25.4	8	8	7.9	2712.1	153	29.0	1265.9	21	7.7	331.3	21	7.7	331.3
	6	7	5.4	207.3	1	38	0	25.5	8	8	11.6	2723.7	153	46.9	1312.8	21	1.5	332.8	21	1.5	332.8
10	1									8	8	1.7	2725.4								
	2									8	8	1.1	2726.5								
	3									8	8	1.3	2727.8								
	4									8	8	0.5	2728.3								
	5									8	8	0.6	2728.9								
	6									8	8	0.1	2729.0								








○平年値は過去10年間（H27～R6）の平均値である。

コブノメイガ半旬別誘殺状況(予察灯)

(頭)

月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
初飛来																				
4 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	5	0	0	0	0
5 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0
4	0	0	0.1	0.1	0	0	0	0	0	0	0	0	0	0	1	6	0	0	0	0
5	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	4	10	0	0	0	0
6	0	0	0	0.3	0	0	0	0	0	0	0	0	0	0	0	10	0	0	0	0
6 1	0	0	0	0.5	0	0	0	0	0	0	1	1	0	0	2	12	0	0	0	0
2	0	0	0	0.9	0	0	0	0	0	0	1	1	0	0	1	12	0	0	0	0
3	0	0	0	0.9	0	0	0	0	0	0	1	1	0	0	1	13	0	0	0	0
4	0	0	0	1.1	0	0	0	1	0	0	0	1	0	0	1	14	0	0	0	0
5	0	0	0	1.1	0	0	0	1	0	0	0	1	0	0	1	15	0	0	0	0
6	0	0	0	1.1	0	0	0	1	0	0	1	2	0	0	0	15	0	0	0	0
7 1	0	0	1	1.6	0	0	0	1	0	0	1	3	0	0	1	17	0	0	0	1
2	0	0	2	3.3	0	0	2	3	0	0	1	3	0	0	1	18	0	0	1	2
3	0	0	2	4.9	0	0	2	5	0	0	1	5	0	0	1	19	0	0	0	2
4	0	0	1	5.9	0	0	5	10	0	0	2	6	0	0	3	22	0	0	1	3
5	0	0	2	7.6	0	0	6	16	0	0	4	10	0	0	3	24	0	0	3	6
6	0	0	1	8.8	0	0	3	18	0	0	27	37	0	0	6	30	0	0	4	10
8 1	0	0	2	10.5	0	0	1	19	0	0	79	116	0	0	12	42	0	0	2.0	11.7
2	0	0	1	11.8	0	0	1	20	0	0	3	118	0	0	44	86	0	0	5	16.8
3	0	0	0	12.3	0	0	1	21	0	0	14	132	0	0	93	179	0	0	9	25.3
4	0	0	0	12.3	0	0	1	22	0	0	5	137	0	0	54	233	0	0	20	45.5
5	0	0	1	13.1	0	0	1	22	0	0	5	142	0	0	41	274	0	0	21	66.3
6	0	0	3	16.4	0	0	1	23	0	0	5	147	0	0	18	292	0	0	38	104.1
9 1	0	0	1	17.4	0	0	2	25	0	0	6	153	0	0	60	352	0	0	11	115.5
2	0	0	0	17.7	0	0	1	26	0	0	38	191	0	0	52	404	0	0	10	125.7
3	0	0	0	17.8	0	0	1	27	0	0	7	198	0	0	126	530	0	0	8	133.7
4	0	0	0	18.1	0	0	1	27	0	0	2	200	0	0	63	593	0	0	6	139.5
5	0	0	0	18.3	0	0	1	28	0	0	2	201	0	0	79	672	0	0	5	144.0
6	0	0	0	18.3	0	0	0	28	0	0	1	202	0	0	22	693	0	0	1	144.7
10 1									0	1	203									
2									0	1	204									
3									0	0	204									
4									0	0	205									
5									0	0	205									
6									0	0	205									








○平年値は過去10年間（H27～R6）の平均値である。

イネミズソウムシ半旬別誘殺状況(予察灯)

(頭)

月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0.1	0.1
	3	0	0	0	0	0	0	0	0	0	0	0.0	0.5	0	0	0	0	0	0	0	0.1
	4	0	0	0.2	0.2	0	0	0.1	0.1	0	0	0	0.5	0	0	1	1	0	0	0.3	0.4
	5	1	1	0.1	0.3	0	0	0.1	0.2	0	0	0	0.5	0	0	0	1	0	0	0.2	0.7
	6	0	1	0.4	0.7	0	0	0	0.3	0	0	0.5	1.0	0	0	0	1	0	0	0.6	1.2
5	1	0	1	5.4	6.1	1	1	0	0.3	0	2.5	3.5	0	0	1.1	2.5	1	1	0.3	1.6	
	2	0	1	0.9	7.0	0	1	0.1	0.4	0	0.5	4.0	0	0	0.3	2.8	0	1	0.3	1.9	
	3	2	3	4.5	11.5	0	1	1.6	2.0	0	2.3	6.3	2	2	2.2	5.0	0	1	4.6	6.4	
	4	2	5	4.9	16.4	0	1	0.5	2.5	0	9.1	15.4	0	2	9.0	14.0	1	2	7.7	14.1	
	5	0	5	2.3	18.7	0	1	0.2	2.7	0	5.5	20.9	1	3	1.5	15.5	1	3	1.8	15.9	
	6	0	5	1.1	19.8	0	1	0.0	2.7	1	3.3	24.2	1	4	0.8	16.3	0	3	1.8	17.7	
6	1	0	5	0.7	20.5	0	1	0	2.7	0	1	1.1	25.3	0	4	0.5	16.8	0	3	1.2	18.9
	2	0	5	0.4	20.9	0	1	0.2	2.9	0	1	0.5	25.8	0	4	0.5	17.3	0	3	1.0	19.9
	3	0	5	0.2	21.2	0	1	0	3.0	0	1	0.6	26.4	0	4	0.1	17.4	0	3	0.9	20.8
	4	0	5	0.4	21.6	0	1	0.4	3.4	0	1	0.1	26.5	0	4	0	17.8	0	3	0.8	21.6
	5	0	5	0.4	22.1	0	1	0	3.5	0	1	0.5	27.0	0	4	0.2	18.0	0	3	0.4	22.0
	6	0	5	0.6	22.6	0	1	0.4	3.9	0	1	0.8	27.8	1	5	0.8	18.8	1	4	1.1	23.1
7	1	0	5	1.6	24.2	0	1	24.2	28.1	0	1	3.5	31.3	0	5	0.6	19.4	0	4	5.7	28.8
	2	6	11	29.3	53.5	28	29	94.0	122.1	5	6	57.8	89.1	8	13	8.1	27.5	10	14	46.2	75.0
	3		11	35.3	88.8		29	259.6	381.7		6	211.3	300.4		13	31.1	58.6		14	45.5	120.5
	4		11	58.4	147.3		29	331.1	712.8		6	700.2	1000.6		13	136.5	195.1		14	59.5	180.0
	5		11	107.9	255.2		29	171.1	883.9		6	419.1	1419.7		13	76.6	271.7		14	83.1	263.1
	6		11	80.4	335.6		29	150.1	1034.0		6	161.8	1581.5		13	105.5	377.2		14	71.5	334.6
8	1		11	40.8	376.4		29	59.5	1093.5		6	51.6	1633.1		13	48.9	426.1		14	35.1	369.7
	2		11	16.9	393.3		29	26.1	1119.6		6	27.4	1660.5		13	22.9	449.0		14	24.7	394.4
	3		11	8.7	401.9		29	13.4	1133.0		6	24.7	1685.2		13	12.0	461.0		14	21.4	415.8
	4		11	3.9	405.8		29	8.3	1141.3		6	13.1	1698.3		13	7.1	468.1		14	6.3	422.1
	5		11	2.1	407.9		29	4.7	1146.0		6	17.3	1715.6		13	6.1	474.2		14	7.1	429.2
	6		11	1.1	409.1		29	5.5	1151.5		6	3.1	1718.7		13	1.4	475.6		14	3.2	432.4
9	1		11	0.7	409.7		29	1.0	1152.5		6	2.3	1721.0		13	4.9	480.5		14	1.9	434.3
	2		11	0.1	409.8		29	0.5	1153.0		6	1.1	1722.1		13	1.7	482.2		14	1.0	435.3
	3		11	0.8	410.6		29	0.3	1153.3		6	13.5	1735.6		13	0.7	482.9		14	0.5	435.8
	4		11	0.0	410.6		29	1.0	1154.3		6	0.7	1736.3		13	0.6	483.5		14	0.5	436.3
	5		11	0.3	410.9		29	1	1154.9		6	0.4	1736.7		13	1.1	484.6		14	0.0	436.3
	6		11	0.4	411.4		29	0	1155.1		6	1.0	1737.7		13	1	485.6		14	0.1	436.4
10	1										6	0.1	1737.8								
	2										6	7.1	1744.9								
	3										6	0	1744.9								
	4										6	0	1744.9								
	5										6	0.5	1745.4								
	6										6	0	1745.4								








○平年値は過去10年間（H27～R6）の平均値である。

コナガ半旬別誘殺状況(予察灯)

(頭)

月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	1	1	0.5	0.5	2	2	0.6	0.6	4	4	1.8	1.8	0	0	0.4	0.4	0	0	0.3	0.3
	2	0	1	1.2	1.7	2	4	1.4	2.0	4	8	4.6	6.4	0	0	0.0	0.4	0	0	0.2	0.6
	3	4	5	1.4	3.1	16	20	1.7	3.7	2	10	4.3	10.7	0	0	0.4	0.8	1	1	0.2	0.8
	4	1	6	1.7	4.8	1	21	2.4	6.1	2	12	6.8	17.5	0	0	0.9	1.7	0	1	0.9	1.7
	5	1	7	1.7	6.5	0	21	1.9	8.0	9	21	8.6	26.1	0	0	1.0	2.7	0	1	1.8	3.4
	6	3	10	1.6	8.1	1	22	0.8	8.8	3	24	3.9	30.0	0	0	0.5	3.2	0	1	0.7	4.1
5	1	1	11	3.3	11.4	4	26	1.1	9.9	2	26	11.2	41.2	0	0	0.8	4.0	0	1	2.0	6.1
	2	0	11	3.7	15.1	1	27	1.1	11.0	2	28	14.5	55.7	0	0	0.4	4.4	0	1	0.9	7.0
	3	2	13	2.6	17.7	4	31	3.3	14.3	0	28	13.6	69.3	0	0	0.5	4.9	0	1	2.4	9.4
	4	1	14	2.4	20.1	7	38	2.8	17.1	0	28	5.3	74.6	0	0	1.2	6.1	1	2	1.9	11.3
	5	2	16	1.5	21.6	3	41	1.9	19.0	1	29	6.5	81.1	2	2	0.4	6.5	0	2	0.9	12.2
	6	2	18	1.6	23.2	7	48	2.6	21.6	3	32	6.5	87.6	0	2	0.5	7.0	0	2	0.6	12.8
6	1	3	21	1.3	24.5	3	51	1.6	23.2	0	32	5.0	92.6	2	4	0.3	7.3	0	2	0.9	13.7
	2	2	23	3.1	27.6	4	55	8.0	31.2	0	32	6.1	98.7	2	6	0.5	7.8	0	2	0.7	14.4
	3	1	24	2.4	30.1	12	67	9.1	40.3	6	38	4.1	102.8	2	8	0.1	7.9	1	3	1.6	16.0
	4	1	25	2.0	32.1	6	73	9.4	49.7	4	42	7.6	110.4	0	8	0.8	8.7	1	4	2.0	18.0
	5	2	27	2.0	34.1	4	77	5.9	55.6	1	43	6.9	117.3	1	9	0.2	8.9	0	4	1.9	19.9
	6	0	27	0.7	34.7	4	81	8.1	63.7	3	46	36.3	153.6	0	9	1.7	10.6	0	4	2.2	22.1
7	1	1	28	1.2	35.9	0	81	5.1	68.8	3	49	6.0	159.6	0	9	1.1	11.7	0	4	1.5	23.6
	2	2	30	3.8	39.7	1	82	11.3	80.1	0	49	10.2	169.8	0	9	1.3	13.0	0	4	2.2	25.8
	3		30	0.4	40.2		82	3.1	83.2		49	5.8	175.6		9	0.1	13.1		4	0.7	26.5
	4		30	1.1	41.3		82	4.1	87.3		49	6.6	182.2		9	0.2	13.3		4	1.4	27.9
	5		30	1.4	42.7		82	2.2	89.5		49	9.6	191.8		9	0.1	13.4		4	0.6	28.5
	6		30	1.2	43.9		82	3.3	92.8		49	6.7	198.5		9	0.8	14.2		4	0.7	29.2
8	1		30	1.1	45.1		82	1.9	94.7		49	5.7	204.2		9	0.3	14.5		4	0.8	30.0
	2		30	0.4	45.5		82	3.1	97.8		49	2.8	207.0		9	0.2	14.7		4	1.7	31.7
	3		30	0.3	45.8		82	1.3	99.1		49	2.3	209.3		9	0.2	14.9		4	0.8	32.5
	4		30	0.1	45.9		82	3.2	102.3		49	2.7	212.0		9	0.0	14.9		4	0.0	32.5
	5		30	0.1	46.1		82	1.5	103.8		49	2.7	214.7		9	0.3	15.2		4	0.4	32.9
	6		30	0.1	46.2		82	3.0	106.8		49	1.4	216.1		9	0.0	15.2		4	0.2	33.1
9	1		30	0.1	46.3		82	1.5	108.3		49	1.2	217.3		9	0.3	15.5		4	0.1	33.2
	2		30	0.2	46.5		82	1.8	110.1		49	1.0	218.3		9	0.3	15.8		4	0.1	33.3
	3		30	0.1	46.6		82	3.1	113.2		49	1.7	220.0		9	0	15.8		4	0.8	34.1
	4		30	0	46.6		82	1.4	114.6		49	1.0	221.0		9	0	15.8		4	0.5	34.6
	5		30	0.2	46.8		82	2.8	117.4		49	2.1	223.1		9	0	15.9		4	0.2	34.8
	6		30	0.0	46.8		82	0.5	117.9		49	2.5	225.6		9	0	15.9		4	0.4	35.2
10	1										49	2.2	227.8								
	2										49	0.6	228.4								
	3										49	1.2	229.6								
	4										49	0.8	230.4								
	5										49	0.9	231.3								
	6										49	1.3	232.6								




○平年値は過去10年間（H27～R6）の平均値である。

シロオビノメイガ半旬別誘殺状況(予察灯)


(頭)

月	半旬					守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2
	3	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0	0	0	0.2
	4	0	0	0.2	0.2	0	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0.2
	5	0	0	0	0.2	0	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0.2
	6	0	0	0	0.2	0	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0.1	0.3
5	1	0	0	0	0.2	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0.3
	2	0	0	0	0.2	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0.3
	3	0	0	0	0.2	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0.3
	4	0	0	0.2	0.4	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0.3
	5	0	0	0	0.4	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0.3
	6	0	0	0	0.4	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0.3
6	1	0	0	0	0.4	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0.1	0.4
	2	0	0	0	0.4	0	0	0	0	0	0	0.1	0	0	0	0	1	1	0	0	0.4
	3	0	0	0	0.4	0	0	0	0	0	0	0.1	0	0	0	0	0	1	0	0	0.4
	4	0	0	0	0.4	0	0	0	0	1	1	0	0.1	0	0	0	0	0	1	0	0.4
	5	1	1	0.1	0.5	0	0	0	0	0	1	0	0.1	0	0	0	0	0	1	0.5	0.9
	6	0	1	0	0.6	0	0	0	0	0	1	0	0.1	0	0	0.1	0.1	0	1	0.0	0.9
7	1	0	1	0.0	0.6	0	0	0	0	0	1	0.1	0.2	0	0	0	0.1	0	1	0.1	1.0
	2	0	1	0	0.7	0	0	0.1	0.1	0	1	0.1	0.3	0	0	0	0.1	0	1	0.2	1.2
	3	1	1.4	2.2		0	0.1	0.2		1	0.2	0.5		0	0	0.1		1	0.4	1.6	
	4	1	1.3	3.5		0	0	0.2		1	0.1	0.6		0	0	0.1		1	0.6	2.2	
	5	1	3.0	6.5		0	0.3	0.5		1	0	0.6		0	0	0.1		1	1.2	3.4	
	6	1	3.8	10.3		0	0.6	1.1		1	0.2	0.8		0	0.1	0.2		1	2.9	6.3	
8	1		1	5.4	15.7		0	0.8	1.9		1	0.3	1.1		0	0.0	0.2		1	1.4	7.7
	2		1	7.4	23.2		0	0.8	2.7		1	0.8	1.9		0	0.1	0.3		1	4.2	11.9
	3		1	7.7	30.8		0	0.6	3.3		1	1.2	3.1		0	0.0	0.3		1	2.9	14.8
	4		1	8.1	39.0		0	2.8	6.1		1	0.6	3.7		0	0.4	0.7		1	4.4	19.2
	5		1	12.8	51.7		0	3.2	9.3		1	0.9	4.6		0	0.3	1.0		1	3.7	22.9
	6		1	26.8	78.5		0	6.2	15.5		1	2.5	7.1		0	0.6	1.6		1	6.0	28.9
9	1		1	18.8	97.3		0	4.6	20.1		1	2.7	9.8		0	0.9	2.5		1	9.9	38.8
	2		1	12.7	110.0		0	3.1	23.2		1	3.8	13.6		0	1.1	3.6		1	8.2	47.0
	3		1	14.2	124.2		0	3.3	26.5		1	2.5	16.1		0	0.7	4.3		1	9.0	56.0
	4		1	6.1	130.3		0	4.1	30.6		1	3.6	19.7		0	0.4	4.7		1	4.9	60.9
	5		1	8.0	138.3		0	5.1	35.7		1	4.8	24.5		0	2.4	7.1		1	5.0	65.9
	6		1	11.3	149.6		0	2.8	38.5		1	5.7	30.2		0	0.6	7.7		1	3.8	69.7
10	1										1	4.3	34.5								
	2										1	3.1	37.6								
	3										1	1.2	38.8								
	4										1	1.4	40.2								
	5										1	0.2	40.4								
	6										1	0	40.6								


大津市里




守山市矢島町




近江八幡市安土町大中



長浜市難波町



高島市今津町日置前



○平年値は過去10年間(H27~R6)の平均値である。