

ニカメイガ半旬別誘殺状況(予察灯)

(頭)






月 半旬		大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前				
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	
4	1	4.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	4.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3	4.3	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0	0	0	0	
	4	4.4	0	0	0	0	0	0	0	0	0	0.1	0.2	0	0	0	0	0	0	0.3	0.3	
	5	4.5	0	0	0	0	1	1	0.3	0.3	1	1	0.7	0.9	0	0	0.1	0.1	0	0	0.1	0.4
	6	4.6	0	0	0	0	1	2	0.6	0.9	0	1	1.1	2.0	0	0	0.2	0.3	1	1	0.9	1.3
5	1	5.1	0	0	0	5	7	3.1	4.0	0	1	2.6	4.6	0	0	0.9	1.2	0	1	4.4	5.8	
	2	5.2	1	1	0.2	0.2	11	18	2.7	6.7	10	11	3.1	7.7	0	0	0.2	1.4	2	3	3.0	8.8
	3	5.3	1	2	0.7	0.9	39	57	8.8	15.5	6	17	11.1	18.8	0	0	2.1	3.5	23	26	18.0	26.8
	4	5.4	1	3	0.6	1.5	70	127	22.6	38.1	20	37	15.8	34.6	11	11	10.3	13.8	13	39	18.7	45.4
	5	5.5	2	5	0.9	2.4	41	168	35.1	73.2	11	48	13.4	48.0	6	17	5.4	19.2	0	39	15.1	60.6
	6	5.6	1	6	0.6	3.0	63	231	29.4	102.6	3	51	7.3	55.3	1	18	9.4	28.6	4	43	9.4	70.0
6	1	6.1	1	7	0.1	3.1	16	247	12.6	115.2	0	51	3.1	58.4	1	19	8.4	37.0	0	43	4.7	74.7
	2	6.2	0	7	0.1	3.2	4	251	23.6	138.8	0	51	1.4	59.8	4	23	5.4	42.4	1	44	2.9	77.6
	3	6.3	0	7	0.1	3.3	6	257	9.8	148.6	3	54	0.8	60.6	0	23	1.5	43.9	1	45	1.7	79.3
	4	6.4	2	9	0.0	3.3	2	259	1.8	150.4	3	57	0.9	61.5	2	25	0.8	44.7	1	46	0.5	79.8
	5	6.5	0	9	0.0	3.3	0	259	0.4	150.8	0	57	2.2	63.7	0	25	0.5	45.2	0	46	0.2	80.0
	6	6.6	0	9	0.0	3.3	2	261	0.8	151.6	0	57	2	65.2	0	25	0.4	45.6	0	46	0.3	80.3
7	1	7.1	0	9	0.2	3.5	1	262	0.9	152.5	2	59	0.7	65.9	0	25	0.1	45.7	0	46	0.2	80.5
	2	7.2	0	0	0.1	0.1	3	3	1.2	1.2	3	3	1.4	1.4	0	0	0.2	0.2	1	1	0.0	0.0
	3	7.3	3	3	0	0.4	35	38	8.4	9.6	6	9	2.8	4.2	0	0	0.6	0.8	1	1	0.3	0.3
	4	7.4	3	3	1.0	1.4	86	124	42.8	52.4	0	9	6.9	11.1	0	3.4	4.2		1	4.2	4.5	
	5	7.5	3	3	2.1	3.6		124	93.7	146.1	2	11	11.3	22.4	0	5.0	9.2		1	13.9	18.4	
	6	7.6	3	3	1.8	5.3		124	122.3	268.4	1	11	15.9	38.3	0	7.6	16.8		1	18.0	36.4	
8	1	8.1		3	1.2	6.6		124	58.5	326.9		11	8.2	46.5		9.3	26.1		1	14.6	51.0	
	2	8.2		3	0.4	7.0		124	24.1	351.0		11	5.2	51.7		4.9	31.0		1	8.8	59.8	
	3	8.3		3	0.7	7.7		124	12.0	363.0		11	2.8	54.5		1.2	32.2		1	5.1	64.9	
	4	8.4		3	0.2	7.9		124	10.5	373.5		11	3.3	57.8		0.6	32.8		1	1.7	66.6	
	5	8.5		3	0.4	8.3		124	29.4	402.9		11	4.1	61.9		1.5	34.3		1	3.1	69.7	
	6	8.6		3	1	9.7		124	29.0	431.9		11	11.1	73.0		3.8	38.1		1	3.1	72.8	
9	1	9.1		3	1.1	10.8		124	17.7	449.6		11	7.3	80.3		1.0	39.1		1	1.5	74.3	
	2	9.2		3	0.6	11.3		124	6.8	456.4		11	3.2	83.5		0	39.2		1	0.9	75.2	
	3	9.3		3	0.4	11.8		124	2.5	458.9		11	0.3	83.8		0	39.4		1	0.1	75.3	
	4	9.4		3	0	11.9		124	0.3	459.2		11	0	83.8		0	39.4		1	0.0	75.3	
	5	9.5		3	0.0	11.9		124	0	459.2		11	0.0	83.8		0	39.5		1	0	75.3	
	6	9.6		3	0.0	11.9		124	0.1	459.3		11	0	83.9		0	39.5		1	0	75.4	
10	1	10.1										11	0	83.9								
	2	10.2										11	0	83.9								
	3	10.3										11	0	83.9								
	4	10.4										11	0	83.9								
	5	10.5										11	0	83.9								
	6	10.6										11	0	83.9								

越冬世代

第1世代

越冬世代

第1世代








○表中の累積誘殺頭数は、越冬世代と第1世代を区別するため、4月第1半旬～7月第1半旬を越冬世代、7月第2半旬～調査終了時を第1世代として積算している。

○平年値は過去10年間（H27～R6）の平均値である。

ツマグロヨコバイ半旬別誘殺状況(予察灯)

(頭)

月 半旬		大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
初飛来																					
4	1	4.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	4.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	4.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	4.4	0	0	0	0	0	0	0	0	0	0.2	0.2	0	0	0	0	0	0	0	0
	5	4.5	0	0	0.1	0.1	0	0	0	0	0	0	0.2	1	1	0	0	0	0	0	0
	6	4.6	0	0	0	0.1	0	0	0	0	0	0	0.2	0	1	0	0	0	0	0	0
5	1	5.1	0	0	0.1	0	0	0	0	0	0	0	0.2	2	3	0.1	0.1	0	0	0	0
	2	5.2	0	0	0	0.1	0	0	0	0	0	0.0	0.2	0	3	0	0.1	1	1	0	0
	3	5.3	0	0	0.1	0.2	0	0	0	0	0	0	0.2	0	3	0	0.1	0	1	0	0
	4	5.4	0	0	0	0.2	0	0	0	0	0	0	0.2	0	3	0	0.1	0	1	0	0
	5	5.5	0	0	0.0	0.2	0	0	0.1	0.1	0	0	0.2	4	7	0	0.1	0	1	0	0
	6	5.6	0	0	0	0.2	0	0	0	0.1	0	0	0.2	0	7	0	0.1	1	2	0	0
6	1	6.1	0	0	0	0.3	0	0	0.1	0	0	0	0.2	1	8	0	0.1	0	2	0.1	0.1
	2	6.2	0	0	0	0.5	0	0	0.1	0	0	0.1	0.3	0	8	0	0.1	0	2	0	0.1
	3	6.3	1	1	0	0.6	0	0	0	0.1	0	0	0.2	0.5	0	8	0.1	0.2	0	0	0.1
	4	6.4	0	1	0.6	1.2	6	6	0.1	0.2	0	0	1.8	2.3	12	20	0.4	0.6	2	4	0.1
	5	6.5	0	1	11.8	13.0	0	6	0.9	1.1	0	0	3.1	5.4	2	22	5.3	5.9	0	4	0.8
	6	6.6	3	4	11.1	24.1	1	7	0.6	1.7	1	1	9.5	14.9	1	23	2.1	8.0	0	4	0.8
7	1	7.1	0	4	13.8	37.9	0	7	2.1	3.8	0	1	11.5	26.4	1	24	3.3	11.3	0	4	1.7
	2	7.2	8	12	44.4	82.3	3	10	1.7	5.5	2	3	17.4	43.8	1	25	1.1	12.4	1	5	1.7
	3	7.3	35	47	49.3	131.6	4	14	7.7	13.2	7	10	21.1	64.9		25	5.4	17.8	5	5	2.7
	4	7.4	47	47	76.7	208.3	2	16	5.6	18.8	0	10	84.2	149.1		25	9.8	27.6	5	5	7.8
	5	7.5	47	47	117.9	326.2		16	4.4	23.2	3	13	300.6	449.7		25	9.8	37.4	5	5	16.7
	6	7.6	47	47	97.9	424.1		16	2.6	25.8		13	244.0	693.7		25	10.9	48.3	5	5	24.7
8	1	8.1		47	40.1	464.2		16	0.7	26.5		13	91.7	785.4		25	5.2	53.5	5	5	14.6
	2	8.2		47	8.3	472.5		16	0	26.7		13	47.7	833.1		25	4.4	57.9	5	5	8.5
	3	8.3		47	10.3	482.9		16	0	26.9		13	28.6	861.7		25	2.2	60.1	5	5	3.0
	4	8.4		47	7.7	490.5		16	0.5	27.4		13	24.7	886.4		25	10.7	70.8	5	5	0.8
	5	8.5		47	3.0	493.5		16	0.6	28.0		13	8.7	895.1		25	2.2	73.0	5	5	2.1
	6	8.6		47	5.9	499.4		16	0.2	28.2		13	4.2	899.3		25	1.7	74.7	5	5	0.9
9	1	9.1		47	11.2	510.6		16	0	28.3		13	9.8	909.1		25	4.0	78.7	5	5	12.9
	2	9.2		47	28.8	539.4		16	0	28.5		13	147.5	1056.6		25	8.5	87.2	5	5	2.9
	3	9.3		47	11.3	550.7		16	0	28.5		13	12.2	1068.8		25	19.2	106.4	5	5	2.4
	4	9.4		47	3.0	553.7		16	0	28.5		13	37.1	1105.9		25	10.7	117.1	5	5	1.1
	5	9.5		47	1.8	555.5		16	0	28.6		13	0.9	1106.8		25	15	132.1	5	5	0.4
	6	9.6		47	3.4	559.0		16	0	28.6		13	0.6	1107.4		25	0.6	132.7	5	5	0.1
10	1	10.1										13	0.2	1107.6							
	2	10.2										13	0.4	1108.0							
	3	10.3										13	0	1108.1							
	4	10.4										13	0	1108.1							
	5	10.5										13	0.0	1108.1							
	6	10.6										13	0	1108.1							








○平年値は過去10年間（H27～R6）の平均値である。

ヒメビウナ半旬別誘殺状況(予察灯)

(頭)

月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4 1	0	0	0	0	1	1	0	0	0	0	0.1	0.1	0	0	0	0	0	0	0	0
4 2	0	0	0	0	0	1	0	0	0	0	0.4	0.5	0	0	0.1	0.1	0	0	0	0
4 3	0	0	0	0	0	1	0	0	0	0	0.6	1.1	0	0	0	0.1	0	0	0	0
4 4	0	0	0	0	0	1	0	0	0	0	0.3	1.4	0	0	0.1	0.2	0	0	0	0
4 5	0	0	0	0	0	1	0	0	0	0	0.2	1.6	0	0	0	0.2	0	0	0	0
4 6	0	0	0.1	0.1	0	1	0	0	0	0	0	1.6	0	0	0	0.2	0	0	0	0
5 1	0	0	0.2	0.3	1	2	0	0	0	0	0.2	1.8	0	0	0	0.2	0	0	0	0
5 2	1	1	0	0.3	0	2	0	0	0	0	0.1	1.9	0	0	0	0.2	0	0	0	0
5 3	0	1	0	0.3	2	4	0	0	0	0	0	1.9	0	0	0	0.2	0	0	0.1	0.1
5 4	1	2	0	0.3	0	4	0	0	0	0	0	1.9	0	0	0	0.2	0	0	0	0.1
5 5	0	2	0	0.4	0	4	0.1	0.1	0	0	0	1.9	1	1	0	0.2	0	0	0	0.1
5 6	0	2	0	0.4	1	5	0	0.1	0	0	0	1.9	0	1	0.2	0.4	0	0	0	0.1
6 1	0	2	0	0.4	0	5	0	0.1	0	0	0.1	2.0	0	1	0.1	0.5	0	0	0	0.1
6 2	0	2	0	0.4	0	5	0.1	0.2	0	0	0.0	2.0	2	3	0	0.6	0	0	0.1	0.2
6 3	0	2	0	0.4	0	5	0.2	0.4	0	0	1.2	3.2	0	3	0.1	0.7	0	0	0	0.2
6 4	0	2	0.0	0.4	0	5	0.6	1.0	0	0	0.6	3.8	0	3	0.3	1.0	1	1	0	0.2
6 5	0	2	0.4	0.8	0	5	0.3	1.3	0	0	0.5	4.3	0	3	0.4	1.4	0	1	0.1	0.3
6 6	0	2	0.2	1.1	0	5	0.5	1.8	0	0	1.1	5.4	0	3	1.0	2.4	0	1	1.6	1.9
7 1	0	2	0.1	1.2	0	5	1.3	3.1	0	0	1.7	7.1	0	3	0.7	3.1	0	1	1.3	3.2
7 2	0	2	1	2.6	2	7	8.6	11.7	1	1	8.1	15.2	0	3	1.2	4.3	0	1	1.3	4.5
7 3	0	2	1.7	4.3	13	20	15.2	26.9	0	1	25.3	40.5		3	5.0	9.3		1	6.7	11.2
7 4		2	2.6	6.8	5	25	5.1	32.0	0	1	20.6	61.1		3	3.7	13.0		1	5.4	16.6
7 5		2	2.0	8.8		25	15.1	47.1	2	3	13.4	74.5		3	3.8	16.8		1	3.5	20.1
7 6		2	2.6	11.4		25	119.2	166.3		3	28.0	102.5		3	3.5	20.3		1	10.6	30.7
8 1		2	3.1	14.5		25	60.7	227.0		3	83.9	186.4		3	15.7	36.0		1	6.9	37.6
8 2		2	1.4	16.0		25	103.0	330.0		3	112.9	299.3		3	25.8	61.8		1	13.7	51.3
8 3		2	3.1	19.1		25	51.7	381.7		3	110.5	409.8		3	18.0	79.8		1	8.7	60.0
8 4		2	7.1	26.2		25	30.3	412.0		3	33.3	443.1		3	17.5	97.3		1	4.2	64.2
8 5		2	0.9	27.1		25	28.6	440.6		3	33.7	476.8		3	7.7	105.0		1	9.4	73.6
8 6		2	2.6	29.6		25	44.8	485.4		3	32.3	509.1		3	25.7	130.7		1	8.4	82.0
9 1		2	2.0	31.6		25	35.5	520.9		3	42.3	551.4		3	11.1	141.8		1	4.4	86.4
9 2		2	1.9	33.5		25	49.1	570.0		3	18.5	569.9		3	7.3	149.1		1	2.6	89.0
9 3		2	0.8	34.3		25	24.0	594.0		3	17.6	587.5		3	11.8	160.9		1	6.0	95.0
9 4		2	0.0	34.3		25	6.0	600.0		3	4.8	592.3		3	3.0	163.9		1	2.2	97.2
9 5		2	1.0	35.3		25	3.8	603.8		3	2.8	595.1		3	2.7	166.6		1	1.7	98.9
9 6		2	0.2	35.5		25	0.9	604.7		3	5.4	600.5		3	2.0	168.6		1	1.0	99.9
10 1										3	0.8	601.3								
10 2										3	1.2	602.5								
10 3										3	0.5	603.0								
10 4										3	0.2	603.2								
10 5										3	1.0	604.2								
10 6										3	1.4	605.6								








○平年値は過去10年間（H27～R6）の平均値である。

セジロウシカ半旬別誘殺状況(予察灯)

(頭)

月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0
5	2	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0.1	0	0	0	0
5	3	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0
5	4	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0
5	5	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.1	0	0	0	0
5	6	0	0	0	0.1	0	0	0	0	0	0	0	0.1	1	1	0	0.1	0	0	0	0
6	1	0	0	0	0.1	0	0	0	0	0	0	0	0.1	0	1	0	0.1	0	0	0	0
6	2	0	0	0.1	0.2	0	0	0	0	0	0	0	0.1	0	1	0	0.2	0	0	0	0
6	3	0	0	0	0.2	0	0	0	0	0	0	0.0	0.1	0	1	0	0.2	0	0	0	0
6	4	0	0	0	0.2	0	0	0.2	0.2	0	0	0.1	0.2	0	1	0	0.2	0	0	0	0
6	5	0	0	0	0.2	0	0	0	0.2	0	0	0.5	0.7	0	1	0	0.6	0	0	0	0
6	6	0	0	0.3	0.5	0	0	0.3	0.5	0	0	0.2	0.9	0	1	0.5	1.1	0	0	1.2	1.2
7	1	0	0	0	0.5	0	0	0.5	1.0	0	0	0.4	1.3	0	1	0.6	1.7	0	0	0.2	1.4
7	2	0	0	0.1	0.7	0	0	1.2	2.2	0	0	0.3	1.6	0	1	0.5	2.2	0	0	0.4	1.8
7	3	0	0	0.1	0.8	0	0	0.2	2.4	0	0	0.4	2.0	0	1	0.4	2.6	0	0	0.2	2.0
7	4	0	0	0.1	0.9	0	0	0	2.4	1	1	3.5	5.5	1	1	1.0	3.6	0	0	0.2	2.2
7	5	0	0	0.0	0.9	0	0	0.0	2.4	0	1	0.5	6.0	1	1	1	4.1	0	0	0.4	2.6
7	6	0	0	0.1	1.0	0	0	0.4	2.8	0	1	0.4	6.4	1	1	1.2	5.3	0	0	0.4	3.0
8	1	0	0	0	1.1	0	0	0.7	3.5	0	1	0.7	7.1	0	1	0.7	6.0	0	0	0.4	3.4
8	2	0	0	0.1	1.2	0	0	2.7	6.2	0	1	0.7	7.8	0	1	0.9	6.9	0	0	0.7	4.1
8	3	0	0	0.2	1.4	0	0	1.8	8.0	0	1	1.4	9.2	0	1	0.8	7.7	0	0	2.2	6.3
8	4	0	0	1.9	3.3	0	0	1.7	9.7	0	1	1.5	10.7	0	1	6.2	13.9	0	0	4.8	11.1
8	5	0	0	0.7	4.0	0	0	0.3	10.0	0	1	1.0	11.7	0	1	0.4	14.3	0	0	3.2	14.3
8	6	0	0	0.3	4.3	0	0	1.7	11.7	0	1	0.9	12.6	0	1	1.3	15.6	0	0	3.2	17.5
9	1	0	0	1.4	5.8	0	0	2.0	13.7	0	1	0.7	13.3	0	1	0.7	16.3	0	0	1.9	19.4
9	2	0	0	1.7	7.4	0	0	1.8	15.5	0	1	0.6	13.9	0	1	1.3	17.6	0	0	3.2	22.6
9	3	0	0	0.9	8.3	0	0	2.3	17.8	0	1	1.8	15.7	0	1	0.9	18.5	0	0	2.1	24.7
9	4	0	0	0.1	8.4	0	0	2.8	20.6	0	1	0.3	16.0	0	1	0.6	19.0	0	0	1.9	26.6
9	5	0	0	0.4	8.9	0	0	2.8	23.4	0	1	2.4	18.4	0	1	0.8	19.8	0	0	1.3	27.9
9	6	0	0	0.4	9.3	0	0	0.7	24.1	0	1	1.5	19.9	0	1	0.2	20.0	0	0	0.1	28.0
10	1										1	1.4	21.3								
10	2										1	0.8	22.1								
10	3										1	0.6	22.7								
10	4										1	0	22.7								
10	5										1	0.3	23.0								
10	6										1	0	23.0								








○平年値は過去10年間（H27～R6）の平均値である。

トビイロウナカ半旬別誘殺状況(予察灯)

(頭)

月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4 3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4 6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6 3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6 6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7 3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0
7 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1
7 6	0	0	0	0	0	0	0.2	0.2	0	0	0	0	0	0	0	0	0	0	0.1	0.1
8 1	0	0	0	0	0	0	0.1	0.3	0	0	0	0	0	0	0	0	0	0	0.1	0.1
8 2	0	0	0	0	0	0	0	0.4	0	0	0	0	0	0	0	0	0	0	0.1	0.1
8 3	0	0	0	0	0	0	0	0.5	0	0	0	0	0	0	0	0	0	0	0.1	0.1
8 4	0	0.1	0.1	0	0	0	0	0.5	0	0.2	0.2	0	0.2	0.2	0.2	0.2	0	0.1	0.2	0.2
8 5	0	0.5	0.6	0	0	0.2	0.7	0	0	0	0.2	0	0.2	0.4	0.4	0.4	0	0.0	0.2	0.2
8 6	0	0.8	1.4	0	0	3.3	4.0	0	0.7	0.9	0	0.4	0.8	0.8	0.8	0.8	0	1.0	1.2	1.2
9 1	0	0.1	1.5	0	0	0.2	4.2	0	0.1	1.0	1.0	0	0.7	1.5	1.5	0	1.0	2.2	2.2	2.2
9 2	0	0.3	1.8	0	0	0.8	5.0	0	0.5	1.5	1.5	0	0	1.5	1.5	0	4.6	6.8	6.8	6.8
9 3	0	1.2	3.0	0	1.0	6.0	0	0.3	1.8	0	0.2	1.7	0	0.2	1.7	0	0.1	6.9	6.9	6.9
9 4	0	0.5	3.5	0	0.5	6.5	0	1.4	3.2	0	0	1.7	0	0	1.7	0	1.1	8.0	8.0	8.0
9 5	0	0.2	3.7	0	0.7	7.2	0	0.2	3.4	0	0	1.7	0	0	1.7	0	0.1	8.1	8.1	8.1
9 6	0	0.8	4.5	0	0.3	7.5	0	0.5	3.9	0	0	1.7	0	0	1.7	0	0.2	8.3	8.3	8.3
10 1									0	0.9	4.8									
10 2									0	0	4.8									
10 3									0	0	4.8									
10 4									0	0	4.8									
10 5									0	0.1	4.9									
10 6									0	0	4.9									








○平年値は過去10年間（H27～R6）の平均値である。

フタオビコヤガ半旬別誘殺状況(予察灯)

(頭)

月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	0.3	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	0	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0.3	0	0	0	0
	4	0	0	0.1	0.1	0	0	0	0	0	0	0.1	0	0	0	0.3	0	0	0	0
	5	0	0	0	0.1	0	0	0	0	0	0.0	0.1	0	0	0	0.3	0	0	0	0
	6	0	0	0	0.1	0	0	0	0	0	0	0.1	0	0	0	0.3	0	0	0	0
6	1	0	0	0.1	0	0	0.2	0.2	0	0	0.1	0.2	0	0	0	0.3	0	0	0	0
	2	0	0	0	0.1	0	0.4	0.6	0	0	0.4	0.6	0	0	0	0.3	0	0	0	0
	3	0	0	0.7	0.8	1	1	0.2	0.8	0	1	0.3	0.9	0	0	0.2	0.5	0	0	0
	4	0	0	0.1	0.9	0	1	0.4	1.2	0	0	0.3	1.2	0	0	0	0.6	1	1	0.6
	5	0	0	0.7	1.5	0	1	0	1.2	0	0	0.1	1.3	0	0	0	0.6	0	1	0.2
	6	0	0	0.4	2.0	0	1	0.4	1.6	0	0	0.1	1.4	0	0	0.1	0.7	0	1	0.4
7	1	0	0	0.2	2.2	0	1	0.5	2.1	0	1	0.7	2.1	0	0	0	0.7	0	1	0.8
	2	1	1	1.7	3.9	2	3	1.0	3.1	3	2	1.5	3.6	0	0	0	0.7	1	2	0.6
	3	1	2	1.3	5.2	2	5	1.8	4.9	2	3	3.1	6.7	0	0	0.2	0.9	2	2	2.0
	4	2	2	2.9	8.1	2	7	3.2	8.1	0	3	2.5	9.2	0	0	0.2	1.1	2	3	3.7
	5	2	2	5.7	13.8	7	7	4.7	12.8	0	2	2.5	11.7	0	0	0.1	1.2	2	3	3.6
	6	2	2	8.2	22.0	7	7	11.8	24.6	5	5	5.9	17.6	0	0	0.1	1.3	2	4	4.3
8	1	2	2	21.3	43.3	7	7	14.7	39.3	16	16	16.5	34.1	0	0	1.0	2.3	2	12	12.7
	2	2	2	24.1	67.4	7	7	14.8	54.1	28	28	22.0	56.1	0	0	2.1	4.4	2	20	20.3
	3	2	2	29.9	97.3	7	7	7.5	61.6	28	28	24.2	80.3	0	0	1.6	6.0	2	11	11.1
	4	2	2	21.9	119.2	7	7	3.2	64.8	19	19	14.3	94.6	0	0	0.9	6.9	2	7	7.9
	5	2	2	14.2	133.4	7	7	3.9	68.7	7	7	7.1	101.7	0	0	1.7	8.6	2	8	8.9
	6	2	2	7.2	140.7	7	7	3.3	72.0	3	3	4.4	106.1	0	0	0.7	9.3	2	2	2.4
9	1	2	2	4.6	145.2	7	7	2.2	74.2	1	1	2.7	108.8	0	0	0.5	9.8	2	1	1.7
	2	2	2	0.8	146.0	7	7	1.3	75.5	0	0	1.0	109.8	0	0	0	10.2	2	1	1.7
	3	2	2	0.7	146.7	7	7	1	76.5	0	0	0.3	110.1	0	0	0	10.5	2	1	1.3
	4	2	2	0	146.8	7	7	0	76.6	0	0	0.1	110.2	0	0	0	10.7	2	0	0.0
	5	2	2	0.2	147.0	7	7	0	76.6	0	0	0	110.2	0	0	0	10.7	2	0	0.0
	6	2	2	0	147.0	7	7	0	76.7	0	0	0	110.2	0	0	0	10.7	2	0	0.0
10	1									0	0	110.2								
	2									0	0	110.2								
	3									0	0	110.2								
	4									0	0	110.2								
	5									0	0	110.2								
	6									0	0	110.2								








○平年値は過去10年間 (H27～R6) の平均値である。

イナズマヨコバイ半月別誘殺状況（予察灯）

（頭）

月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0.2	0.2	2	2	1	1	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0.2	0.4	0	2	0	1	1	1	0	0
	3	0	0	0	0	0	0	0	0	0	0	0.6	1.0	0	2	0	1	0	1	0	0
	4	0	0	0	0	0	0	0	0	0	0	0.6	1.6	0	2	0	1	0	1	0	0
	5	1	1	0	0	0	0	0	0	0	0	0.4	2.0	6	8	0	1	2	3	0	0
	6	2	3	0	0	0	0	0	0	0	0	0	2.0	5	13	0	1	0	3	0	0
5	1	0	3	0.3	0.3	0	0	0	0	1	1	0.3	2.3	19	32	0	1	1	4	0.1	0.1
	2	0	3	0	0.3	0	0	0.1	0.1	0	1	0	2.3	0	32	0	1	1	5	0	0.1
	3	0	3	0	0.3	0	0	0	0.1	0	1	0	2.3	1	33	0	1	2	7	0	0.1
	4	1	4	0.2	0.5	0	0	0	0.1	1	2	0.1	2.4	11	44	0	1	0	7	0	0.1
	5	1	5	0.3	0.8	1	1	0	0.1	0	2	1.3	3.7	55	99	0.0	1.0	1	8	0.2	0.3
	6	0	5	0.5	1.3	1	2	0.2	0.3	2	4	2.1	5.8	42	141	1.7	2.7	0	8	1.0	1.3
6	1	1	6	0.3	1.6	0	2	0	0.3	0	4	1.3	7.1	1	142	1.3	4.0	1	9	1.3	2.7
	2	0	6	1.1	2.7	0	2	0.0	0.3	0	4	0.6	7.7	1	143	1.5	5.5	2	11	0.3	3.0
	3	0	6	0.6	3.3	1	3	0	0.3	0	4	0.9	8.6	0	143	4.1	9.6	6	17	1.0	4.0
	4	0	6	0.2	3.5	4	7	0.0	0.3	1	5	0.3	8.9	2	145	0.4	10.0	0	17	1.6	5.6
	5	0	6	0	3.6	0	7	0.0	0.3	0	5	0.4	9.3	0	145	0.4	10.4	1	18	0.1	5.7
	6	0	6	0	3.6	0	7	0.0	0.3	0	5	0.2	9.5	0	145	0.3	10.7	3	21	0.1	5.8
7	1	0	6	1	4.9	0	7	0.1	0.4	0	5	0.6	10.1	0	145	0.3	11.0	0	21	0.2	6.0
	2	1	7	8.4	13.4	30	37	1.2	1.6	3	8	3.7	13.8	8	153	0.8	11.8	0	21	1.8	7.8
	3	10	17	10.0	23.4	71	108	3.1	4.7	18	26	22.6	36.4	153	10.7	22.5	21	4.6	12.4		
	4	17	33.7	57.0	42	150	5.5	10.2	2	28	142.0	178.4	153	77.8	100.3	21	32.2	44.6			
	5	17	13.7	70.7	150	2.6	12.8	6	34	186.8	365.2	153	57.0	157.3	21	20.2	64.8				
	6	17	22.7	93.4	150	4.4	17.2	2	34	244.0	609.2	153	44.3	201.6	21	25.0	89.8				
8	1	17	20.8	114.2	150	0.8	18.0		34	586.7	1195.9	153	36.8	238.4	21	9.8	99.6				
	2	17	13.3	127.5	150	1.5	19.5		34	277.8	1473.7	153	46.3	284.7	21	16.8	116.4				
	3	17	16.2	143.7	150	0.5	20.0		34	491.9	1965.6	153	172.9	457.6	21	24.4	140.8				
	4	17	10.8	154.5	150	0.4	20.4		34	379.1	2344.7	153	465.1	922.7	21	31.7	172.5				
	5	17	7.6	162.0	150	1.0	21.4		34	116.2	2460.9	153	79.3	1002.0	21	42.9	215.4				
	6	17	8.8	170.8	150	1.3	22.7		34	41.8	2502.7	153	36.1	1038.1	21	46.0	261.4				
9	1	17	3.8	174.6	150	0.7	23.4		34	38.4	2541.1	153	27.0	1065.1	21	20.3	281.7				
	2	17	8.4	183.0	150	1.0	24.4		34	44.9	2586.0	153	66.8	1131.9	21	15.6	297.3				
	3	17	9.1	192.2	150	0.4	24.8		34	80.8	2666.8	153	20.4	1152.3	21	12.7	310.0				
	4	17	5.4	197.6	150	0.3	25.1		34	37.4	2704.2	153	84.6	1236.9	21	13.6	323.6				
	5	17	4.2	201.8	150	0	25.4		34	7.9	2712.1	153	29.0	1265.9	21	7.7	331.3				
	6	17	5.4	207.3	1	151	0	25.5		34	11.6	2723.7	153	46.9	1312.8	21	1.5	332.8			
10	1									34	1.7	2725.4									
	2									34	1.1	2726.5									
	3									34	1.3	2727.8									
	4									34	0.5	2728.3									
	5									34	0.6	2728.9									
	6									34	0.1	2729.0									








○平年値は過去10年間（H27～R6）の平均値である。

コブノメイガ半旬別誘殺状況(予察灯)

(頭)

月 半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
初飛来																				
4 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	5	0	0	0	0
5 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	0
4	0	0	0.1	0.1	0	0	0	0	0	0	0	0	0	0	1	6	0	0	0	0
5	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	4	10	0	0	0	0
6	0	0	0	0.3	0	0	0	0	0	0	0	0	0	0	0	10	0	0	0	0
6 1	0	0	0	0.5	0	0	0	0	0	0	1	1	0	0	2	12	0	0	0	0
2	0	0	0	0.9	0	0	0	0	0	1	1	0	0	1	12	0	0	0	0	0
3	0	0	0	0.9	0	0	0	0	0	0	1	0	0	1	13	0	0	0	0	0
4	0	0	0	1.1	0	0	0	1	0	0	1	0	0	1	14	0	0	0	0	0
5	0	0	0	1.1	0	0	0	1	0	0	1	0	0	1	15	0	0	0	0	0
6	0	0	0	1.1	0	0	0	1	0	0	1	0	0	0	15	0	0	0	0	0
7 1	0	0	1	1.6	0	0	0	1	0	0	1	3	0	0	1	17	0	0	0	1
2	0	0	2	3.3	0	0	2	3	0	0	1	3	0	0	1	18	0	0	1	2
3	0	0	2	4.9	0	0	2	5	0	0	1	5	0	0	1	19	0	0	0	2
4	0	0	1	5.9	0	0	5	10	0	0	2	6	0	0	3	22	0	0	1	3
5	0	0	2	7.6	0	0	6	16	0	0	4	10	0	0	3	24	0	0	3	6
6	0	0	1	8.8	0	0	3	18	0	0	27	37	0	0	6	30	0	0	4	10
8 1	0	0	2	10.5	0	0	1	19	0	0	79	116	0	0	12	42	0	2.0	11.7	
2	0	0	1	11.8	0	0	1	20	0	0	3	118	0	0	44	86	0	5	16.8	
3	0	0	0	12.3	0	0	1	21	0	0	14	132	0	0	93	179	0	9	25.3	
4	0	0	0	12.3	0	0	1	22	0	0	5	137	0	0	54	233	0	20	45.5	
5	0	0	1	13.1	0	0	1	22	0	0	5	142	0	0	41	274	0	21	66.3	
6	0	0	3	16.4	0	0	1	23	0	0	5	147	0	0	18	292	0	38	104.1	
9 1	0	0	1	17.4	0	0	2	25	0	0	6	153	0	0	60	352	0	11	115.5	
2	0	0	0	17.7	0	0	1	26	0	0	38	191	0	0	52	404	0	10	125.7	
3	0	0	0	17.8	0	0	1	27	0	0	7	198	0	0	126	530	0	8	133.7	
4	0	0	0	18.1	0	0	1	27	0	0	2	200	0	0	63	593	0	6	139.5	
5	0	0	0	18.3	0	0	1	28	0	0	2	201	0	0	79	672	0	5	144.0	
6	0	0	0	18.3	0	0	0	28	0	0	1	202	0	0	22	693	0	1	144.7	
10 1									0	1	203									
2									0	1	204									
3									0	0	204									
4									0	0	205									
5									0	0	205									
6									0	0	205									








○平年値は過去10年間（H27～R6）の平均値である。

イネミズソウムシ半旬別勝殺状況(予察灯)

(頭)

月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0.1	0.1
	3	0	0	0	0	0	0	0	0	0	0.0	0.5	0	0	0	0	0	0	0	0	0.1
	4	0	0	0.2	0.2	0	0	0.1	0.1	0	0	0.5	0	0	1	1	0	0	0	0.3	0.4
	5	1	1	0.1	0.3	0	0	0.1	0.2	0	0	0.5	0	0	0	1	0	0	0	0.2	0.7
	6	0	1	0.4	0.7	0	0	0	0.3	0	0	1.0	0	0	0	1	0	0	0	0.6	1.2
5	1	0	1	5.4	6.1	1	1	0	0.3	0	0	2.5	3.5	0	0	1.1	2.5	1	1	0.3	1.6
	2	0	1	0.9	7.0	0	1	0.1	0.4	0	0	0.5	4.0	0	0	0.3	2.8	0	1	0.3	1.9
	3	2	3	4.5	11.5	0	1	1.6	2.0	0	0	2.3	6.3	2	2	2.2	5.0	0	1	4.6	6.4
	4	2	5	4.9	16.4	0	1	0.5	2.5	0	0	9.1	15.4	0	2	9.0	14.0	1	2	7.7	14.1
	5	0	5	2.3	18.7	0	1	0.2	2.7	0	0	5.5	20.9	1	3	1.5	15.5	1	3	1.8	15.9
	6	0	5	1.1	19.8	0	1	0.0	2.7	1	1	3.3	24.2	1	4	0.8	16.3	0	3	1.8	17.7
6	1	0	5	0.7	20.5	0	1	0	2.7	0	1	1.1	25.3	0	4	0.5	16.8	0	3	1.2	18.9
	2	0	5	0.4	20.9	0	1	0.2	2.9	0	1	0.5	25.8	0	4	0.5	17.3	0	3	1.0	19.9
	3	0	5	0.2	21.2	0	1	0	3.0	0	1	0.6	26.4	0	4	0.1	17.4	0	3	0.9	20.8
	4	0	5	0.4	21.6	0	1	0.4	3.4	0	1	0.1	26.5	0	4	0	17.8	0	3	0.8	21.6
	5	0	5	0.4	22.1	0	1	0	3.5	0	1	0.5	27.0	0	4	0.2	18.0	0	3	0.4	22.0
	6	0	5	0.6	22.6	0	1	0.4	3.9	0	1	0.8	27.8	1	5	0.8	18.8	1	4	1.1	23.1
7	1	0	5	1.6	24.2	0	1	24.2	28.1	0	1	3.5	31.3	0	5	0.6	19.4	0	4	5.7	28.8
	2	6	11	29.3	53.5	28	29	94.0	122.1	5	6	57.8	89.1	8	13	8.1	27.5	10	14	46.2	75.0
	3	17	28	35.3	88.8	76	105	259.6	381.7	14	20	211.3	300.4		13	31.1	58.6		14	45.5	120.5
	4		28	58.4	147.3	56	161	331.1	712.8	3	23	700.2	1000.6		13	136.5	195.1		14	59.5	180.0
	5		28	107.9	255.2		161	171.1	883.9	12	35	419.1	1419.7		13	76.6	271.7		14	83.1	263.1
	6		28	80.4	335.6		161	150.1	1034.0		35	161.8	1581.5		13	105.5	377.2		14	71.5	334.6
8	1		28	40.8	376.4		161	59.5	1093.5		35	51.6	1633.1		13	48.9	426.1		14	35.1	369.7
	2		28	16.9	393.3		161	26.1	1119.6		35	27.4	1660.5		13	22.9	449.0		14	24.7	394.4
	3		28	8.7	401.9		161	13.4	1133.0		35	24.7	1685.2		13	12.0	461.0		14	21.4	415.8
	4		28	3.9	405.8		161	8.3	1141.3		35	13.1	1698.3		13	7.1	468.1		14	6.3	422.1
	5		28	2.1	407.9		161	4.7	1146.0		35	17.3	1715.6		13	6.1	474.2		14	7.1	429.2
	6		28	1.1	409.1		161	5.5	1151.5		35	3.1	1718.7		13	1.4	475.6		14	3.2	432.4
9	1		28	0.7	409.7		161	1.0	1152.5		35	2.3	1721.0		13	4.9	480.5		14	1.9	434.3
	2		28	0.1	409.8		161	0.5	1153.0		35	1.1	1722.1		13	1.7	482.2		14	1.0	435.3
	3		28	0.8	410.6		161	0.3	1153.3		35	13.5	1735.6		13	0.7	482.9		14	0.5	435.8
	4		28	0.0	410.6		161	1.0	1154.3		35	0.7	1736.3		13	0.6	483.5		14	0.5	436.3
	5		28	0.3	410.9		161	1	1154.9		35	0.4	1736.7		13	1.1	484.6		14	0.0	436.3
	6		28	0.4	411.4		161	0	1155.1		35	1.0	1737.7		13	1	485.6		14	0.1	436.4
10	1										35	0.1	1737.8								
	2										35	7.1	1744.9								
	3										35	0	1744.9								
	4										35	0	1744.9								
	5										35	0.5	1745.4								
	6										35	0	1745.4								








○平年値は過去10年間（H27～R6）の平均値である。

コナガ半旬別誘殺状況(予察灯)

(頭)

月	半旬	大津市里				守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	1	1	0.5	0.5	2	2	0.6	0.6	4	4	1.8	1.8	0	0	0.4	0.4	0	0	0.3	0.3
	2	0	1	1.2	1.7	2	4	1.4	2.0	4	8	4.6	6.4	0	0	0.0	0.4	0	0	0.2	0.6
	3	4	5	1.4	3.1	16	20	1.7	3.7	2	10	4.3	10.7	0	0	0.4	0.8	1	1	0.2	0.8
	4	1	6	1.7	4.8	1	21	2.4	6.1	2	12	6.8	17.5	0	0	0.9	1.7	0	1	0.9	1.7
	5	1	7	1.7	6.5	0	21	1.9	8.0	9	21	8.6	26.1	0	0	1.0	2.7	0	1	1.8	3.4
	6	3	10	1.6	8.1	1	22	0.8	8.8	3	24	3.9	30.0	0	0	0.5	3.2	0	1	0.7	4.1
5	1	1	11	3.3	11.4	4	26	1.1	9.9	2	26	11.2	41.2	0	0	0.8	4.0	0	1	2.0	6.1
	2	0	11	3.7	15.1	1	27	1.1	11.0	2	28	14.5	55.7	0	0	0.4	4.4	0	1	0.9	7.0
	3	2	13	2.6	17.7	4	31	3.3	14.3	0	28	13.6	69.3	0	0	0.5	4.9	0	1	2.4	9.4
	4	1	14	2.4	20.1	7	38	2.8	17.1	0	28	5.3	74.6	0	0	1.2	6.1	1	2	1.9	11.3
	5	2	16	1.5	21.6	3	41	1.9	19.0	1	29	6.5	81.1	2	2	0.4	6.5	0	2	0.9	12.2
	6	2	18	1.6	23.2	7	48	2.6	21.6	3	32	6.5	87.6	0	2	0.5	7.0	0	2	0.6	12.8
6	1	3	21	1.3	24.5	3	51	1.6	23.2	0	32	5.0	92.6	2	4	0.3	7.3	0	2	0.9	13.7
	2	2	23	3.1	27.6	4	55	8.0	31.2	0	32	6.1	98.7	2	6	0.5	7.8	0	2	0.7	14.4
	3	1	24	2.4	30.1	12	67	9.1	40.3	6	38	4.1	102.8	2	8	0.1	7.9	1	3	1.6	16.0
	4	1	25	2.0	32.1	6	73	9.4	49.7	4	42	7.6	110.4	0	8	0.8	8.7	1	4	2.0	18.0
	5	2	27	2.0	34.1	4	77	5.9	55.6	1	43	6.9	117.3	1	9	0.2	8.9	0	4	1.9	19.9
	6	0	27	0.7	34.7	4	81	8.1	63.7	3	46	36.3	153.6	0	9	1.7	10.6	0	4	2.2	22.1
7	1	1	28	1.2	35.9	0	81	5.1	68.8	3	49	6.0	159.6	0	9	1.1	11.7	0	4	1.5	23.6
	2	2	30	3.8	39.7	1	82	11.3	80.1	0	49	10.2	169.8	0	9	1.3	13.0	0	4	2.2	25.8
	3	2	32	0.4	40.2	1	83	3.1	83.2	2	51	5.8	175.6	0	9	0.1	13.1	0	4	0.7	26.5
	4	3	32	1.1	41.3	1	84	4.1	87.3	0	51	6.6	182.2	0	9	0.2	13.3	0	4	1.4	27.9
	5	3	32	1.4	42.7	0	84	2.2	89.5	0	51	9.6	191.8	0	9	0.1	13.4	0	4	0.6	28.5
	6	3	32	1.2	43.9	0	84	3.3	92.8	0	51	6.7	198.5	0	9	0.8	14.2	0	4	0.7	29.2
8	1	3	32	1.1	45.1	0	84	1.9	94.7	0	51	5.7	204.2	0	9	0.3	14.5	0	4	0.8	30.0
	2	3	32	0.4	45.5	0	84	3.1	97.8	0	51	2.8	207.0	0	9	0.2	14.7	0	4	1.7	31.7
	3	3	32	0.3	45.8	0	84	1.3	99.1	0	51	2.3	209.3	0	9	0.2	14.9	0	4	0.8	32.5
	4	3	32	0.1	45.9	0	84	3.2	102.3	0	51	2.7	212.0	0	9	0.0	14.9	0	4	0.0	32.5
	5	3	32	0.1	46.1	0	84	1.5	103.8	0	51	2.7	214.7	0	9	0.3	15.2	0	4	0.4	32.9
	6	3	32	0.1	46.2	0	84	3.0	106.8	0	51	1.4	216.1	0	9	0.0	15.2	0	4	0.2	33.1
9	1	3	32	0.1	46.3	0	84	1.5	108.3	0	51	1.2	217.3	0	9	0.3	15.5	0	4	0.1	33.2
	2	3	32	0.2	46.5	0	84	1.8	110.1	0	51	1.0	218.3	0	9	0.3	15.8	0	4	0.1	33.3
	3	3	32	0.1	46.6	0	84	3.1	113.2	0	51	1.7	220.0	0	9	0	15.8	0	4	0.8	34.1
	4	3	32	0	46.6	0	84	1.4	114.6	0	51	1.0	221.0	0	9	0	15.8	0	4	0.5	34.6
	5	3	32	0.2	46.8	0	84	2.8	117.4	0	51	2.1	223.1	0	9	0	15.9	0	4	0.2	34.8
	6	3	32	0.0	46.8	0	84	0.5	117.9	0	51	2.5	225.6	0	9	0	15.9	0	4	0.4	35.2
10	1										51	2.2	227.8								
	2										51	0.6	228.4								
	3										51	1.2	229.6								
	4										51	0.8	230.4								
	5										51	0.9	231.3								
	6										51	1.3	232.6								







○平年値は過去10年間（H27～R6）の平均値である。

シロオビノメイガ半旬別誘殺状況(予察灯)

(頭)

月	半旬	守山市矢島町				近江八幡市安土町大中				長浜市難波町				高島市今津町日置前			
		本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積	本年	累積	平年	累積
4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.2
	3	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0.2
	4	0	0	0.2	0.2	0	0	0	0	0	0.1	0	0	0	0	0	0.2
	5	0	0	0	0.2	0	0	0	0	0	0.1	0	0	0	0	0	0.2
	6	0	0	0	0.2	0	0	0	0	0	0.1	0	0	0	0	0.1	0.3
5	1	0	0	0	0.2	0	0	0	0	0	0.1	0	0	0	0	0	0.3
	2	0	0	0	0.2	0	0	0	0	0	0.1	0	0	0	0	0	0.3
	3	0	0	0	0.2	0	0	0	0	0	0.1	0	0	0	0	0	0.3
	4	0	0	0.2	0.4	0	0	0	0	0	0.1	0	0	0	0	0	0.3
	5	0	0	0	0.4	0	0	0	0	0	0.1	0	0	0	0	0	0.3
	6	0	0	0	0.4	0	0	0	0	0	0.1	0	0	0	0	0	0.3
6	1	0	0	0	0.4	0	0	0	0	0	0.1	0	0	0	0	0.1	0.4
	2	0	0	0	0.4	0	0	0	0	0	0.1	0	0	0	1	1	0.4
	3	0	0	0	0.4	0	0	0	0	0	0.1	0	0	0	0	1	0.4
	4	0	0	0	0.4	0	0	0	0	1	0.1	0	0	0	0	1	0.4
	5	1	1	0.1	0.5	0	0	0	0	1	0.1	0	0	0	1	0.5	0.9
	6	0	1	0	0.6	0	0	0	0	1	0.1	0	0.1	0	1	0.0	0.9
7	1	0	1	0.0	0.6	0	0	0	0	1	0.1	0.2	0	0	0.1	0	1.0
	2	0	1	0	0.7	0	0	0.1	0.1	1	0.1	0.3	0	0	0.1	1	1.2
	3	0	1	1.4	2.2	0	0	0.1	0.2	1	0.2	0.5	0	0	0.1	1	1.6
	4	1	1.3	3.5	0	0	0	0.2	0	1	0.1	0.6	0	0	0.1	1	2.2
	5	1	3.0	6.5	0	0	0.3	0.5	0	1	0	0.6	0	0	0.1	1	3.4
	6	1	3.8	10.3	0	0	0.6	1.1	1	1	0.2	0.8	0	0.1	0.2	1	6.3
8	1	5.4	15.7	0	0.8	1.9	1	0.3	1.1	1	0.3	1.1	0	0.0	0.2	1	7.7
	2	7.4	23.2	0	0.8	2.7	1	0.8	1.9	1	0.8	1.9	0	0.1	0.3	1	11.9
	3	7.7	30.8	0	0.6	3.3	1	1.2	3.1	1	1.2	3.1	0	0.0	0.3	1	14.8
	4	8.1	39.0	0	2.8	6.1	1	0.6	3.7	1	0.6	3.7	0	0.4	0.7	1	19.2
	5	12.8	51.7	0	3.2	9.3	1	0.9	4.6	1	0.9	4.6	0	0.3	1.0	1	22.9
	6	1	26.8	78.5	0	6.2	15.5	1	2.5	7.1	1	2.5	7.1	0	0.6	1.6	28.9
9	1	18.8	97.3	0	4.6	20.1	1	2.7	9.8	1	2.7	9.8	0	0.9	2.5	1	38.8
	2	12.7	110.0	0	3.1	23.2	1	3.8	13.6	1	3.8	13.6	0	1.1	3.6	1	47.0
	3	14.2	124.2	0	3.3	26.5	1	2.5	16.1	1	2.5	16.1	0	0.7	4.3	1	56.0
	4	6.1	130.3	0	4.1	30.6	1	3.6	19.7	1	3.6	19.7	0	0.4	4.7	1	60.9
	5	8.0	138.3	0	5.1	35.7	1	4.8	24.5	1	4.8	24.5	0	2.4	7.1	1	65.9
	6	1	11.3	149.6	0	2.8	38.5	1	5.7	30.2	1	5.7	30.2	0	0.6	7.7	69.7
10	1									1	4.3	34.5					
	2									1	3.1	37.6					
	3									1	1.2	38.8					
	4									1	1.4	40.2					
	5									1	0.2	40.4					
	6									1	0	40.6					



○平年値は過去10年間(H27~R6)の平均値である。